



Lillian Rivera, RN, MSN, Ph.D., Administrator

MIAMI-DADE COUNTY HEALTH DEPARTMENT
HIV/AIDS SURVEILLANCE
MONTHLY SURVEILLANCE REPORT



AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- AIDS cases by age group and gender (Excluding Department DOC). *AIDS Worksheet.*
- AIDS Cases by year of report and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC). *AIDS Worksheet.*
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *AIDS Worksheet.*
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Pediatric AIDS cases by exposure category, race/ethnicity and gender. *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC). *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC). *AIDS Worksheet.*

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- HIV (not AIDS) cases by age group and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by year of report and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *HIV Worksheet.*
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender. *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*

(Continue next Page)

DOCUMENTED PEOPLE LIVING WITH HIV/AIDS (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

Total people living with HIV or AIDS by current age and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult & Pediatric cases living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC). *PLWHA Worksheet.*

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006

All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006. *Perinatal Exposed Worksheet.*
All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006. *Perinatal Exposed Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006. *Perinatal Exposed Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006. *Perinatal Exposed Worksheet.*
CONFIRMED Infected Perinatal cases, known HIV or AIDS by year, 2000-2010. *Perinatal Exposed Worksheet.*

HIV/AIDS CASES REPORTED FROM DEPARTMENT OF CORRECTION [DOC]

Department of Correction AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction adult AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by mortality status and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*
Department of Correction Hispanic AIDS and HIV cases by country of origin and gender. *DOC Worksheet.*
Department of Correction adult Hispanic AIDS and HIV cases by country of origin, exposure category and gender. *DOC Worksheet.*
Department of Correction Haitian born AIDS and HIV (Not AIDS) cases by gender. *DOC Worksheet.*
Department of Correction Haitian born Adult AIDS and HIV (Not AIDS) cases by exposure category and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*

ONE-IN STATEMENTS

One-in statements for People Living with HIV or AIDS through 2009 (all ages) in Miami-Dade. *ONE-IN STATEMENTS Worksheet.*

USEFUL WEBSITES LINKS

Useful websites for HIV/AIDS related information. *WEBSITE Worksheet.*



Office of HIV/AIDS
8600 NW 17th Street, Miami, FL 33126
(305) 470-6999
www.dadehealth.org



INTRODUCTORY NOTE TO NEW MONTHLY REPORT VERSION

Due to the new implementation of a computerized system of entering, retrieving and analyzing HIV/AIDS data in our state, electronic HIV/AIDS Reporting System [eHARS], there are few changes that reflect the way to process and present the information, different from the old HIV/AIDS Reporting System [HARS] and monthly HIV/AIDS Surveillance Report. This new way to produce data is reflected in the format in our monthly report including more information than before. Henceforth the data referred to HIV and AIDS cases will exclude those from Department of Correction [DOC], instead DOC information is provided in a separate worksheet in seven (7) different tables with demographics. New tables will reflect information in a separate worksheet like: People Living with HIV or AIDS in our County [PLWHA], Perinatal Exposed cases and useful website link that will provide a new tool to find HIV/AIDS related data beyond our County. All these changes will allow the Miami-Dade County Health Department Administration and public, to have more detailed information concerning the HIV/AIDS epidemic in our County.

AN IMPORTANT NOTE ON REPORTING CHANGES AND THEIR EFFECT ON HIV/AIDS TRENDS DURING 2007-2010

- HIV/AIDS data help monitor the epidemic, if they are collected and reported the same way each year. In 2007, 2008, 2009, and 2010, HIV and AIDS case data were collected in somewhat different ways, which complicated interpretation of trends that fluctuated erratically. In addition, the influence of these data collection and reporting changes created artificial increases or decreases in cases that occurred across the board in virtually all counties and in all racial/ethnic, gender, age and HIV risk factor categories. Sometimes these increases or decreases were quite large. Whenever there is a high degree of consistency in across-the-board trends, it tends to indicate the artificial influence of reporting factors. (By contrast, HIV/AIDS death data were collected and reported the same way throughout this period, so trends in such deaths can be reliably monitored and interpreted over this time period.)
- In 2007, viral load reporting and CD4 reporting (first implemented in November 2006) resulted in marked increases in HIV cases. However, this apparent change did not necessarily mean a real change in HIV trend in 2007. The reporting changes could have masked an actual decrease or exaggerated an increase in HIV cases.

(Continue next Page)

- Also in 2007, expansion of electronic lab reporting would have resulted in increases in AIDS cases across the board, but unavoidable data entry of many lab-based AIDS cases for 2007 did not occur till early 2008. This had the effect of increasing AIDS cases in 2008. Again, this apparent trend did not necessarily mean true changes in the annual occurrence AIDS cases.
- In 2009, a new HIV/AIDS reporting system was implemented, called "eHARS", which resulted in unavoidable data entry delays in the early part of the year. This produced the false impression that HIV and AIDS cases were decreasing in the early months of 2009. Thus, the early months of 2010 will have much higher numbers of cases, compared with the same months of 2009. Again, this could mask an actual decrease in HIV and AIDS trends or exaggerate an increase in trend.
- Since no further changes in HIV/AIDS reporting are expected in 2010 and beyond, reliable interpretation of trends may resume.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MAY 2010

AIDS Cases by age group and gender (Excluding DOC)

AIDS Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	208	2.41	196	0.82	404	1.24
5-12	52	0.60	55	0.23	107	0.33
13-19	155	1.79	104	0.43	259	0.79
20-29	1,587	18.37	2,865	11.95	4,452	13.65
30-39	3,090	35.76	9,001	37.55	12,091	37.08
40-49	2,207	25.54	7,212	30.09	9,419	28.88
50-59	902	10.44	3,150	13.14	4,052	12.43
60-64	222	2.57	742	3.10	964	2.96
65-69	122	1.41	375	1.56	497	1.52
>=70	95	1.10	270	1.13	365	1.12
Unknown	0	0.00	0	0.00	0	0.00
Total	8,640	100%	23,970	100%	32,610	100%

Adult AIDS Cases by year of report and gender (Excluding DOC)

Adult AIDS Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.00	4	100.00	4	0.01
1982	7	18.42	31	81.58	38	0.12
1983	16	16.33	82	83.67	98	0.30
1984	18	11.92	133	88.08	151	0.46
1985	29	15.26	161	84.74	190	0.58
1986	71	17.40	337	82.60	408	1.25
1987	67	13.73	421	86.27	488	1.50
1988	118	16.60	593	83.40	711	2.18
1989	209	20.23	824	79.77	1,033	3.17
1990	183	19.41	760	80.59	943	2.89
1991	394	19.69	1,607	80.31	2,001	6.14
1992	341	20.82	1,297	79.18	1,638	5.02
1993	632	22.56	2,170	77.44	2,802	8.59
1994	670	23.50	2,181	76.50	2,851	8.74
1995	593	28.01	1,524	71.99	2,117	6.49
1996	529	27.07	1,425	72.93	1,954	5.99
1997	422	28.32	1,068	71.68	1,490	4.57
1998	466	31.72	1,003	68.28	1,469	4.50
1999	359	29.38	863	70.62	1,222	3.75

Adult AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	377	31.68	813	68.32	1,190	3.63
2001	372	32.92	758	67.08	1,130	3.47
2002	304	28.92	747	71.08	1,051	3.22
2003	297	30.28	684	69.72	981	3.01
2004	405	31.54	879	68.46	1,284	3.94
2005	390	33.14	787	66.86	1,177	3.61
2006	392	34.51	744	65.49	1,136	3.48
2007	276	35.29	506	64.71	782	2.40
2008	334	31.01	743	68.99	1,077	3.30
2009	267	30.24	616	69.76	883	2.71
2010	102	32.80	209	67.20	311	0.93
Total Adult AIDS	8,640	26.49	23,970	73.51	32,610	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult						Pediatric						TOTAL CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,495	17.84	9,580	40.39	11,075	34.50	39	15.00	39	15.54	78	15.26	1,534	17.75	9,619	40.13	11,153	34.20
American Indian/Alaska Native	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
Asian	1	0.01	7	0.03	8	0.02	0	0.00	0	0.00	0	0.00	1	0.01	7	0.03	8	0.02
Black or African American	6,331	75.55	9,805	41.34	16,136	50.27	209	80.38	200	79.68	409	80.04	6,540	75.69	10,005	41.74	16,545	50.74
Native Hawaiian/Pacific Islander	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
White	428	5.11	3,995	16.84	4,423	13.78	10	3.85	11	4.38	21	4.11	438	5.07	4,006	16.71	4,444	13.63
Legacy Asian	2	0.02	13	0.05	15	0.05	0	0.00	0	0.00	0	0.00	2	0.02	13	0.05	15	0.05
Multi-Race	121	1.44	315	1.33	436	1.36	2	0.77	1	0.40	3	0.59	123	1.42	316	1.32	439	1.35
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	8,380	100%	23,719	100%	32,099	100%	260	100%	251	100%	511	100%	8,640	100%	23,970	100%	32,610	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult						Pediatric						TOTAL					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,787	45.19	9,350	39.42	13,137	40.93	87	33.46	92	36.65	179	35.03	3,874	44.84	9,442	39.39	13,316	40.83
Deaths	4,593	54.81	14,369	60.58	18,962	59.07	173	66.54	159	63.35	332	64.97	4,766	55.16	14,528	60.61	19,294	59.17
Total	8,380	100%	23,719	100%	32,099	100%	260	100%	251	100%	511	100%	8,640	100%	23,970	100%	32,610	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			12,887	54.33	12,887	40.15
Adult injection drug use [IDU]	1,938	23.13	3,153	13.29	5,091	15.86
Adult MSM & IDU			1,260	5.31	1,260	3.93
Adult receiving clotting factor [HEMOPH]	9	0.11	51	0.22	60	0.19
Adult heterosexual contact [HTRSX]	5,381	64.21	3,542	14.93	8,923	27.80
Adult received transfusion/transpla [TRNSF]	93	1.11	95	0.40	188	0.59
Adult case reported with pediatric risk	48	0.57	33	0.14	81	0.25
Adult no risk factor reported [NRR]	911	10.87	2,698	11.37	3,609	11.24
Total	8,380	100%	23,719	100%	32,099	100%

Pediatric Exposure Category	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	257	98.85	239	95.22	496	97.06
Child receiving clotting factor [HEMOPH]	2	0.77	5	1.99	7	1.37
Child other risk confirmed [OTHER]	0	0.00	1	0.40	1	0.20
Child no risk factor reported [NRR]	1	0.38	6	2.39	7	1.37
Total	260	100%	251	100%	511	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			223	11.5			1	11.1	1,103	20.5	19	20.4	10	20.4	139	15.3	1,495	17.8
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Black or African American			1,487	76.7			7	77.8	4,016	74.6	60	64.5	36	73.5	725	79.6	6,331	75.5
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
White			193	10.0			1	11.1	185	3.4	11	11.8	1	2.0	37	4.1	428	5.1
Legacy Asian			0	0.0			0	0.0	2	0.0	0	0.0	0	0.0	0	0.0	2	0.0
Multi-Race			35	1.8			0	0.0	71	1.3	3	3.2	2	4.1	10	1.1	121	1.4
Female Subtotal			1,938	100%			9	100%	5,380	100%	93	100%	49	100%	911	100%	8,380	100%

Adult AIDS cases by exposure category and race/ethnicity according to gender (Excluding DOC)

ADULT MALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	6,924	53.7	687	21.8	433	34.4	19	37.3	835	23.6	34	35.8	5	15.2	643	23.8	9,580	40.4
American Indian/Alaska Native	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	2	0.0
Asian	4	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	0	0.0	1	0.0	7	0.0
Black or African American	2,584	20.1	2,185	69.3	545	43.3	13	25.5	2,555	72.1	33	34.7	26	78.8	1,864	69.1	9,805	41.3
Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	0.0
White	3,194	24.8	240	7.6	261	20.7	18	35.3	95	2.7	27	28.4	1	3.0	159	5.9	3,995	16.8
Legacy Asian	8	0.1	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0	0	0.0	1	0.0	13	0.1
Multi-Race	173	1.3	40	1.3	21	1.7	1	2.0	51	1.4	1	1.1	1	3.0	27	1.0	315	1.3
Male Subtotal	12,887	100%	3,153	100%	1,260	100%	51	100%	3,542	100%	95	100%	33	100%	2,698	100%	23,719	100%

ADULT TOTAL	12,887		5,091		1,260		60		8,922		188		82		3,609		32,099	
--------------------	---------------	--	--------------	--	--------------	--	-----------	--	--------------	--	------------	--	-----------	--	--------------	--	---------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	37	14.4	1	50.0	0	#DIV/0!	1	100.0	39	15.0
Black or African American	208	80.9	1	50.0	0	#DIV/0!	0	0.0	209	80.4
White	10	3.9	0	0.0	0	#DIV/0!	0	0.0	10	3.8
Multi-Race	2	0.8	0	0.0	0	#DIV/0!	0	0.0	2	0.8
Unknown	0	0.0	0	0.0	0	#DIV/0!	0	0.0	0	0.0
Male Subtotal	257	100%	2	100%	0	#DIV/0!	1	100%	260	100%

PEDIATRIC MALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	34	14.2	4	80.0	0	0.0	1	16.7	39	15.5
Black or African American	193	80.8	1	20.0	1	100.0	5	83.3	200	79.7
White	11	4.6	0	0.0	0	0.0	0	0.0	11	4.4
Multi-Race	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Male Subtotal	239	100%	5	100%	1	100%	6	100%	251	100%

TOTAL PEDIATRIC	496		7		1		7		511	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	24	1.6	15.0	136	1.4	85.0	160	1.4
Colombia	61	4.1	12.6	425	4.4	87.4	486	4.4
Cuba	367	24.5	7.9	4,279	44.7	92.1	4,646	42.0
Dominican Republic	68	4.5	34.0	132	1.4	66.0	200	1.8
Honduras	118	7.9	28.6	294	3.1	71.4	412	3.7
Mexico	20	1.3	9.2	197	2.1	90.8	217	2.0
Nicaragua	62	4.1	16.1	322	3.4	83.9	384	3.5
Peru	23	1.5	13.1	153	1.6	86.9	176	1.6
Puerto Rico	174	11.6	17.8	801	8.4	82.2	975	8.8
United States	308	20.6	20.6	1,190	12.4	79.4	1,498	13.5
Venezuela	11	0.7	4.7	221	2.3	95.3	232	2.1
Other/Unknown Countries	259	17.3	15.3	1,430	14.9	84.7	1,689	15.3
Total Adult Hispanic	1,495	100%		9,580	100%		11,075	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			3	12.5			0	0.0	19	79.2	0	0.0	2	8.3	24	100%
Colombia			7	11.5			2	3.3	44	72.1	0	0.0	8	13.1	61	100%
Cuba			53	14.4			8	2.2	264	71.9	0	0.0	42	11.4	367	100%
Dominican Republic			3	4.4			0	0.0	58	85.3	0	0.0	7	10.3	68	100%
Honduras			8	6.8			1	0.8	98	83.1	0	0.0	11	9.3	118	100%
Mexico			4	20.0			1	5.0	14	70.0	0	0.0	1	5.0	20	100%
Nicaragua			2	3.2			1	1.6	49	79.0	0	0.0	10	16.1	62	100%
Peru			1	4.3			0	0.0	21	91.3	0	0.0	1	4.3	23	100%
Puerto Rico			45	25.9			2	1.1	117	67.2	0	0.0	10	5.7	174	100%
United States			70	22.7			3	1.0	203	65.9	10	3.2	22	7.1	308	100%
Venezuela			3	27.3			0	0.0	8	72.7	0	0.0	0	0.0	11	100%
Other/Unknown			24	9.3			1	0.4	204	78.8	0	0.0	25	9.7	259	98%
Total Hispanic Female			223	14.9%			19	1.3%	1,099	73.5%	10	0.7%	139	9.3%	1,495	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	113	83.1	4	2.9	7	5.1	0	0.0	9	6.6	0	0.0	3	2.2	136	100%
Colombia	345	81.2	13	3.1	15	3.5	3	0.7	30	7.1	0	0.0	19	4.5	425	100%
Cuba	3,271	76.4	207	4.8	172	4.0	30	0.7	320	7.5	1	0.0	278	6.5	4,279	100%
Dominican Republic	75	56.8	7	5.3	4	3.0	1	0.8	32	24.2	0	0.0	13	9.8	132	100%
Honduras	180	61.2	16	5.4	5	1.7	5	1.7	64	21.8	0	0.0	24	8.2	294	100%
Mexico	130	66.0	11	5.6	6	3.0	0	0.0	31	15.7	0	0.0	19	9.6	197	100%
Nicaragua	232	72.0	10	3.1	13	4.0	0	0.0	45	14.0	0	0.0	22	6.8	322	100%
Peru	122	79.7	2	1.3	2	1.3	0	0.0	15	9.8	0	0.0	12	7.8	153	100%
Puerto Rico	386	48.2	212	26.5	91	11.4	3	0.4	56	7.0	0	0.0	53	6.6	801	100%
United States	789	66.3	148	12.4	88	7.4	9	0.8	95	8.0	4	0.3	57	4.8	1,190	100%
Venezuela	196	88.7	2	0.9	2	0.9	2	0.9	12	5.4	0	0.0	7	3.2	221	100%
Other/Unknown	1,085	75.9	55	3.8	28	2.0	0	0.0	126	8.8	0	0.0	136	9.5	1,430	100%
Total Hispanic Male	6,924	72.3%	687	7.2%	433	4.5%	53	0.6%	835	8.7%	5	0.1%	643	6.7%	9,580	100%

TOTAL ADULT HISPANIC	6,924	62.5%	910	8.2%	433	3.9%	72	0.7%	1,934	17.5%	15	0.1%	782	7.1%	11,075	100%
-----------------------------	--------------	--------------	------------	-------------	------------	-------------	-----------	-------------	--------------	--------------	-----------	-------------	------------	-------------	---------------	-------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,394	37.9%	2,284	62.1%	3,678	100%

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			52	3.7%			25	1.8%	997	71.5%	1	0.1%	319	22.9%	1,394	100%
Haitian Adult Male	486	21.3%	74	3.2%	25	1.1%	9	0.4%	770	33.7%	3	0.1%	917	40.1%	2,284	100%
Total Haitian	486	13.2%	126	3.4%	25	0.7%	34	0.9%	1,767	48.0%	4	0.1%	1,236	33.6%	3,678	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MAY 2010

HIV (not AIDS) cases by age group and gender (Excluding DOC)

HIV Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	60	1.62	48	0.55	108	0.87
5-12	41	1.11	26	0.30	67	0.54
13-19	221	5.98	211	2.41	432	3.47
20-29	869	23.50	1,780	20.34	2,649	21.28
30-39	1,075	29.07	3,001	34.29	4,076	32.74
40-49	884	23.90	2,294	26.21	3,178	25.53
50-59	399	10.79	950	10.86	1,349	10.84
60-64	70	1.89	216	2.47	286	2.30
65-69	52	1.41	126	1.44	178	1.43
>=70	27	0.73	99	1.13	126	1.01
Unknown	0	0.00	0	0.00	0	0.00
Total	3,698	100%	8,751	100%	12,449	100%

Adult HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July, 1997.

Adult HIV Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
>=July 1997	140	36.55	243	63.45	383	3.08
1998	322	32.23	677	67.77	999	8.02
1999	318	33.19	640	66.81	958	7.70
2000	279	32.40	582	67.60	861	6.92
2001	306	32.83	626	67.17	932	7.49
2002	338	31.21	745	68.79	1,083	8.70
2003	270	28.30	684	71.70	954	7.66
2004	279	28.30	707	71.70	986	7.92
2005	273	31.78	586	68.22	859	6.90
2006	226	28.90	556	71.10	782	6.28
2007	289	28.17	737	71.83	1,026	8.24
2008	298	25.38	876	74.62	1,174	9.43
2009	258	25.29	762	74.71	1,020	8.19
2010	102	23.61	330	76.39	432	3.47
Total Adult HIV	3,698	42.26	8,751	70.29	12,449	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	804	22.35	4,000	46.10	4,804	39.14	17	16.83	9	12.16	26	14.86	821	22.20	4,009	45.81	4,830	38.80
American Indian/Alaska Native	1	0.03	1	0.01	2	0.02	0	0.00	0	0.00	0	0.00	1	0.03	1	0.01	2	0.02
Asian	3	0.08	8	0.09	11	0.09	0	0.00	0	0.00	0	0.00	3	0.08	8	0.09	11	0.09
Black or African American	2,547	70.81	3,070	35.38	5,617	45.76	82	81.19	60	81.08	142	81.14	2,629	71.09	3,130	35.77	5,759	46.26
Native Hawaiian/Pacific Islander	1	0.03	1	0.01	2	0.02	0	0.00	0	0.00	0	0.00	1	0.03	1	0.01	2	0.02
White	205	5.70	1,512	17.43	1,717	13.99	1	0.99	2	2.70	3	1.71	206	5.57	1,514	17.30	1,720	13.82
Legacy Asian	2	0.06	6	0.07	8	0.07	0	0.00	1	1.35	1	0.57	2	0.05	7	0.08	9	0.07
Multi-Race	34	0.95	79	0.91	113	0.92	1	0.99	2	2.70	3	1.71	35	0.95	81	0.93	116	0.93
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,597	100%	8,677	100%	12,274	100%	101	100%	74	100%	175	100%	3,698	100%	8,751	100%	12,449	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,359	93.38	8,071	93.02	11,430	93.12	100	99.01	73	98.65	173	98.86	3,459	93.54	8,144	93.06	11,603	93.20
Deaths	238	6.62	606	6.98	844	6.88	1	0.99	1	1.35	2	1.14	239	6.46	607	6.94	846	6.80
Total	3,597	100%	8,677	100%	12,274	100%	101	100%	74	100%	175	100%	3,698	100%	8,751	100%	12,449	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			5,153	59.39	5,153	41.98
Adult injection drug use [IDU]	283	7.87	344	3.96	627	5.11
Adult MSM & IDU			215	2.48	215	1.75
Adult receiving clotting factor [HEMOPH]	2	0.06	4	0.05	6	0.05
Adult heterosexual contact [HTRSX]	2,636	73.28	1,510	17.40	4,146	33.78
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	4	0.11	2	0.02	6	0.05
Adult no risk factor reported [NRR]	672	18.68	1,449	16.70	2,121	17.28
Total	3,597	100%	8,677	100%	12,274	100%

Pediatric Exposure Category	Pediatric HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	97	96.04	73	98.65	170	97.14
Child receiving clotting factor [HEMOPH]	0	0.00	0	0.00	0	0.00
Child other risk confirmed [OTHER]	0	0.00	0	0.00	0	0.00
Child no risk factor reported [NRR]	4	3.96	1	1.35	5	2.86
Total	101	100%	74	100%	175	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			63	22.3			0	0.0	587	22.3	0	#DIV/O!	2	50.0	152	22.6	804	22.4
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	2	0.1	0	#DIV/O!	0	0.0	1	0.1	3	0.1
Black or African American			172	60.8			1	50.0	1,899	72.0	0	#DIV/O!	2	50.0	473	70.4	2,547	70.8
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	1	0.0
White			40	14.1			0	0.0	125	4.7	0	#DIV/O!	0	0.0	40	6.0	205	5.7
Legacy Asian			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	1	0.1	2	0.1
Multi-Race			8	2.8			1	50.0	21	0.8	0	#DIV/O!	0	0.0	4	0.6	34	0.9
Female Subtotal			283	100%			2	100%	2,636	100%	0	#DIV/O!	4	100%	672	100%	3,597	100%

ADULT MALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	2,843	55.2	101	29.4	101	47.0	0	0.0	392	26.0	0	#DIV/O!	0	0.0	563	38.9	4,000	46.1
American Indian/Alaska Native	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	#DIV/O!	0	0.0	0	0.0	1	0.0
Asian	7	0.1	0	0.0	0	0.0	0	0.0	1	0.1	0	#DIV/O!	0	0.0	0	0.0	8	0.1
Black or African American	1,004	19.5	199	57.8	71	33.0	4	100.0	1,041	68.9	0	#DIV/O!	1	50.0	750	51.8	3,070	35.4
Native Hawaiian/Pacific Islander	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	0	0.0	1	0.0
White	1,243	24.1	41	11.9	40	18.6	0	0.0	59	3.9	0	#DIV/O!	1	50.0	128	8.8	1,512	17.4
Legacy Asian	5	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	6	0.1
Multi-Race	50	1.0	3	0.9	3	1.4	0	0.0	16	1.1	0	#DIV/O!	0	0.0	7	0.5	79	0.9
Male Subtotal	5,153	100%	344	100%	215	100%	4	100%	1,510	100%	0	#DIV/O!	2	100%	1,449	100%	8,677	100%

ADULT TOTAL		5,153		627		215		6		4,146		0		6		2,121		12,274	
-------------	--	-------	--	-----	--	-----	--	---	--	-------	--	---	--	---	--	-------	--	--------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	14	14.4	0	#DIV/0!	0	#DIV/0!	3	75.0	17	16.8
Black or African American	81	83.5	0	#DIV/0!	0	#DIV/0!	1	25.0	82	81.2
White	1	1.0	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.0
Multi-Race	1	1.0	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.0
Unknown	0	0.0	0	#DIV/0!	0	#DIV/0!	0	0.0	0	0.0
Male Subtotal	97	100%	0	#DIV/0!	0	#DIV/0!	4	100%	101	100%

PEDIATRIC MALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	9	12.3	0	#DIV/0!	0	#DIV/0!	0	0.0	9	12.2
Black or African American	59	80.8	0	#DIV/0!	0	#DIV/0!	1	100.0	60	81.1
White	2	2.7	0	#DIV/0!	0	#DIV/0!	0	0.0	2	2.7
Multi-Race	1	1.4	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.4
Unknown	2	2.7	0	#DIV/0!	0	#DIV/0!	0	0.0	2	2.7
Male Subtotal	73	100%	0	#DIV/0!	0	#DIV/0!	1	100%	74	100%

TOTAL PEDIATRIC	170		0		0		5		175	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	18	2.2	12.5	126	3.2	87.5	144	3.0
Colombia	36	4.5	18.1	163	4.1	81.9	199	4.1
Cuba	100	12.4	9.3	979	24.5	90.7	1,079	22.5
Dominican Republic	29	3.6	33.7	57	1.4	66.3	86	1.8
Honduras	66	8.2	37.7	109	2.7	62.3	175	3.6
Mexico	8	1.0	7.1	104	2.6	92.9	112	2.3
Nicaragua	33	4.1	21.7	119	3.0	78.3	152	3.2
Peru	12	1.5	14.8	69	1.7	85.2	81	1.7
Puerto Rico	49	6.1	21.0	184	4.6	79.0	233	4.9
United States	194	24.1	20.7	742	18.6	79.3	936	19.5
Venezuela	21	2.6	9.1	210	5.3	90.9	231	4.8
Other/Unknown Countries	238	29.6	17.3	1,138	28.5	82.7	1,376	28.6
Total Adult Hispanic	804	100%		4,000	100%		4,804	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			5	27.8			0	0.0	11	61.1	0	0.0%	2	11.1	18	100%
Colombia			1	2.8			0	0.0	29	80.6	0	0.0%	6	16.7	36	100%
Cuba			7	7.0			0	0.0	72	72.0	0	0.0%	21	21.0	100	100%
Dominican Republic			1	3.4			0	0.0	24	82.8	0	0.0%	4	13.8	29	100%
Honduras			0	0.0			0	0.0	56	84.8	0	0.0%	10	15.2	66	100%
Mexico			2	25.0			0	0.0	4	50.0	0	0.0%	2	25.0	8	100%
Nicaragua			0	0.0			0	0.0	25	75.8	0	0.0%	8	24.2	33	100%
Peru			1	8.3			0	0.0	9	75.0	0	0.0%	2	16.7	12	100%
Puerto Rico			11	22.4			0	0.0	30	61.2	0	0.0%	8	16.3	49	100%
United States			27	13.9			0	0.0	138	71.1	2	1.0%	27	13.9	194	99%
Venezuela			1	4.8			0	0.0	20	95.2	0	0.0%	0	0.0	21	100%
Other/Unknown			7	2.9			0	0.0	169	71.0	0	0.0%	62	26.1	238	100%
Total Hispanic Female			63	7.8%			0	0.0%	587	73.0%	2	0.2%	152	18.9%	804	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	105	83.3	2	1.6	2	1.6	0	0.0	9	7.1	0	0.0%	8	6.3	126	100%
Colombia	131	80.4	1	0.6	6	3.7	0	0.0	15	9.2	0	0.0%	10	6.1	163	100%
Cuba	718	73.3	17	1.7	37	3.8	8	0.8	102	10.4	0	0.0%	97	9.9	979	100%
Dominican Republic	22	38.6	4	7.0	3	5.3	0	0.0	18	31.6	0	0.0%	10	17.5	57	100%
Honduras	62	56.9	1	0.9	2	1.8	1	0.9	26	23.9	0	0.0%	17	15.6	109	100%
Mexico	84	80.8	2	1.9	1	1.0	0	0.0	6	5.8	0	0.0%	11	10.6	104	100%
Nicaragua	84	70.6	3	2.5	1	0.8	1	0.8	13	10.9	0	0.0%	17	14.3	119	100%
Peru	57	82.6	1	1.4	2	2.9	0	0.0	5	7.2	0	0.0%	4	5.8	69	100%
Puerto Rico	111	60.3	34	18.5	17	9.2	0	0.0	10	5.4	0	0.0%	12	6.5	184	100%
United States	527	71.0	23	3.1	18	2.4	5	0.7	72	9.7	0	0.0%	97	13.1	742	100%
Venezuela	184	87.6	1	0.5	2	1.0	1	0.5	12	5.7	0	0.0%	10	4.8	210	100%
Other/Unknown	758	66.6	12	1.1	10	0.9	-16	-1.4	104	9.1	0	0.0%	242	21.3	1,138	98%
Total Hispanic Male	2,843	71.1%	101	2.5%	101	2.5%	0	0.0%	392	9.8%	0	0.0%	535	13.4%	4,000	99%

TOTAL ADULT HISPANIC	2,843	59.2%	164	3.4%	101	2.1%	0	0.0%	979	20.4%	2	0.0%	687	14.3%	4,804	99%
-----------------------------	--------------	--------------	------------	-------------	------------	-------------	----------	-------------	------------	--------------	----------	-------------	------------	--------------	--------------	------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born HIV (Not AIDS) cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	527	49.7%	534	50.3%	1,061	100%

Haitian born adult HIV (Not AIDS) cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM \ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			9	1.7%			0	0.0%	421	79.9%	0	0.0%	97	18.4%	527	100%
Haitian Adult Male	84	15.7%	7	1.3%	1	0.2%	0	0.0%	274	51.3%	0	0.0%	168	31.5%	534	100%
Total Haitian	84	7.9%	16	1.5%	1	0.1%	0	0.0%	695	65.5%	0	0.0%	265	25.0%	1,061	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
 Documented People Living with HIV or AIDS [PLWHA]

MAY 2010

Total people living with HIV or AIDS by current age and gender (Excluding DOC)

Living People by Current Age Group & Gender	People Living w/AIDS						People Living w/HIV						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-04	1	0.03	1	0.01	2	0.02	3	0.09	5	0.06	8	0.07	4	0.05	6	0.03	10	0.04
05-12	12	0.31	8	0.08	20	0.15	31	0.90	25	0.31	56	0.48	43	0.59	33	0.19	76	0.30
13-19	67	1.73	61	0.65	128	0.96	82	2.37	71	0.87	153	1.32	149	2.03	132	0.75	281	1.13
20-29	224	5.78	272	2.88	496	3.72	468	13.53	879	10.79	1,347	11.61	692	9.44	1,151	6.54	1,843	7.40
30-39	669	17.27	1,140	12.07	1,809	13.59	846	24.46	1,854	22.77	2,700	23.27	1,515	20.66	2,994	17.02	4,509	18.09
40-49	1,328	34.28	3,523	37.31	4,851	36.43	1,035	29.92	3,002	36.86	4,037	34.79	2,363	32.22	6,525	37.10	8,888	35.67
50-59	1,117	28.83	3,072	32.54	4,189	31.46	706	20.41	1,606	19.72	2,312	19.93	1,823	24.86	4,678	26.60	6,501	26.09
60-64	231	5.96	702	7.43	933	7.01	137	3.96	343	4.21	480	4.14	368	5.02	1,045	5.94	1,413	5.67
65-69	107	2.76	375	3.97	482	3.62	78	2.25	182	2.23	260	2.24	185	2.52	557	3.17	742	2.98
>=70	118	3.05	288	3.05	406	3.05	73	2.11	177	2.17	250	2.15	191	2.60	465	2.64	656	2.63
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,874	100%	9,442	100%	13,316	100%	3,459	100%	8,144	100%	11,603	100%	7,333	100%	17,586	100%	24,919	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult & Pediatric cases living with HIV or AIDS cases by race/ethnicity and gender (Excluding DOC)

Total Living Adult by Race/Ethnicity	Adult cases living w/AIDS						Adult cases living w/HIV (not AIDS)						TOTAL ADULT LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	841	21.78	4,219	44.73	5,060	38.06	770	22.48	3,820	47.08	4,590	39.78	1,611	22.11	8,039	45.81	9,650	38.86
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	1	0.01	2	0.02	1	0.01	2	0.01	3	0.01
Asian	1	0.03	5	0.05	6	0.05	3	0.09	8	0.10	11	0.10	4	0.05	13	0.07	17	0.07
Black or African American	2,784	72.11	3,640	38.59	6,424	48.32	2,429	70.92	2,778	34.24	5,207	45.13	5,213	71.55	6,418	36.58	11,631	46.84
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	1	0.01	2	0.02	2	0.03	3	0.02	5	0.02
White	178	4.61	1,436	15.22	1,614	12.14	193	5.64	1,433	17.66	1,626	14.09	371	5.09	2,869	16.35	3,240	13.05
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	54	1.40	123	1.30	177	1.33	26	0.76	66	0.81	92	0.80	80	1.10	189	1.08	269	1.08
Total	3,861	100%	9,433	100%	13,294	100%	3,425	100%	8,114	100%	11,539	100%	7,286	100%	17,547	100%	24,833	100%

Total Living Pediatric by Race/Ethnicity	Pediatric cases living w/AIDS						Pediatric cases living w/HIV (not AIDS)						TOTAL PEDIATRIC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1	7.69	2	22.22	3	13.64	8	23.53	3	10.00	11	17.19	9	19.15	5	12.82	14	16.28
Black or African American	12	92.31	7	77.78	19	86.36	26	76.47	26	86.67	52	81.25	38	80.85	33	84.62	71	82.56
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Multi-race	0	0.00	0	0.00	0	0.00	0	0.00	1	3.33	1	1.56	0	0.00	1	2.56	1	1.16
Total	13	100%	9	100%	22	100%	34	100%	30	100%	64	100%	47	100%	39	100%	86	100%

Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC)

Total Living Cases by Race/Ethnicity	Total People Living w/AIDS						Total People Living w/HIV (not AIDS)						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	842	21.73	4,221	44.70	5,063	38.02	778	22.49	3,823	46.94	4,601	39.65	1,620	22.09	8,044	45.74	9,664	38.78
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	1	0.01	2	0.02	1	0.01	2	0.01	3	0.01
Asian	1	0.03	5	0.05	6	0.05	3	0.09	8	0.10	11	0.09	4	0.05	13	0.07	17	0.07
Black or African American	2,796	72.17	3,647	38.63	6,443	48.39	2,455	70.97	2,804	34.43	5,259	45.32	5,251	71.61	6,451	36.68	11,702	46.96
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	1	0.01	2	0.02	2	0.03	3	0.02	5	0.02
White	178	4.59	1,436	15.21	1,614	12.12	193	5.58	1,433	17.60	1,626	14.01	371	5.06	2,869	16.31	3,240	13.00
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	54	1.39	123	1.30	177	1.33	26	0.75	67	0.82	93	0.80	80	1.09	190	1.08	270	1.08
Total	3,874	100%	9,442	100%	13,316	100%	3,459	100%	8,144	100%	11,603	100%	7,333	100%	17,586	100%	24,919	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	80	9.5	354	12.7	64	36.0	13	22.4	511	13.2
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.0	0	0.0	0	0.0	1	0.0
Adult heterosexual contact [HTRSX]	676	80.4	2109	75.8	91	51.1	42	72.4	2,918	75.6
Adult received transfusion/transplant [TRNSF]	4	0.5	8	0.3	2	1.1	0	0.0	14	0.4
Adult case reported with pediatric risk	21	2.5	84	3.0	4	2.2	1	1.7	110	2.8
Adult no risk factor reported [NRR]	60	7.1	228	8.2	17	9.6	2	3.4	307	8.0
Living Adult Female Subtotal	841	100%	2,784	100%	178	100%	58	100%	3,861	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	3,134	74.3	1,175	32.3	1,185	82.5	87	63.0	5,581	59.2
Adult injection drug use [IDU]	220	5.2	465	12.8	60	4.2	12	8.7	757	8.0
Adult MSM & IDU	162	3.8	162	4.5	73	5.1	11	8.0	408	4.3
Adult receiving clotting factor [HEMOPH]	5	0.1	3	0.1	1	0.1	0	0.0	9	0.1
Adult heterosexual contact [HTRSX]	458	10.9	1,239	34.0	41	2.9	19	13.8	1,757	18.6
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.1	1	0.1	0	0.0	9	0.1
Adult case reported with pediatric risk	8	0.2	92	2.5	9	0.6	1	0.7	110	1.2
Adult no risk factor reported [NRR]	227	5.4	501	13.8	66	4.6	8	5.8	802	8.5
Living Adult Male Subtotal	4,219	100%	3,640	100%	1,436	100%	138	100%	9,433	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	54	7.0	145	6.0	34	17.6	5	15.2	238	6.9
Adult receiving clotting factor [HEMOPH]	0	0.0	0	0.0	0	0.0	1	3.0	1	0.2
Adult heterosexual contact [HTRSX]	566	73.5	1,791	73.7	122	63.2	20	60.6	2,499	73.0
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	11	1.4	57	2.3	1	0.5	1	3.0	70	2.0
Adult no risk factor reported [NRR]	139	18.1	436	17.9	36	18.7	6	18.2	617	18.0
Living Adult HIV Female	770	100%	2,429	100%	193	100%	33	100%	3,425	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	2,738	71.7	948	34.1	1,197	83.5	60	72.3	4,943	60.9
Adult injection drug use [IDU]	90	2.4	155	5.6	28	2.0	1	1.2	274	3.4
Adult MSM & IDU	97	2.5	64	2.3	38	2.7	2	2.4	201	2.5
Adult receiving clotting factor [HEMOPH]	0	0.0	4	0.1	0	0.0	0	0.0	4	0.0
Adult heterosexual contact [HTRSX]	368	9.6	920	33.1	48	3.3	13	15.7	1,349	16.6
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	6	0.2	35	1.3	2	0.1	2	2.4	45	0.6
Adult no risk factor reported [NRR]	521	13.6	652	23.5	120	8.4	5	6.0	1,298	16.0
Living Adult Male Subtotal	3,820	100%	2,778	100%	1,433	100%	83	100%	8,114	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	134	8.3	499	9.6	98	26.4	18	19.8	749	10.3
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.2	0	0.0	1	1.1	2	0.2
Adult heterosexual contact [HTRSX]	1,242	77.1	3,900	74.8	213	57.4	62	68.1	5,417	74.3
Adult received transfusion/transplant [TRNSF]	4	0.2	8	0.2	2	0.5	0	0.0	14	0.2
Adult case reported with pediatric risk	32	2.0	141	2.7	5	1.3	2	2.2	180	2.5
Adult no risk factor reported [NRR]	199	12.4	664	12.7	53	14.3	8	8.8	924	12.7
Living Adult Female Subtotal	1,611	100%	5,213	100%	371	100%	91	100%	7,286	100%

ADULT MALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	5,872	73.0	2,123	33.1	2,382	83.0	147	66.5	10,524	60.0
Adult injection drug use [IDU]	310	3.9	620	9.7	88	3.1	13	5.9	1,031	5.9
Adult MSM & IDU	259	3.2	226	3.5	111	3.9	13	5.9	609	3.5
Adult receiving clotting factor [HEMOPH]	5	0.1	7	0.1	1	0.0	0	0.0	13	0.1
Adult heterosexual contact [HTRSX]	826	10.3	2,159	33.6	89	3.1	32	14.5	3,106	17.7
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.0	1	0.0	0	0.0	9	0.1
Adult case reported with pediatric risk	14	0.2	127	2.0	11	0.4	3	1.4	155	0.9
Adult no risk factor reported [NRR]	748	9.3	1,153	18.0	186	6.5	13	5.9	2,100	12.0
Living Adult Male Subtotal	8,039	100%	6,418	100%	2,869	100%	221	100%	17,547	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC)

Country of Origin [COO]	Adult Hispanic Living w/ AIDS								Adult Hispanic Living w/HIV							
	ADULT FEMALE			ADULT MALE			TOTAL		ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	19	2.3	17.9	87	2.1	82.1	106	2.1	18	2.3	12.6	125	3.3	87.4	143	3.1
Colombia	32	3.8	12.5	224	5.3	87.5	256	5.1	35	4.5	17.9	160	4.2	82.1	195	4.2
Cuba	159	18.9	12.3	1,137	26.9	87.7	1,296	25.6	90	11.7	9.2	893	23.4	90.8	983	21.4
Dominican Republic	42	5.0	40.0	63	1.5	60.0	105	2.1	29	3.8	34.1	56	1.5	65.9	85	1.9
Honduras	75	8.9	27.8	195	4.6	72.2	270	5.3	67	8.7	38.7	106	2.8	61.3	173	3.8
Mexico	12	1.4	9.2	119	2.8	90.8	131	2.6	8	1.0	7.3	102	2.7	92.7	110	2.4
Nicaragua	37	4.4	17.5	174	4.1	82.5	211	4.2	32	4.2	22.7	109	2.9	77.3	141	3.1
Peru	17	2.0	17.0	83	2.0	83.0	100	2.0	12	1.6	14.8	69	1.8	85.2	81	1.8
Puerto Rico	75	8.9	20.5	290	6.9	79.5	365	7.2	36	4.7	18.2	162	4.2	81.8	198	4.3
United States	176	20.9	21.2	655	15.5	78.8	831	16.4	193	25.1	21.1	723	18.9	78.9	916	20.0
Venezuela	6	0.7	3.6	163	3.9	96.4	169	3.3	21	2.7	9.2	208	5.4	90.8	229	5.0
Other/Unknown Countries	191	22.7	15.7	1,029	24.4	84.3	1,220	24.1	229	29.7	17.1	1,107	29.0	82.9	1,336	29.1
Total Adult Hispanic	841	100%		4,219	100%		5,060	100%	770	100%		3,820	100%		4,590	100%

Country of Origin [COO]	Total Adult Hispanic Living w/ AIDS or HIV							
	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	37	2.3	14.9	212	2.6	85.1	249	2.6
Colombia	67	4.2	14.9	384	4.8	85.1	451	4.7
Cuba	249	15.5	10.9	2,030	25.3	89.1	2,279	23.6
Dominican Republic	71	4.4	37.4	119	1.5	62.6	190	2.0
Honduras	142	8.8	32.1	301	3.7	67.9	443	4.6
Mexico	20	1.2	8.3	221	2.7	91.7	241	2.5
Nicaragua	69	4.3	19.6	283	3.5	80.4	352	3.6
Peru	29	1.8	16.0	152	1.9	84.0	181	1.9
Puerto Rico	111	6.9	19.7	452	5.6	80.3	563	5.8
United States	369	22.9	21.1	1,378	17.1	78.9	1,747	18.1
Venezuela	27	1.7	6.8	371	4.6	93.2	398	4.1
Other/Unknown Countries	420	26.1	16.4	2,136	26.6	83.6	2,556	26.5
Total Adult Hispanic	1,611	100%		8,039	100%		9,650	100%

Total Adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC)

C.O.O	Total Adult Haitian Living w/AIDS					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	738	43.4%	961	56.6%	1,699	100%

C.O.O	Total Adult Haitian Living w/HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	497	50.8%	482	49.2%	979	100%

C.O.O	Total Adult Haitian Living w/AIDS or HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,235	46.1%	1,443	53.9%	2,678	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

*All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006.
Born in Miami-Dade county.*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	TOTAL
>=November 20 th , 2006	4	0	0	15	19
2007	85	1	0	53	139
2008	126	1	1	2	130
2009	117	1	0	0	118
2010	37	0	0	0	37
Total	369	3	1	70	443

MAY 2010

*All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006.
Born in Miami-Dade county.*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	89	38	9	1	2	0	139
2008	90	37	2	0	0	1	130
2009	82	24	9	1	0	2	118
2010	24	8	2	1	0	2	37
Total	301	109	22	3	2	6	443

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006.

Born in Miami-Dade county.

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	249	90	21	2	2	5	369
Pediatric HIV	3	0	0	0	0	0	3
Pediatric AIDS	1	0	0	0	0	0	1
Pediatric Seroreverter	48	19	1	1	0	1	70
Total	301	109	22	3	2	6	443

All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006.

Born in Miami-Dade county.

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	TOTAL
Perinatal HIV Exposure	0	0	369	0	0	369
Pediatric HIV	3	0	0	0	0	3
Pediatric AIDS	0	1	0	0	0	1
Pediatric Seroreverter	0	0	0	67	3	70
Total	3	1	369	67	3	443

CONFIRMED Infected Perinatal Cases, know HIV or AIDS by year, 2000-2010

Born in Miami-Dade county.

Adult HIV Cases by Year & Gender	Pediatric HIV		Pediatric AIDS		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	5	71.4	2	28.6	7	17.1
2001	6	60.0	4	40.0	10	24.4
2002	3	50.0	3	50.0	6	14.6
2003	3	75.0	1	25.0	4	9.8
2004	1	50.0	1	50.0	2	4.9
2005	3	60.0	2	40.0	5	12.2
2006	3	100.0	0	0.0	3	7.3
2007	1	100.0	0	0.0	1	2.4
2008	1	50.0	1	50.0	2	4.9
2009	1	100.0	0	0.0	1	2.4
2010	0	#DIV/0!	0	#DIV/0!	0	0.0
Total Adult HIV	27	65.9	14	34.1	41	100%

NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2

PERINATAL EXPOSED / 05-2010.xls

28 of 36

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

MAY 2010

Department of Correction [DOC] AIDS & HIV Cases by age group and gender.

DOC Cases by Age Group/ Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
13-19	0	0.00	1	0.16	1	0.15	0	0.00	3	0.74	3	0.72	0	0.00	4	0.39	4	0.38
20-29	6	26.09	126	20.10	132	20.31	1	11.11	85	20.99	86	20.77	7	21.88	211	20.45	218	20.49
30-39	9	39.13	294	46.89	303	46.62	4	44.44	162	40.00	166	40.10	13	40.63	456	44.19	469	44.08
40-49	7	30.43	173	27.59	180	27.69	3	33.33	117	28.89	120	28.99	10	31.25	290	28.10	300	28.20
50-59	1	4.35	25	3.99	26	4.00	1	11.11	32	7.90	33	7.97	2	6.25	57	5.52	59	5.55
60-64	0	0.00	4	0.64	4	0.62	0	0.00	4	0.99	4	0.97	0	0.00	8	0.78	8	0.75
65-69	0	0.00	2	0.32	2	0.31	0	0.00	2	0.49	2	0.48	0	0.00	4	0.39	4	0.38
>=70	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	627	100%	650	100%	9	100%	405	100%	414	100%	32	100%	1,032	100%	1,064	100%

DOC Adult AIDS & HIV cases by race/ethnicity and gender.

DOC Cases by Race/Ethnicity */Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	76	12.12	76	11.69	1	11.11	55	13.58	56	13.53	1	3.13	131	12.69	132	12.41
American Indian/Alaska Native	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Black or African American	20	86.96	475	75.76	495	76.15	6	66.67	292	72.10	298	71.98	26	81.25	767	74.32	793	74.53
Native Hawaiian/Pacific Islander	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
White	2	8.70	65	10.37	67	10.31	2	22.22	55	13.58	57	13.77	4	12.50	120	11.63	124	11.65
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.25	1	0.24	0	0.00	1	0.10	1	0.09
Multi-Race	1	4.35	9	1.44	10	1.54	0	0.00	2	0.49	2	0.48	1	3.13	11	1.07	12	1.13
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	627	100%	650	100%	9	100%	405	100%	414	100%	32	100%	1,032	100%	1,064	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

DOC AIDS & HIV cases by mortality status and gender

DOC Cases by Mortality Status /Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	17	73.91	373	59.49	390	60.00	9	100.00	382	94.32	391	94.44	26	81.25	755	73.16	781	73.40
Deaths	6	26.09	254	40.51	260	40.00	0	0.00	23	5.68	23	5.56	6	18.75	277	26.84	283	26.60
Total DOC	23	100%	627	100%	650	100%	9	100%	405	100%	414	100%	32	100%	1,032	100%	1,064	100%

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC AIDS & HIV cases by exposure category and gender

DOC Adult Exposure Category	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			162	25.84	162	24.92			107	26.42	107	25.85	0	0.00	269	26.07	269	25.28
Adult injection drug use [IDU]	9	39.13	153	24.40	162	24.92	3	33.33	46	11.36	49	11.84	12	37.50	199	19.28	211	19.83
Adult MSM & IDU			99	15.79	99	15.23			38	9.38	38	9.18	0	0.00	137	13.28	137	12.88
Adult receiving clotting factor [HEMOPH]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult heterosexual contact [HTRSX]	10	43.48	104	16.59	114	17.54	2	22.22	89	21.98	91	21.98	12	37.50	193	18.70	205	19.27
Adult received transfusion/transpla [TRNSF]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	4	17.39	105	16.75	109	16.77	4	44.44	125	30.86	129	31.16	8	25.00	230	22.29	238	22.37
Total DOC	23	100%	627	100%	650	100%	9	100%	405	100%	414	100%	32	100%	1,032	100%	1,064	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Hispanic AIDS and HIV cases by country of origin and gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Colombia	0	#DIV/O!	3	3.9	3	3.9	0	0.0	2	3.6	2	3.6	0	0.00	5	3.82	5	3.79
Cuba	0	#DIV/O!	19	25.0	19	25.0	0	0.0	10	18.2	10	17.9	0	0.00	29	22.14	29	21.97
Dominican Republic	0	#DIV/O!	3	3.9	3	3.9	0	0.0	1	1.8	1	1.8	0	0.00	4	3.05	4	3.03
Honduras	0	#DIV/O!	1	1.3	1	1.3	0	0.0	0	0.0	0	0.0	0	0.00	1	0.76	1	0.76
Mexico	0	#DIV/O!	2	2.6	2	2.6	0	0.0	4	7.3	4	7.1	0	0.00	6	4.58	6	4.55
Nicaragua	0	#DIV/O!	1	1.3	1	1.3	0	0.0	2	3.6	2	3.6	0	0.00	3	2.29	3	2.27
Puerto Rico	0	#DIV/O!	24	31.6	24	31.6	0	0.0	5	9.1	5	8.9	0	0.00	29	22.14	29	21.97
United States	0	#DIV/O!	18	23.7	18	23.7	0	0.0	24	43.6	24	42.9	0	0.00	42	32.06	42	31.82
Other/Unknown Countries	0	#DIV/O!	5	6.6	5	6.6	1	100.0	7	12.7	8	14.3	1	100.00	12	9.16	13	9.85
Total Hispanic DOC	0	#DIV/O!	76	100%	76	100%	1	100%	55	100%	56	100%	1	100%	131	100%	132	100%

DOC Adult Hispanic AIDS cases by country of origin, exposure category and gender

ADULT HISPANIC DOC AIDS MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	1	33.3	3	100%
Cuba	6	31.6	3	15.8	4	21.1	0	0.0	3	15.8	0	0.0	3	15.8	19	100%
Dominican Republic	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	3	100%
Honduras	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.00	1	100%
Mexico	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	2	100%
Nicaragua	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100%
Puerto Rico	4	16.7	9	37.5	5	20.8	0	0.0	3	12.5	0	0.0	3	12.5	24	100%
United States	6	33.3	5	27.8	4	22.2	0	0.0	1	5.6	0	0.0	2	11.1	18	100%
Other/Unknown	1	20.0	1	20.0	0	0.0	0	0.0	2	40.0	0	0.0	1	20.0	5	100%
Total Hispanic DOC	19	25.0%	18	23.7%	14	18.4%	0	0.0%	11	14.5%	0	0.0%	14	18.4%	76	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender

ADULT HISPANIC DOC HIV FEMALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Cuba			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Dominican Republic			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Mexico			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Nicaragua			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Puerto Rico			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
United States			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Other/Unknown			1	100.0			0	0.0	0	0.0	0	0.0	0	0.0	1	100%
Total DOC Hispanic Female	0	0.0%	1	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	100%

ADULT HISPANIC DOC HIV MALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	0	0.0	1	50.0	0	0.0	0	0.0	1	50.0	0	0.0	0	0.0	2	100%
Cuba	2	20.0	0	0.0	1	10.0	0	0.0	4	40.0	0	0.0	3	30.0	10	100%
Dominican Republic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100%
Mexico	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	4	100%
Nicaragua	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	2	100%
Puerto Rico	1	20.0	3	60.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100%
United States	12	50.0	2	8.3	3	12.5	0	0.0	3	12.5	0	0.0	4	16.7	24	100%
Other/Unknown	3	42.9	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	28.6	7	100%
Total DOC Hispanic Male	21	38.2%	7	12.7%	5	9.1%	0	0.0%	10	18.2%	0	0.0%	12	21.8%	55	100%
Total Hispanic DOC	21	37.5%	8	14.3%	5	8.9%	0	0.0%	10	17.9%	0	0.0%	12	21.4%	56	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Haitian born AIDS and HIV (Not AIDS) cases by gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
DOC Haitian born	0	0.0%	17	100%	17	100%	0	0.0%	8	100%	8	100%	0	0.0%	25	100.0	25	100%

DOC Haitian born adult AIDS cases by exposure category and gender

ADULT DOC AIDS HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%
Total Haitian DOC	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%

DOC Haitian born adult HIV (Not AIDS) cases by exposure category and gender

ADULT DOC HIV HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%
Total Haitian DOC	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Living AIDS & HIV Cases by age group and gender

DOC Living Cases by Age Group/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
20-29	1	5.88	3	0.80	4	1.03	0	0.00	13	3.40	13	3.32	1	3.85	16	2.12	17	2.18
30-39	3	17.65	56	15.01	59	15.13	2	22.22	80	20.94	82	20.97	5	19.23	136	18.01	141	18.05
40-49	9	52.94	197	52.82	206	52.82	3	33.33	162	42.41	165	42.20	12	46.15	359	47.55	371	47.50
50-59	4	23.53	98	26.27	102	26.15	4	44.44	107	28.01	111	28.39	8	30.77	205	27.15	213	27.27
60-64	0	0.00	13	3.49	13	3.33	0	0.00	14	3.66	14	3.58	0	0.00	27	3.58	27	3.46
65-69	0	0.00	3	0.80	3	0.77	0	0.00	3	0.79	3	0.77	0	0.00	6	0.79	6	0.77
>=70	0	0.00	3	0.80	3	0.77	0	0.00	3	0.79	3	0.77	0	0.00	6	0.79	6	0.77
Total DOC	17	100%	373	100%	390	100%	9	100%	382	100%	391	100%	26	100%	755	100%	781	100%

DOC Living AIDS & HIV Cases by race/ethnicity and gender

DOC Living Cases Race/Ethnicity/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	50	13.40	50	12.82	1	11.11	54	14.14	55	14.07	1	3.85	104	13.77	105	13.44
American Indian/Alaska Native	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Black or African American	16	94.12	277	74.26	293	75.13	6	66.67	272	71.20	278	71.10	22	84.62	549	72.72	571	73.11
White	1	5.88	39	10.46	40	10.26	2	22.22	53	13.87	55	14.07	3	11.54	92	12.19	95	12.16
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.26	1	0.26	0	0.00	1	0.13	1	0.13
Multi-race	0	0.00	6	1.61	6	1.54	0	0.00	2	0.52	2	0.51	0	0.00	8	1.06	8	1.02
Total DOC	17	100%	373	100%	390	100%	9	100%	382	100%	391	100%	26	100%	755	100%	781	100%

DOC Living AIDS & HIV cases by exposure category and gender

DOC Living Cases by Adult Exposure Category	DOC Living AIDS Cases						DOC Living HIV Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			112	30.03	112	28.72			104	27.23	104	26.60	0	0.00	216	28.61	216	27.66
Adult injection drug use [IDU]	7	41.18	68	18.23	75	19.23	3	33.33	40	10.47	43	11.00	10	38.46	108	14.30	118	15.11
Adult MSM & IDU			52	13.94	52	13.33			37	9.69	37	9.46	0	0.00	89	11.79	89	11.40
Adult receiving clotting factor [HEMOPH]	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Adult heterosexual contact [HTRSX]	7	41.18	66	17.69	73	18.72	2	22.22	84	21.99	86	21.99	9	34.62	150	19.87	159	20.36
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	3	17.65	74	19.84	77	19.74	4	44.44	117	30.63	121	30.95	7	26.92	191	25.30	198	25.35
Total DOC	17	100%	373	100%	390	100%	9	100%	382	100%	391	100%	26	100%	755	100%	781	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
2009 One-in Statements**

ONE-IN Statements for People Living with HIV or AIDS through 2009 (all ages) in Miami-Dade

MALES

- One in 72 White male is living with HIV or AIDS through 2009.
- One in 35 Black male is living with HIV or AIDS through 2009.
- One in 97 Hispanic male is living with HIV or AIDS through 2009.
- One in 99 Other male is living with HIV or AIDS through 2009.
- ✓ **One in 70 male is living with HIV or AIDS through 2009.**

FEMALES

- One in 548 White female is living with HIV or AIDS through 2009.
- One in 48 Black female is living with HIV or AIDS through 2009.
- One in 516 Hispanic female is living with HIV or AIDS through 2009.
- One in 261 Other female is living with HIV or AIDS through 2009.
- ✓ **One in 179 female is living with HIV or AIDS through 2009.**

TOTAL SEXES

- One in 127 White is living with HIV or AIDS through 2009.
- One in 41 Black is living with HIV or AIDS through 2009.
- One in 167 Hispanic is living with HIV or AIDS through 2009.
- One in 147 Other is living with HIV or AIDS through 2009.
- ✓ **One in 103 Miami-Dade resident is living with HIV or AIDS through 2009.**

Note: Excluding Department of Correction

These statements are updated by the Bureau of HIV/AIDS every June of following year.

Miami-Dade County Health Department
Useful Website Links

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATION	ELECTRONIC ADDRESS
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Department of Health. Bureau of HIV/AIDS and Hepatitis	http://www.doh.state.fl.us/disease_ctrl/aids/index.html
Miami-Dade County Health Department	http://www.dadehealth.org
Organización Panamericana de la Salud [PAHO]	http://www.paho.org
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidn.html
World Health Organization [WHO]	http://www.who.int