



Lillian Rivera, RN, MSN, Ph.D., Administrator

MIAMI-DADE COUNTY HEALTH DEPARTMENT
HIV/AIDS SURVEILLANCE
MONTHLY SURVEILLANCE REPORT



AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- AIDS cases by age group and gender (Excluding Department DOC). *AIDS Worksheet.*
- AIDS Cases by year of report and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC). *AIDS Worksheet.*
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *AIDS Worksheet.*
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Pediatric AIDS cases by exposure category, race/ethnicity and gender. *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC). *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC). *AIDS Worksheet.*

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- HIV (not AIDS) cases by age group and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by year of report and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *HIV Worksheet.*
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender. *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*

(Continue next Page)

DOCUMENTED PEOPLE LIVING WITH HIV/AIDS (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

Total people living with HIV or AIDS by current age and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult & Pediatric cases living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC). *PLWHA Worksheet.*

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006

All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
CONFIRMED Infected Perinatal cases, known HIV or AIDS by year, 2000-2010. *PERINATAL EXPOSED Worksheet.*

HIV/AIDS CASES REPORTED FROM DEPARTMENT OF CORRECTION [DOC]

Department of Correction AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction adult AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by mortality status and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*
Department of Correction Hispanic AIDS and HIV cases by country of origin and gender. *DOC Worksheet.*
Department of Correction adult Hispanic AIDS and HIV cases by country of origin, exposure category and gender. *DOC Worksheet.*
Department of Correction Haitian born AIDS and HIV (Not AIDS) cases by gender. *DOC Worksheet.*
Department of Correction Haitian born Adult AIDS and HIV (Not AIDS) cases by exposure category and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*

ONE-IN STATEMENTS

One-in statements for Persons Living with HIV or AIDS through 2009 (all ages) in Miami-Dade & Florida. *ONE-IN STATEMENTS Worksheet.*

USEFUL WEBSITES LINKS

Useful websites for HIV/AIDS related information. *WEBSITE Worksheet.*



Office of HIV/AIDS
8600 NW 17th Street, Miami, FL 33126
(305) 470-6999
www.dadehealth.org



INTRODUCTORY NOTE TO NEW MONTHLY REPORT VERSION

Due to the new implementation of a computerized system of entering, retrieving and analyzing HIV/AIDS data in our state, electronic HIV/AIDS Reporting System [eHARS], there are few changes that reflect the way to process and present the information, different from the old HIV/AIDS Reporting System [HARS] and monthly HIV/AIDS Surveillance Report. This new way to produce data is reflected in the format in our monthly report including more information than before. Henceforth the data referred to HIV and AIDS cases will exclude those from Department of Correction [DOC], instead DOC information is provided in a separate worksheet in seven (7) different tables with demographics. New tables will reflect information in a separate worksheet like: People Living with HIV or AIDS in our County [PLWHA], Perinatal Exposed cases and useful website link that will provide a new tool to find HIV/AIDS related data beyond our County. All these changes will allow the Miami-Dade County Health Department Administration and public, to have more detailed information concerning the HIV/AIDS epidemic in our County.

AN IMPORTANT NOTE ON REPORTING CHANGES AND THEIR EFFECT ON HIV/AIDS TRENDS DURING 2007-2010

- HIV/AIDS data help monitor the epidemic, if they are collected and reported the same way each year. In 2007, 2008, 2009, and 2010, HIV and AIDS case data were collected in somewhat different ways, which complicated interpretation of trends that fluctuated erratically. In addition, the influence of these data collection and reporting changes created artificial increases or decreases in cases that occurred across the board in virtually all counties and in all racial/ethnic, gender, age and HIV risk factor categories. Sometimes these increases or decreases were quite large. Whenever there is a high degree of consistency in across-the-board trends, it tends to indicate the artificial influence of reporting factors. (By contrast, HIV/AIDS death data were collected and reported the same way throughout this period, so trends in such deaths can be reliably monitored and interpreted over this time period.)
- In 2007, viral load reporting and CD4 reporting (first implemented in November 2006) resulted in marked increases in HIV cases. However, this apparent change did not necessarily mean a real change in HIV trend in 2007. The reporting changes could have masked an actual decrease or exaggerated an increase in HIV cases.

(Continue next Page)

- Also in 2007, expansion of electronic lab reporting would have resulted in increases in AIDS cases across the board, but unavoidable data entry of many lab-based AIDS cases for 2007 did not occur till early 2008. This had the effect of increasing AIDS cases in 2008. Again, this apparent trend did not necessarily mean true changes in the annual occurrence AIDS cases.
- In 2009, a new HIV/AIDS reporting system was implemented, called "eHARS", which resulted in unavoidable data entry delays in the early part of the year. This produced the false impression that HIV and AIDS cases were decreasing in the early months of 2009. Thus, the early months of 2010 will have much higher numbers of cases, compared with the same months of 2009. Again, this could mask an actual decrease in HIV and AIDS trends or exaggerate an increase in trend.
- Since no further changes in HIV/AIDS reporting are expected in 2010 and beyond, reliable interpretation of trends may resume.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JULY 2010

AIDS Cases by age group and gender (Excluding DOC)

AIDS Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	208	2.40	196	0.82	404	1.24
5-12	52	0.60	55	0.23	107	0.33
13-19	156	1.80	106	0.44	262	0.80
20-29	1,588	18.33	2,870	11.94	4,458	13.63
30-39	3,095	35.72	9,011	37.47	12,106	37.01
40-49	2,216	25.58	7,239	30.10	9,455	28.91
50-59	906	10.46	3,171	13.19	4,077	12.46
60-64	225	2.60	746	3.10	971	2.97
65-69	123	1.42	379	1.58	502	1.53
>=70	95	1.10	273	1.14	368	1.13
Unknown	0	0.00	0	0.00	0	0.00
Total	8,664	100%	24,046	100%	32,710	100%

Adult AIDS Cases by year of report and gender (Excluding DOC)

Adult AIDS Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.00	4	100.00	4	0.01
1982	7	18.42	31	81.58	38	0.12
1983	16	16.33	82	83.67	98	0.30
1984	18	11.92	133	88.08	151	0.46
1985	29	15.26	161	84.74	190	0.58
1986	71	17.40	337	82.60	408	1.25
1987	67	13.73	421	86.27	488	1.49
1988	118	16.60	593	83.40	711	2.17
1989	209	20.23	824	79.77	1,033	3.16
1990	183	19.41	760	80.59	943	2.88
1991	394	19.69	1,607	80.31	2,001	6.12
1992	341	20.82	1,297	79.18	1,638	5.01
1993	632	22.55	2,171	77.45	2,803	8.57
1994	670	23.50	2,181	76.50	2,851	8.72
1995	593	28.01	1,524	71.99	2,117	6.47
1996	529	27.07	1,425	72.93	1,954	5.97
1997	422	28.32	1,068	71.68	1,490	4.56
1998	466	31.74	1,002	68.26	1,468	4.49
1999	359	29.38	863	70.62	1,222	3.74

Adult AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.74	813	68.26	1,191	3.64
2001	372	32.92	758	67.08	1,130	3.45
2002	304	28.90	748	71.10	1,052	3.22
2003	297	30.28	684	69.72	981	3.00
2004	404	31.49	879	68.51	1,283	3.92
2005	389	33.11	786	66.89	1,175	3.59
2006	392	34.51	744	65.49	1,136	3.47
2007	276	35.38	504	64.62	780	2.38
2008	331	30.96	738	69.04	1,069	3.27
2009	267	30.27	615	69.73	882	2.70
2010	130	30.73	293	69.27	423	1.29
Total Adult AIDS	8,664	26.49	24,046	73.51	32,710	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult						Pediatric						TOTAL CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,506	17.92	9,628	40.46	11,134	34.58	38	14.62	39	15.54	77	15.07	1,544	17.82	9,667	40.20	11,211	34.27
American Indian/Alaska Native	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
Asian	1	0.01	10	0.04	11	0.03	0	0.00	0	0.00	0	0.00	1	0.01	10	0.04	11	0.03
Black or African American	6,340	75.44	9,820	41.27	16,160	50.19	210	80.77	200	79.68	410	80.23	6,550	75.60	10,020	41.67	16,570	50.66
Native Hawaiian/Pacific Islander	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
White	429	5.10	3,994	16.79	4,423	13.74	10	3.85	11	4.38	21	4.11	439	5.07	4,005	16.66	4,444	13.59
Legacy Asian	2	0.02	12	0.05	14	0.04	0	0.00	0	0.00	0	0.00	2	0.02	12	0.05	14	0.04
Multi-Race	124	1.48	327	1.37	451	1.40	2	0.77	1	0.40	3	0.59	126	1.45	328	1.36	454	1.39
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	8,404	100%	23,795	100%	32,199	100%	260	100%	251	100%	511	100%	8,664	100%	24,046	100%	32,710	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult						Pediatric						TOTAL					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,789	45.09	9,357	39.32	13,146	40.83	87	33.46	91	36.25	178	34.83	3,876	44.74	9,448	39.29	13,324	40.73
Deaths	4,615	54.91	14,438	60.68	19,053	59.17	173	66.54	160	63.75	333	65.17	4,788	55.26	14,598	60.71	19,386	59.27
Total	8,404	100%	23,795	100%	32,199	100%	260	100%	251	100%	511	100%	8,664	100%	24,046	100%	32,710	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			12,921	54.30	12,921	40.13
Adult injection drug use [IDU]	1,938	23.06	3,153	13.25	5,091	15.81
Adult MSM & IDU			1,265	5.32	1,265	3.93
Adult receiving clotting factor [HEMOPH]	9	0.11	51	0.21	60	0.19
Adult heterosexual contact [HTRSX]	5,407	64.34	3,564	14.98	8,971	27.86
Adult received transfusion/transpla [TRNSF]	93	1.11	95	0.40	188	0.58
Adult case reported with pediatric risk	49	0.58	34	0.14	83	0.26
Adult no risk factor reported [NRR]	908	10.80	2,712	11.40	3,620	11.24
Total	8,404	100%	23,795	100%	32,199	100%

Pediatric Exposure Category	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	257	98.85	239	95.22	496	97.06
Child receiving clotting factor [HEMOPH]	2	0.77	5	1.99	7	1.37
Child other risk confirmed [OTHER]	0	0.00	1	0.40	1	0.20
Child no risk factor reported [NRR]	1	0.38	6	2.39	7	1.37
Total	260	100%	251	100%	511	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			223	11.5			1	11.1	1,113	20.6	19	20.4	10	20.4	140	15.4	1,506	17.9
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Black or African American			1,486	76.7			7	77.8	4,029	74.5	60	64.5	36	73.5	722	79.5	6,340	75.4
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
White			193	10.0			1	11.1	186	3.4	11	11.8	2	4.1	36	4.0	429	5.1
Legacy Asian			0	0.0			0	0.0	2	0.0	0	0.0	0	0.0	0	0.0	2	0.0
Multi-Race			36	1.9			0	0.0	74	1.4	3	3.2	1	2.0	10	1.1	124	1.5
Female Subtotal			1,938	100%			9	100%	5,407	100%	93	100%	49	100%	908	100%	8,404	100%

Adult AIDS cases by exposure category and race/ethnicity according to gender (Excluding DOC)

ADULT MALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	6,943	53.7	689	21.9	440	34.8	19	37.3	847	23.8	34	35.8	5	14.7	651	24.0	9,628	40.5
American Indian/Alaska Native	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	2	0.0
Asian	6	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	0	0.0	2	0.1	10	0.0
Black or African American	2,594	20.1	2,178	69.1	545	43.1	13	25.5	2,564	71.9	33	34.7	27	79.4	1,866	68.8	9,820	41.3
Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	0.0
White	3,194	24.7	241	7.6	258	20.4	18	35.3	95	2.7	27	28.4	1	2.9	160	5.9	3,994	16.8
Legacy Asian	7	0.1	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0	0	0.0	1	0.0	12	0.1
Multi-Race	177	1.4	44	1.4	22	1.7	1	2.0	52	1.5	1	1.1	1	2.9	29	1.1	327	1.4
Male Subtotal	12,921	100%	3,153	100%	1,265	100%	51	100%	3,564	100%	95	100%	34	100%	2,712	100%	23,795	100%

ADULT TOTAL	12,921		5,091		1,265		60		8,971		188		83		3,620		32,199	
--------------------	---------------	--	--------------	--	--------------	--	-----------	--	--------------	--	------------	--	-----------	--	--------------	--	---------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	36	14.0	1	50.0	0	#DIV/0!	1	100.0	38	14.6
Black or African American	209	81.3	1	50.0	0	#DIV/0!	0	0.0	210	80.8
White	10	3.9	0	0.0	0	#DIV/0!	0	0.0	10	3.8
Multi-Race	2	0.8	0	0.0	0	#DIV/0!	0	0.0	2	0.8
Unknown	0	0.0	0	0.0	0	#DIV/0!	0	0.0	0	0.0
Male Subtotal	257	100%	2	100%	0	#DIV/0!	1	100%	260	100%

PEDIATRIC MALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	34	14.2	4	80.0	0	0.0	1	16.7	39	15.5
Black or African American	193	80.8	1	20.0	1	100.0	5	83.3	200	79.7
White	11	4.6	0	0.0	0	0.0	0	0.0	11	4.4
Multi-Race	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Male Subtotal	239	100%	5	100%	1	100%	6	100%	251	100%

TOTAL PEDIATRIC	496		7		1		7		511	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	24	1.6	15.0	136	1.4	85.0	160	1.4
Colombia	61	4.1	12.6	425	4.4	87.4	486	4.4
Cuba	367	24.4	7.9	4,294	44.6	92.1	4,661	41.9
Dominican Republic	68	4.5	34.0	132	1.4	66.0	200	1.8
Honduras	118	7.8	28.5	296	3.1	71.5	414	3.7
Mexico	19	1.3	8.8	197	2.0	91.2	216	1.9
Nicaragua	62	4.1	16.1	322	3.3	83.9	384	3.4
Peru	23	1.5	13.1	153	1.6	86.9	176	1.6
Puerto Rico	177	11.8	18.0	804	8.4	82.0	981	8.8
United States	316	21.0	20.7	1,213	12.6	79.3	1,529	13.7
Venezuela	11	0.7	4.7	221	2.3	95.3	232	2.1
Other/Unknown Countries	260	17.3	15.3	1,435	14.9	84.7	1,695	15.2
Total Adult Hispanic	1,506	100%		9,628	100%		11,134	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			3	12.5			0	0.0	19	79.2	0	0.0	2	8.3	24	100%
Colombia			7	11.5			2	3.3	44	72.1	0	0.0	8	13.1	61	100%
Cuba			53	14.4			8	2.2	264	71.9	0	0.0	42	11.4	367	100%
Dominican Republic			3	4.4			0	0.0	58	85.3	0	0.0	7	10.3	68	100%
Honduras			8	6.8			1	0.8	98	83.1	0	0.0	11	9.3	118	100%
Mexico			3	15.8			1	5.3	14	73.7	0	0.0	1	5.3	19	100%
Nicaragua			2	3.2			1	1.6	49	79.0	0	0.0	10	16.1	62	100%
Peru			1	4.3			0	0.0	21	91.3	0	0.0	1	4.3	23	100%
Puerto Rico			45	25.4			2	1.1	120	67.8	0	0.0	10	5.6	177	100%
United States			71	22.5			3	0.9	210	66.5	10	3.2	22	7.0	316	100%
Venezuela			3	27.3			0	0.0	8	72.7	0	0.0	0	0.0	11	100%
Other/Unknown			24	9.2			1	0.4	208	80.0	0	0.0	26	10.0	260	100%
Total Hispanic Female			223	14.8%			19	1.3%	1,113	73.9%	10	0.7%	140	9.3%	1,506	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	113	83.1	4	2.9	7	5.1	0	0.0	9	6.6	0	0.0	3	2.2	136	100%
Colombia	345	81.2	13	3.1	15	3.5	3	0.7	30	7.1	0	0.0	19	4.5	425	100%
Cuba	3,282	76.4	207	4.8	174	4.1	25	0.6	325	7.6	1	0.0	280	6.5	4,294	100%
Dominican Republic	75	56.8	7	5.3	4	3.0	1	0.8	32	24.2	0	0.0	13	9.8	132	100%
Honduras	181	61.1	16	5.4	5	1.7	5	1.7	64	21.6	0	0.0	25	8.4	296	100%
Mexico	130	66.0	11	5.6	6	3.0	0	0.0	31	15.7	0	0.0	19	9.6	197	100%
Nicaragua	232	72.0	10	3.1	13	4.0	0	0.0	45	14.0	0	0.0	22	6.8	322	100%
Peru	122	79.7	2	1.3	2	1.3	0	0.0	15	9.8	0	0.0	12	7.8	153	100%
Puerto Rico	388	48.3	212	26.4	90	11.2	3	0.4	58	7.2	0	0.0	53	6.6	804	100%
United States	799	65.9	150	12.4	94	7.7	8	0.7	98	8.1	4	0.3	60	4.9	1,213	100%
Venezuela	196	88.7	2	0.9	2	0.9	2	0.9	12	5.4	0	0.0	7	3.2	221	100%
Other/Unknown	1,080	75.3	55	3.8	28	2.0	6	0.4	128	8.9	0	0.0	138	9.6	1,435	100%
Total Hispanic Male	6,943	72.1%	689	7.2%	440	4.6%	53	0.6%	847	8.8%	5	0.1%	651	6.8%	9,628	100%

TOTAL ADULT HISPANIC	6,943	62.4%	912	8.2%	440	4.0%	72	0.6%	1,960	17.6%	15	0.1%	791	7.1%	11,134	100%
-----------------------------	--------------	--------------	------------	-------------	------------	-------------	-----------	-------------	--------------	--------------	-----------	-------------	------------	-------------	---------------	-------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,397	37.8%	2,294	62.2%	3,691	100%

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			52	3.7%			25	1.8%	1,002	71.7%	1	0.1%	317	22.7%	1,397	100%
Haitian Adult Male	489	21.3%	74	3.2%	25	1.1%	9	0.4%	776	33.8%	3	0.1%	918	40.0%	2,294	100%
Total Haitian	489	13.2%	126	3.4%	25	0.7%	34	0.9%	1,778	48.2%	4	0.1%	1,235	33.5%	3,691	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

JULY 2010

HIV (not AIDS) cases by age group and gender (Excluding DOC)

HIV Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	60	1.62	48	0.55	108	0.87
5-12	41	1.11	26	0.30	67	0.54
13-19	222	5.99	208	2.37	430	3.45
20-29	867	23.41	1,785	20.36	2,652	21.27
30-39	1,073	28.97	3,000	34.22	4,073	32.66
40-49	886	23.92	2,299	26.23	3,185	25.54
50-59	401	10.83	956	10.91	1,357	10.88
60-64	71	1.92	214	2.44	285	2.29
65-69	56	1.51	128	1.46	184	1.48
>=70	27	0.73	102	1.16	129	1.03
Unknown	0	0.00	0	0.00	0	0.00
Total	3,704	100%	8,766	100%	12,470	100%

Adult HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July, 1997.

Adult HIV Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
>=July 1997	140	36.75	241	63.25	381	3.06
1998	320	32.32	670	67.68	990	7.94
1999	312	32.88	637	67.12	949	7.61
2000	279	32.56	578	67.44	857	6.87
2001	304	32.76	624	67.24	928	7.44
2002	336	31.26	739	68.74	1,075	8.62
2003	265	28.07	679	71.93	944	7.57
2004	278	28.34	703	71.66	981	7.87
2005	271	31.73	583	68.27	854	6.85
2006	225	28.96	552	71.04	777	6.23
2007	284	28.09	727	71.91	1,011	8.11
2008	296	25.69	856	74.31	1,152	9.24
2009	256	25.27	757	74.73	1,013	8.12
2010	138	24.73	420	75.27	558	4.47
Total Adult HIV	3,704	42.25	8,766	70.30	12,470	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	808	22.43	4,029	46.35	4,837	39.34	17	16.83	10	13.51	27	15.43	825	22.27	4,039	46.08	4,864	39.01
American Indian/Alaska Native	1	0.03	1	0.01	2	0.02	0	0.00	0	0.00	0	0.00	1	0.03	1	0.01	2	0.02
Asian	3	0.08	7	0.08	10	0.08	0	0.00	0	0.00	0	0.00	3	0.08	7	0.08	10	0.08
Black or African American	2,551	70.80	3,058	35.18	5,609	45.62	82	81.19	60	81.08	142	81.14	2,633	71.09	3,118	35.57	5,751	46.12
Native Hawaiian/Pacific Islander	1	0.03	1	0.01	2	0.02	0	0.00	0	0.00	0	0.00	1	0.03	1	0.01	2	0.02
White	203	5.63	1,511	17.38	1,714	13.94	1	0.99	1	1.35	2	1.14	204	5.51	1,512	17.25	1,716	13.76
Legacy Asian	2	0.06	6	0.07	8	0.07	0	0.00	1	1.35	1	0.57	2	0.05	7	0.08	9	0.07
Multi-Race	34	0.94	79	0.91	113	0.92	1	0.99	2	2.70	3	1.71	35	0.94	81	0.92	116	0.93
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,603	100%	8,692	100%	12,295	100%	101	100%	74	100%	175	100%	3,704	100%	8,766	100%	12,470	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,357	93.17	8,068	92.82	11,425	92.92	100	99.01	73	98.65	173	98.86	3,457	93.33	8,141	92.87	11,598	93.01
Deaths	246	6.83	624	7.18	870	7.08	1	0.99	1	1.35	2	1.14	247	6.67	625	7.13	872	6.99
Total	3,603	100%	8,692	100%	12,295	100%	101	100%	74	100%	175	100%	3,704	100%	8,766	100%	12,470	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			5,175	59.54	5,175	42.09
Adult injection drug use [IDU]	281	7.80	345	3.97	626	5.09
Adult MSM & IDU			213	2.45	213	1.73
Adult receiving clotting factor [HEMOPH]	2	0.06	4	0.05	6	0.05
Adult heterosexual contact [HTRSX]	2,644	73.38	1,513	17.41	4,157	33.81
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	4	0.11	2	0.02	6	0.05
Adult no risk factor reported [NRR]	672	18.65	1,440	16.57	2,112	17.18
Total	3,603	100%	8,692	100%	12,295	100%

Pediatric Exposure Category	Pediatric HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	97	96.04	73	98.65	170	97.14
Child receiving clotting factor [HEMOPH]	0	0.00	0	0.00	0	0.00
Child other risk confirmed [OTHER]	0	0.00	0	0.00	0	0.00
Child no risk factor reported [NRR]	4	3.96	1	1.35	5	2.86
Total	101	100%	74	100%	175	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			64	22.8			0	0.0	590	22.3	0	#DIV/O!	2	50.0	152	22.6	808	22.4
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	2	0.1	0	#DIV/O!	0	0.0	1	0.1	3	0.1
Black or African American			170	60.5			1	50.0	1,905	72.0	0	#DIV/O!	2	50.0	473	70.4	2,551	70.8
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	1	0.0
White			40	14.2			0	0.0	123	4.7	0	#DIV/O!	0	0.0	40	6.0	203	5.6
Legacy Asian			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	1	0.1	2	0.1
Multi-Race			7	2.5			1	50.0	22	0.8	0	#DIV/O!	0	0.0	4	0.6	34	0.9
Female Subtotal			281	100%			2	100%	2,644	100%	0	#DIV/O!	4	100%	672	100%	3,603	100%

ADULT MALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	2,874	55.5	102	29.6	99	46.5	0	0.0	395	26.1	0	#DIV/O!	0	0.0	559	38.8	4,029	46.4
American Indian/Alaska Native	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	#DIV/O!	0	0.0	0	0.0	1	0.0
Asian	6	0.1	0	0.0	0	0.0	0	0.0	1	0.1	0	#DIV/O!	0	0.0	0	0.0	7	0.1
Black or African American	997	19.3	199	57.7	71	33.3	4	100.0	1,040	68.7	0	#DIV/O!	1	50.0	746	51.8	3,058	35.2
Native Hawaiian/Pacific Islander	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	0	0.0	1	0.0
White	1,243	24.0	41	11.9	40	18.8	0	0.0	59	3.9	0	#DIV/O!	1	50.0	127	8.8	1,511	17.4
Legacy Asian	5	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	6	0.1
Multi-Race	49	0.9	3	0.9	3	1.4	0	0.0	17	1.1	0	#DIV/O!	0	0.0	7	0.5	79	0.9
Male Subtotal	5,175	100%	345	100%	213	100%	4	100%	1,513	100%	0	#DIV/O!	2	100%	1,440	100%	8,692	100%

ADULT TOTAL		5,175		626		213		6		4,157		0		6		2,112		12,295	
-------------	--	-------	--	-----	--	-----	--	---	--	-------	--	---	--	---	--	-------	--	--------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	14	14.4	0	#DIV/0!	0	#DIV/0!	3	75.0	17	16.8
Black or African American	81	83.5	0	#DIV/0!	0	#DIV/0!	1	25.0	82	81.2
White	1	1.0	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.0
Multi-Race	1	1.0	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.0
Unknown	0	0.0	0	#DIV/0!	0	#DIV/0!	0	0.0	0	0.0
Male Subtotal	97	100%	0	#DIV/0!	0	#DIV/0!	4	100%	101	100%

PEDIATRIC MALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	10	13.7	0	#DIV/0!	0	#DIV/0!	0	0.0	10	13.5
Black or African American	59	80.8	0	#DIV/0!	0	#DIV/0!	1	100.0	60	81.1
White	1	1.4	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.4
Multi-Race	1	1.4	0	#DIV/0!	0	#DIV/0!	0	0.0	1	1.4
Unknown	2	2.7	0	#DIV/0!	0	#DIV/0!	0	0.0	2	2.7
Male Subtotal	73	100%	0	#DIV/0!	0	#DIV/0!	1	100%	74	100%

TOTAL PEDIATRIC	170		0		0		5		175	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	18	2.2	12.2	129	3.2	87.8	147	3.0
Colombia	36	4.5	17.8	166	4.1	82.2	202	4.2
Cuba	101	12.5	9.2	993	24.6	90.8	1,094	22.6
Dominican Republic	27	3.3	31.0	60	1.5	69.0	87	1.8
Honduras	67	8.3	38.1	109	2.7	61.9	176	3.6
Mexico	8	1.0	7.0	106	2.6	93.0	114	2.4
Nicaragua	33	4.1	21.4	121	3.0	78.6	154	3.2
Peru	12	1.5	15.4	66	1.6	84.6	78	1.6
Puerto Rico	48	5.9	20.7	184	4.6	79.3	232	4.8
United States	198	24.5	21.0	747	18.5	79.0	945	19.5
Venezuela	21	2.6	9.1	211	5.2	90.9	232	4.8
Other/Unknown Countries	239	29.6	17.4	1,137	28.2	82.6	1,376	28.4
Total Adult Hispanic	808	100%		4,029	100%		4,837	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			5	27.8			0	0.0	11	61.1	0	0.0%	2	11.1	18	100%
Colombia			1	2.8			0	0.0	29	80.6	0	0.0%	6	16.7	36	100%
Cuba			7	6.9			0	0.0	73	72.3	0	0.0%	21	20.8	101	100%
Dominican Republic			1	3.7			0	0.0	23	85.2	0	0.0%	3	11.1	27	100%
Honduras			0	0.0			0	0.0	57	85.1	0	0.0%	10	14.9	67	100%
Mexico			2	25.0			0	0.0	4	50.0	0	0.0%	2	25.0	8	100%
Nicaragua			0	0.0			0	0.0	25	75.8	0	0.0%	8	24.2	33	100%
Peru			1	8.3			0	0.0	9	75.0	0	0.0%	2	16.7	12	100%
Puerto Rico			11	22.9			0	0.0	29	60.4	0	0.0%	8	16.7	48	100%
United States			28	14.1			0	0.0	140	70.7	2	1.0%	28	14.1	198	99%
Venezuela			1	4.8			0	0.0	20	95.2	0	0.0%	0	0.0	21	100%
Other/Unknown			7	2.9			0	0.0	170	71.1	0	0.0%	62	25.9	239	100%
Total Hispanic Female			64	7.9%			0	0.0%	590	73.0%	2	0.2%	152	18.8%	808	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	109	84.5	2	1.6	2	1.6	0	0.0	9	7.0	0	0.0%	7	5.4	129	100%
Colombia	134	80.7	1	0.6	6	3.6	0	0.0	15	9.0	0	0.0%	10	6.0	166	100%
Cuba	732	73.7	17	1.7	36	3.6	0	0.0	103	10.4	0	0.0%	105	10.6	993	100%
Dominican Republic	25	41.7	4	6.7	3	5.0	0	0.0	18	30.0	0	0.0%	10	16.7	60	100%
Honduras	62	56.9	1	0.9	2	1.8	0	0.0	26	23.9	0	0.0%	18	16.5	109	100%
Mexico	86	81.1	2	1.9	1	0.9	0	0.0	6	5.7	0	0.0%	11	10.4	106	100%
Nicaragua	86	71.1	3	2.5	1	0.8	0	0.0	13	10.7	0	0.0%	18	14.9	121	100%
Peru	55	83.3	1	1.5	1	1.5	0	0.0	5	7.6	0	0.0%	4	6.1	66	100%
Puerto Rico	112	60.9	34	18.5	17	9.2	0	0.0	9	4.9	0	0.0%	12	6.5	184	100%
United States	529	70.8	23	3.1	18	2.4	0	0.0	74	9.9	0	0.0%	103	13.8	747	100%
Venezuela	185	87.7	1	0.5	2	0.9	0	0.0	12	5.7	0	0.0%	11	5.2	211	100%
Other/Unknown	759	66.8	13	1.1	10	0.9	0	0.0	105	9.2	0	0.0%	250	22.0	1,137	100%
Total Hispanic Male	2,874	71.3%	102	2.5%	99	2.5%	0	0.0%	395	9.8%	0	0.0%	559	13.9%	4,029	100%

TOTAL ADULT HISPANIC	2,874	59.4%	166	3.4%	99	2.0%	0	0.0%	985	20.4%	2	0.0%	711	14.7%	4,837	100%
-----------------------------	--------------	--------------	------------	-------------	-----------	-------------	----------	-------------	------------	--------------	----------	-------------	------------	--------------	--------------	-------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born HIV (Not AIDS) cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	533	50.0%	534	50.0%	1,067	100%

Haitian born adult HIV (Not AIDS) cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM \ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			9	1.7%			0	0.0%	426	79.9%	0	0.0%	98	18.4%	533	100%
Haitian Adult Male	83	15.5%	7	1.3%	1	0.2%	0	0.0%	275	51.5%	0	0.0%	168	31.5%	534	100%
Total Haitian	83	7.8%	16	1.5%	1	0.1%	0	0.0%	701	65.7%	0	0.0%	266	24.9%	1,067	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
 Documented People Living with HIV or AIDS [PLWHA]

JULY 2010

Total people living with HIV or AIDS by current age and gender (Excluding DOC)

Living People by Current Age Group & Gender	People Living w/AIDS						People Living w/HIV						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-04	1	0.03	1	0.01	2	0.02	2	0.06	6	0.07	8	0.07	3	0.04	7	0.04	10	0.04
05-12	11	0.28	8	0.08	19	0.14	32	0.93	25	0.31	57	0.49	43	0.59	33	0.19	76	0.30
13-19	68	1.75	60	0.64	128	0.96	80	2.31	67	0.82	147	1.27	148	2.02	127	0.72	275	1.10
20-29	221	5.70	273	2.89	494	3.71	459	13.28	869	10.67	1,328	11.45	680	9.27	1,142	6.49	1,822	7.31
30-39	656	16.92	1,106	11.71	1,762	13.22	845	24.44	1,838	22.58	2,683	23.13	1,501	20.47	2,944	16.74	4,445	17.83
40-49	1,324	34.15	3,502	37.07	4,826	36.22	1,031	29.82	2,990	36.73	4,021	34.67	2,355	32.11	6,492	36.91	8,847	35.50
50-59	1,124	28.99	3,109	32.91	4,233	31.77	708	20.48	1,637	20.11	2,345	20.22	1,832	24.98	4,746	26.98	6,578	26.39
60-64	239	6.16	715	7.57	954	7.16	142	4.11	337	4.14	479	4.13	381	5.19	1,052	5.98	1,433	5.75
65-69	114	2.94	382	4.04	496	3.72	81	2.34	187	2.30	268	2.31	195	2.66	569	3.23	764	3.07
>=70	119	3.07	292	3.09	411	3.08	77	2.23	185	2.27	262	2.26	196	2.67	477	2.71	673	2.70
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,877	100%	9,448	100%	13,325	100%	3,457	100%	8,141	100%	11,598	100%	7,334	100%	17,589	100%	24,923	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult & Pediatric cases living with HIV or AIDS cases by race/ethnicity and gender (Excluding DOC)

Total Living Adult by Race/Ethnicity	Adult cases living w/AIDS						Adult cases living w/HIV (not AIDS)						TOTAL ADULT LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	841	21.76	4,229	44.80	5,070	38.11	771	22.52	3,838	47.32	4,609	39.96	1,612	22.12	8,067	45.97	9,679	38.97
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	1	0.01	2	0.02	1	0.01	2	0.01	3	0.01
Asian	1	0.03	8	0.08	9	0.07	3	0.09	7	0.09	10	0.09	4	0.05	15	0.09	19	0.08
Black or African American	2,789	72.16	3,636	38.52	6,425	48.29	2,428	70.93	2,763	34.07	5,191	45.01	5,217	71.58	6,399	36.46	11,616	46.77
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	1	0.01	2	0.02	2	0.03	3	0.02	5	0.02
White	178	4.61	1,432	15.17	1,610	12.10	191	5.58	1,428	17.61	1,619	14.04	369	5.06	2,860	16.30	3,229	13.00
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	53	1.37	124	1.31	177	1.33	26	0.76	65	0.80	91	0.79	79	1.08	189	1.08	268	1.08
Total	3,865	100%	9,439	100%	13,304	100%	3,423	100%	8,110	100%	11,533	100%	7,288	100%	17,549	100%	24,837	100%

Total Living Pediatric by Race/Ethnicity	Pediatric cases living w/AIDS						Pediatric cases living w/HIV (not AIDS)						TOTAL PEDIATRIC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1	8.33	2	22.22	3	14.29	8	23.53	3	9.68	11	16.92	9	19.57	5	12.50	14	16.28
Black or African American	11	91.67	7	77.78	18	85.71	26	76.47	27	87.10	53	81.54	37	80.43	34	85.00	71	82.56
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Multi-race	0	0.00	0	0.00	0	0.00	0	0.00	1	3.23	1	1.54	0	0.00	1	2.50	1	1.16
Total	12	100%	9	100%	21	100%	34	100%	31	100%	65	100%	46	100%	40	100%	86	100%

Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC)

Total Living Cases by Race/Ethnicity	Total People Living w/AIDS						Total People Living w/HIV (not AIDS)						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	842	21.72	4,231	44.78	5,073	38.07	779	22.53	3,841	47.18	4,620	39.83	1,621	22.10	8,072	45.89	9,693	38.89
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	1	0.01	2	0.02	1	0.01	2	0.01	3	0.01
Asian	1	0.03	8	0.08	9	0.07	3	0.09	7	0.09	10	0.09	4	0.05	15	0.09	19	0.08
Black or African American	2,800	72.22	3,643	38.56	6,443	48.35	2,454	70.99	2,790	34.27	5,244	45.21	5,254	71.64	6,433	36.57	11,687	46.89
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	1	0.01	2	0.02	2	0.03	3	0.02	5	0.02
White	178	4.59	1,432	15.16	1,610	12.08	191	5.53	1,428	17.54	1,619	13.96	369	5.03	2,860	16.26	3,229	12.96
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	53	1.37	124	1.31	177	1.33	26	0.75	66	0.81	92	0.79	79	1.08	190	1.08	269	1.08
Total	3,877	100%	9,448	100%	13,325	100%	3,457	100%	8,141	100%	11,598	100%	7,334	100%	17,589	100%	24,923	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	79	9.4	354	12.7	63	35.4	12	21.1	508	13.1
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.0	0	0.0	0	0.0	1	0.0
Adult heterosexual contact [HTRSX]	676	80.4	2116	75.9	92	51.7	42	73.7	2,926	75.7
Adult received transfusion/transplant [TRNSF]	4	0.5	8	0.3	2	1.1	0	0.0	14	0.4
Adult case reported with pediatric risk	21	2.5	85	3.0	5	2.8	1	1.8	112	2.9
Adult no risk factor reported [NRR]	61	7.3	225	8.1	16	9.0	2	3.5	304	7.9
Living Adult Female Subtotal	841	100%	2,789	100%	178	100%	57	100%	3,865	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	3,138	74.2	1,180	32.5	1,183	82.6	89	62.7	5,590	59.2
Adult injection drug use [IDU]	219	5.2	453	12.5	60	4.2	12	8.5	744	7.9
Adult MSM & IDU	163	3.9	162	4.5	72	5.0	12	8.5	409	4.3
Adult receiving clotting factor [HEMOPH]	3	0.1	3	0.1	3	0.2	0	0.0	9	0.1
Adult heterosexual contact [HTRSX]	461	10.9	1,240	34.1	40	2.8	19	13.4	1,760	18.6
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.1	1	0.1	0	0.0	9	0.1
Adult case reported with pediatric risk	9	0.2	93	2.6	7	0.5	1	0.7	110	1.2
Adult no risk factor reported [NRR]	231	5.5	502	13.8	66	4.6	9	6.3	808	8.6
Living Adult Male Subtotal	4,229	100%	3,636	100%	1,432	100%	142	100%	9,439	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	54	7.0	142	5.8	34	17.8	5	15.2	235	6.9
Adult receiving clotting factor [HEMOPH]	0	0.0	0	0.0	0	0.0	1	3.0	1	0.2
Adult heterosexual contact [HTRSX]	568	73.7	1,793	73.8	120	62.8	20	60.6	2,501	73.1
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	11	1.4	57	2.3	1	0.5	1	3.0	70	2.0
Adult no risk factor reported [NRR]	138	17.9	436	18.0	36	18.8	6	18.2	616	18.0
Living Adult HIV Female	771	100%	2,428	100%	191	100%	33	100%	3,423	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	2,764	72.0	940	34.0	1,194	83.6	58	71.6	4,956	61.1
Adult injection drug use [IDU]	90	2.3	154	5.6	28	2.0	1	1.2	273	3.4
Adult MSM & IDU	93	2.4	64	2.3	38	2.7	2	2.5	197	2.4
Adult receiving clotting factor [HEMOPH]	0	0.0	4	0.1	0	0.0	0	0.0	4	0.0
Adult heterosexual contact [HTRSX]	369	9.6	919	33.3	48	3.4	13	16.0	1,349	16.6
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	6	0.2	34	1.2	2	0.1	2	2.5	44	0.5
Adult no risk factor reported [NRR]	516	13.4	648	23.5	118	8.3	5	6.2	1,287	15.9
Living Adult Male Subtotal	3,838	100%	2,763	100%	1,428	100%	81	100%	8,110	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	133	8.3	496	9.5	97	26.3	17	18.9	743	10.2
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.2	0	0.0	1	1.1	2	0.2
Adult heterosexual contact [HTRSX]	1,244	77.2	3,909	74.9	212	57.5	62	68.9	5,427	74.5
Adult received transfusion/transplant [TRNSF]	4	0.2	8	0.2	2	0.5	0	0.0	14	0.2
Adult case reported with pediatric risk	32	2.0	142	2.7	6	1.6	2	2.2	182	2.5
Adult no risk factor reported [NRR]	199	12.3	661	12.7	52	14.1	8	8.9	920	12.6
Living Adult Female Subtotal	1,612	100%	5,217	100%	369	100%	90	100%	7,288	100%

ADULT MALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	5,902	73.2	2,120	33.1	2,377	83.1	147	65.9	10,546	60.1
Adult injection drug use [IDU]	309	3.8	607	9.5	88	3.1	13	5.8	1,017	5.8
Adult MSM & IDU	256	3.2	226	3.5	110	3.8	14	6.3	606	3.5
Adult receiving clotting factor [HEMOPH]	3	0.0	7	0.1	3	0.1	0	0.0	13	0.1
Adult heterosexual contact [HTRSX]	830	10.3	2,159	33.7	88	3.1	32	14.3	3,109	17.7
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.0	1	0.0	0	0.0	9	0.1
Adult case reported with pediatric risk	15	0.2	127	2.0	9	0.3	3	1.3	154	0.9
Adult no risk factor reported [NRR]	747	9.3	1,150	18.0	184	6.4	14	6.3	2,095	11.9
Living Adult Male Subtotal	8,067	100%	6,399	100%	2,860	100%	223	100%	17,549	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC)

Country of Origin [COO]	Adult Hispanic Living w/ AIDS								Adult Hispanic Living w/HIV							
	ADULT FEMALE			ADULT MALE			TOTAL		ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	19	2.3	17.9	87	2.1	82.1	106	2.1	18	2.3	12.3	128	3.3	87.7	146	3.2
Colombia	32	3.8	12.5	224	5.3	87.5	256	5.0	35	4.5	17.7	163	4.2	82.3	198	4.3
Cuba	158	18.8	12.1	1,144	27.1	87.9	1,302	25.7	91	11.8	9.1	906	23.6	90.9	997	21.6
Dominican Republic	40	4.8	38.8	63	1.5	61.2	103	2.0	27	3.5	32.1	57	1.5	67.9	84	1.8
Honduras	75	8.9	27.6	197	4.7	72.4	272	5.4	67	8.7	38.7	106	2.8	61.3	173	3.8
Mexico	11	1.3	8.5	119	2.8	91.5	130	2.6	8	1.0	7.1	104	2.7	92.9	112	2.4
Nicaragua	37	4.4	17.6	173	4.1	82.4	210	4.1	32	4.2	22.4	111	2.9	77.6	143	3.1
Peru	17	2.0	17.0	83	2.0	83.0	100	2.0	12	1.6	15.4	66	1.7	84.6	78	1.7
Puerto Rico	78	9.3	21.2	290	6.9	78.8	368	7.3	35	4.5	17.9	161	4.2	82.1	196	4.3
United States	177	21.0	21.2	658	15.6	78.8	835	16.5	196	25.4	21.3	724	18.9	78.7	920	20.0
Venezuela	6	0.7	3.6	162	3.8	96.4	168	3.3	21	2.7	9.1	209	5.4	90.9	230	5.0
Other/Unknown Countries	191	22.7	15.7	1,029	24.3	84.3	1,220	24.1	229	29.7	17.2	1,103	28.7	82.8	1,332	28.9
Total Adult Hispanic	841	100%		4,229	100%		5,070	100%	771	100%		3,838	100%		4,609	100%

Country of Origin [COO]	Total Adult Hispanic Living w/ AIDS or HIV							
	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	37	2.3	14.7	215	2.7	85.3	252	2.6
Colombia	67	4.2	14.8	387	4.8	85.2	454	4.7
Cuba	249	15.4	10.8	2,050	25.4	89.2	2,299	23.8
Dominican Republic	67	4.2	35.8	120	1.5	64.2	187	1.9
Honduras	142	8.8	31.9	303	3.8	68.1	445	4.6
Mexico	19	1.2	7.9	223	2.8	92.1	242	2.5
Nicaragua	69	4.3	19.5	284	3.5	80.5	353	3.6
Peru	29	1.8	16.3	149	1.8	83.7	178	1.8
Puerto Rico	113	7.0	20.0	451	5.6	80.0	564	5.8
United States	373	23.1	21.3	1,382	17.1	78.7	1,755	18.1
Venezuela	27	1.7	6.8	371	4.6	93.2	398	4.1
Other/Unknown Countries	420	26.1	16.5	2,132	26.4	83.5	2,552	26.4
Total Adult Hispanic	1,612	100%		8,067	100%		9,679	100%

Total Adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC)

C.O.O	Total Adult Haitian Living w/AIDS					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	737	43.3%	965	56.7%	1,702	100%

C.O.O	Total Adult Haitian Living w/HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	501	51.1%	480	48.9%	981	100%

C.O.O	Total Adult Haitian Living w/AIDS or HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,238	46.1%	1,445	53.9%	2,683	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

*All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006.
Born in Miami-Dade county.*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	TOTAL
>=November 20 th , 2006	4	0	0	15	19
2007	84	1	0	54	139
2008	125	1	1	3	130
2009	114	1	0	4	119
2010	56	0	0	2	58
Total	383	3	1	78	465

JULY 2010

*All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006.
Born in Miami-Dade county.*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	89	38	9	1	2	0	139
2008	89	38	2	0	0	1	130
2009	83	24	9	1	0	2	119
2010	39	11	2	1	0	5	58
Total	316	113	22	3	2	9	465

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006.

Born in Miami-Dade county.

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	258	92	21	2	2	8	383
Pediatric HIV	3	0	0	0	0	0	3
Pediatric AIDS	1	0	0	0	0	0	1
Pediatric Seroreverter	54	21	1	1	0	1	78
Total	316	113	22	3	2	9	465

All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006.

Born in Miami-Dade county.

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	TOTAL
Perinatal HIV Exposure	0	0	383	0	0	383
Pediatric HIV	3	0	0	0	0	3
Pediatric AIDS	0	1	0	0	0	1
Pediatric Seroreverter	0	0	0	73	5	78
Total	3	1	383	73	5	465

CONFIRMED Infected Perinatal Cases, know HIV or AIDS by year, 2000-2010

Born in Miami-Dade county.

Adult HIV Cases by Year & Gender	Pediatric HIV		Pediatric AIDS		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	5	71.4	2	28.6	7	16.7
2001	6	60.0	4	40.0	10	23.8
2002	3	50.0	3	50.0	6	14.3
2003	3	75.0	1	25.0	4	9.5
2004	1	50.0	1	50.0	2	4.8
2005	3	60.0	2	40.0	5	11.9
2006	3	100.0	0	0.0	3	7.1
2007	1	100.0	0	0.0	1	2.4
2008	2	66.7	1	33.3	3	7.1
2009	1	100.0	0	0.0	1	2.4
2010	0	#DIV/0!	0	#DIV/0!	0	0.0
Total Adult HIV	28	66.7	14	33.3	42	100%

NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]**

JULY 2010

Department of Correction [DOC] AIDS & HIV Cases by age group and gender.

DOC Cases by Age Group/ Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
13-19	0	0.00	1	0.16	1	0.15	0	0.00	3	0.74	3	0.73	0	0.00	4	0.39	4	0.38
20-29	6	26.09	127	20.22	133	20.43	2	20.00	85	21.09	87	21.07	8	24.24	212	20.56	220	20.68
30-39	9	39.13	294	46.82	303	46.54	4	40.00	161	39.95	165	39.95	13	39.39	455	44.13	468	43.98
40-49	7	30.43	173	27.55	180	27.65	3	30.00	116	28.78	119	28.81	10	30.30	289	28.03	299	28.10
50-59	1	4.35	25	3.98	26	3.99	1	10.00	32	7.94	33	7.99	2	6.06	57	5.53	59	5.55
60-64	0	0.00	4	0.64	4	0.61	0	0.00	4	0.99	4	0.97	0	0.00	8	0.78	8	0.75
65-69	0	0.00	2	0.32	2	0.31	0	0.00	2	0.50	2	0.48	0	0.00	4	0.39	4	0.38
>=70	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	628	100%	651	100%	10	100%	403	100%	413	100%	33	100%	1,031	100%	1,064	100%

DOC Adult AIDS & HIV cases by race/ethnicity and gender.

DOC Cases by Race/Ethnicity */Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	78	12.42	78	11.98	1	10.00	54	13.40	55	13.32	1	3.03	132	12.80	133	12.50
American Indian/Alaska Native	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Black or African American	20	86.96	475	75.64	495	76.04	6	60.00	291	72.21	297	71.91	26	78.79	766	74.30	792	74.44
Native Hawaiian/Pacific Islander	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
White	2	8.70	64	10.19	66	10.14	3	30.00	55	13.65	58	14.04	5	15.15	119	11.54	124	11.65
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.25	1	0.24	0	0.00	1	0.10	1	0.09
Multi-Race	1	4.35	9	1.43	10	1.54	0	0.00	2	0.50	2	0.48	1	3.03	11	1.07	12	1.13
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	628	100%	651	100%	10	100%	403	100%	413	100%	33	100%	1,031	100%	1,064	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

DOC AIDS & HIV cases by mortality status and gender

DOC Cases by Mortality Status /Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	17	73.91	371	59.08	388	59.60	10	100.00	379	94.04	389	94.19	27	81.82	750	72.74	777	73.03
Deaths	6	26.09	257	40.92	263	40.40	0	0.00	24	5.96	24	5.81	6	18.18	281	27.26	287	26.97
Total DOC	23	100%	628	100%	651	100%	10	100%	403	100%	413	100%	33	100%	1,031	100%	1,064	100%

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC AIDS & HIV cases by exposure category and gender

DOC Adult Exposure Category	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			162	25.80	162	24.88			107	26.55	107	25.91	0	0.00	269	26.09	269	25.28
Adult injection drug use [IDU]	9	39.13	154	24.52	163	25.04	3	30.00	46	11.41	49	11.86	12	36.36	200	19.40	212	19.92
Adult MSM & IDU			99	15.76	99	15.21			38	9.43	38	9.20	0	0.00	137	13.29	137	12.88
Adult receiving clotting factor [HEMOPH]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult heterosexual contact [HTRSX]	10	43.48	104	16.56	114	17.51	3	30.00	87	21.59	90	21.79	13	39.39	191	18.53	204	19.17
Adult received transfusion/transpla [TRNSF]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	4	17.39	105	16.72	109	16.74	4	40.00	125	31.02	129	31.23	8	24.24	230	22.31	238	22.37
Total DOC	23	100%	628	100%	651	100%	10	100%	403	100%	413	100%	33	100%	1,031	100%	1,064	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Hispanic AIDS and HIV cases by country of origin and gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Colombia	0	#DIV/O!	3	3.8	3	3.8	0	0.0	2	3.7	2	3.6	0	0.00	5	3.79	5	3.76
Cuba	0	#DIV/O!	19	24.4	19	24.4	0	0.0	10	18.5	10	18.2	0	0.00	29	21.97	29	21.80
Dominican Republic	0	#DIV/O!	3	3.8	3	3.8	0	0.0	1	1.9	1	1.8	0	0.00	4	3.03	4	3.01
Honduras	0	#DIV/O!	1	1.3	1	1.3	0	0.0	0	0.0	0	0.0	0	0.00	1	0.76	1	0.75
Mexico	0	#DIV/O!	2	2.6	2	2.6	0	0.0	4	7.4	4	7.3	0	0.00	6	4.55	6	4.51
Nicaragua	0	#DIV/O!	2	2.6	2	2.6	0	0.0	2	3.7	2	3.6	0	0.00	4	3.03	4	3.01
Puerto Rico	0	#DIV/O!	24	30.8	24	30.8	0	0.0	5	9.3	5	9.1	0	0.00	29	21.97	29	21.80
United States	0	#DIV/O!	19	24.4	19	24.4	0	0.0	23	42.6	23	41.8	0	0.00	42	31.82	42	31.58
Other/Unknown Countries	0	#DIV/O!	5	6.4	5	6.4	1	100.0	7	13.0	8	14.5	1	100.00	12	9.09	13	9.77
Total Hispanic DOC	0	#DIV/O!	78	100%	78	100%	1	100%	54	100%	55	100%	1	100%	132	100%	133	100%

DOC Adult Hispanic AIDS cases by country of origin, exposure category and gender

ADULT HISPANIC DOC AIDS MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	1	33.3	3	100%
Cuba	6	31.6	3	15.8	4	21.1	0	0.0	3	15.8	0	0.0	3	15.8	19	100%
Dominican Republic	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	3	100%
Honduras	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.00	1	100%
Mexico	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	2	100%
Nicaragua	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	2	100%
Puerto Rico	4	16.7	9	37.5	5	20.8	0	0.0	3	12.5	0	0.0	3	12.5	24	100%
United States	6	31.6	6	31.6	4	21.1	0	0.0	1	5.3	0	0.0	2	10.5	19	100%
Other/Unknown	1	20.0	1	20.0	0	0.0	0	0.0	2	40.0	0	0.0	1	20.0	5	100%
Total Hispanic DOC	20	25.6%	19	24.4%	14	17.9%	0	0.0%	11	14.1%	0	0.0%	14	17.9%	78	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender

ADULT HISPANIC DOC HIV FEMALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Cuba			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Dominican Republic			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Mexico			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Nicaragua			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Puerto Rico			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
United States			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	0.0	0	#DIV/0!	0	#DIV/0!
Other/Unknown			1	100.0			0	0.0	0	0.0	0	0.0	0	0.0	1	100%
Total DOC Hispanic Female	0	0.0%	1	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	100%

ADULT HISPANIC DOC HIV MALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	0	0.0	1	50.0	0	0.0	0	0.0	1	50.0	0	0.0	0	0.0	2	100%
Cuba	2	20.0	0	0.0	1	10.0	0	0.0	4	40.0	0	0.0	3	30.0	10	100%
Dominican Republic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100%
Mexico	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	4	100%
Nicaragua	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	2	100%
Puerto Rico	1	20.0	3	60.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100%
United States	12	52.2	2	8.7	3	13.0	0	0.0	2	8.7	0	0.0	4	17.4	23	100%
Other/Unknown	3	42.9	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	28.6	7	100%
Total DOC Hispanic Male	21	38.9%	7	13.0%	5	9.3%	0	0.0%	9	16.7%	0	0.0%	12	22.2%	54	100%
Total Hispanic DOC	21	38.2%	8	14.5%	5	9.1%	0	0.0%	9	16.4%	0	0.0%	12	21.8%	55	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Haitian born AIDS and HIV (Not AIDS) cases by gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
DOC Haitian born	0	0.0%	17	100%	17	100%	0	0.0%	8	100%	8	100%	0	0.0%	25	100.0	25	100%

DOC Haitian born adult AIDS cases by exposure category and gender

ADULT DOC AIDS HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%
Total Haitian DOC	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%

DOC Haitian born adult HIV (Not AIDS) cases by exposure category and gender

ADULT DOC HIV HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%
Total Haitian DOC	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Living AIDS & HIV Cases by age group and gender

DOC Living Cases by Age Group/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
20-29	1	5.88	3	0.81	4	1.03	0	0.00	12	3.17	12	3.08	1	3.70	15	2.00	16	2.06
30-39	3	17.65	57	15.36	60	15.46	2	20.00	80	21.11	82	21.08	5	18.52	137	18.27	142	18.28
40-49	9	52.94	194	52.29	203	52.32	4	40.00	161	42.48	165	42.42	13	48.15	355	47.33	368	47.36
50-59	4	23.53	98	26.42	102	26.29	4	40.00	104	27.44	108	27.76	8	29.63	202	26.93	210	27.03
60-64	0	0.00	14	3.77	14	3.61	0	0.00	16	4.22	16	4.11	0	0.00	30	4.00	30	3.86
65-69	0	0.00	3	0.81	3	0.77	0	0.00	3	0.79	3	0.77	0	0.00	6	0.80	6	0.77
>=70	0	0.00	2	0.54	2	0.52	0	0.00	3	0.79	3	0.77	0	0.00	5	0.67	5	0.64
Total DOC	17	100%	371	100%	388	100%	10	100%	379	100%	389	100%	27	100%	750	100%	777	100%

DOC Living AIDS & HIV Cases by race/ethnicity and gender

DOC Living Cases Race/Ethnicity/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	51	13.75	51	13.14	1	10.00	52	13.72	53	13.62	1	3.70	103	13.73	104	13.38
American Indian/Alaska Native	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Black or African American	16	94.12	277	74.66	293	75.52	6	60.00	271	71.50	277	71.21	22	81.48	548	73.07	570	73.36
White	1	5.88	36	9.70	37	9.54	3	30.00	53	13.98	56	14.40	4	14.81	89	11.87	93	11.97
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.26	1	0.26	0	0.00	1	0.13	1	0.13
Multi-race	0	0.00	6	1.62	6	1.55	0	0.00	2	0.53	2	0.51	0	0.00	8	1.07	8	1.03
Total DOC	17	100%	371	100%	388	100%	10	100%	379	100%	389	100%	27	100%	750	100%	777	100%

DOC Living AIDS & HIV cases by exposure category and gender

DOC Living Cases by Adult Exposure Category	DOC Living AIDS Cases						DOC Living HIV Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			111	29.92	111	28.61			104	27.44	104	26.74	0	0.00	215	28.67	215	27.67
Adult injection drug use [IDU]	7	41.18	68	18.33	75	19.33	3	30.00	40	10.55	43	11.05	10	37.04	108	14.40	118	15.19
Adult MSM & IDU			51	13.75	51	13.14			37	9.76	37	9.51	0	0.00	88	11.73	88	11.33
Adult receiving clotting factor [HEMOPH]	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Adult heterosexual contact [HTRSX]	7	41.18	66	17.79	73	18.81	3	30.00	81	21.37	84	21.59	10	37.04	147	19.60	157	20.21
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	3	17.65	74	19.95	77	19.85	4	40.00	117	30.87	121	31.11	7	25.93	191	25.47	198	25.48
Total DOC	17	100%	371	100%	388	100%	10	100%	379	100%	389	100%	27	100%	750	100%	777	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
2009 One-in Statements**

ONE-IN Statements for Persons Living with HIV or AIDS [PLWHA] through 2009 (all ages) in Miami-Dade & Florida

MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 72 White male in Miami-Dade is living with HIV or AIDS	• One in 236 White male
• One in 35 Black male in Miami-Dade is living with HIV or AIDS	• One in 54 Black male
• One in 97 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 141 Hispanic male
• One in 99 other race male in Miami-Dade is living with HIV or AIDS	• One in 231 Other male
✓ One in 70 male in Miami-Dade is living with HIV or AIDS	✓ One in 142 male in Florida

FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 548 White female in Miami-Dade is living with HIV or AIDS	• One in 1,291 White female
• One in 48 Black female in Miami-Dade is living with HIV or AIDS	• One in 78 Black female
• One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 539 Hispanic female
• One in 261 other race female in Miami-Dade is living with HIV or AIDS	• One in 552 Other female
✓ One in 179 female in Miami-Dade is living with HIV or AIDS	✓ One in 341 female in Florida

TOTAL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 127 White in Miami-Dade is living with HIV or AIDS	• One in 406 White
• One in 41 Black in Miami-Dade is living with HIV or AIDS	• One in 64 Black
• One in 167 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 244 Hispanic
• One in 147 other race in Miami-Dade is living with HIV or AIDS	• One in 331 Other race
✓ One in 103 Miami-Dade resident is living with HIV or AIDS	✓ One in 202 Floridian

Note: Excluding Department of Correction

These statements are updated by the Bureau of HIV/AIDS every June of following year.

Miami-Dade County Health Department
Useful Website Links

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATION	ELECTRONIC ADDRESS
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Department of Health. Bureau of HIV/AIDS and Hepatitis	http://www.doh.state.fl.us/disease_ctrl/aids/index.html
Miami-Dade County Health Department	http://www.dadehealth.org
Organización Panamericana de la Salud [PAHO]	http://www.paho.org
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidn.html
World Health Organization [WHO]	http://www.who.int