



Lillian Rivera, RN, MSN, Ph.D., Administrator

MIAMI-DADE COUNTY HEALTH DEPARTMENT
HIV/AIDS SURVEILLANCE
MONTHLY SURVEILLANCE REPORT



AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- AIDS cases by age group and gender (Excluding Department DOC). *AIDS Worksheet.*
- AIDS Cases by year of report and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC). *AIDS Worksheet.*
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *AIDS Worksheet.*
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *AIDS Worksheet.*
- Pediatric AIDS cases by exposure category, race/ethnicity and gender. *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC). *AIDS Worksheet.*
- Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by gender (Excluding DOC). *AIDS Worksheet.*
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC). *AIDS Worksheet.*

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

- HIV (not AIDS) cases by age group and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by year of report and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC). *HIV Worksheet.*
- HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC). *HIV Worksheet.*
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *HIV Worksheet.*
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender. *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin and gender (Excluding DOC). *HIV Worksheet.*
- Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC). *HIV Worksheet.*

(Continue next Page)

DOCUMENTED PEOPLE LIVING WITH HIV/AIDS (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)

Total people living with HIV or AIDS by current age and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult & Pediatric cases living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC). *PLWHA Worksheet.*
Total adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC). *PLWHA Worksheet.*

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006

All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006. *PERINATAL EXPOSED Worksheet.*
CONFIRMED Infected Perinatal cases, known HIV or AIDS by year, 2000-2010. *PERINATAL EXPOSED Worksheet.*

HIV/AIDS CASES REPORTED FROM DEPARTMENT OF CORRECTION [DOC]

Department of Correction AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction adult AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by mortality status and gender. *DOC Worksheet.*
Department of Correction AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*
Department of Correction Hispanic AIDS and HIV cases by country of origin and gender. *DOC Worksheet.*
Department of Correction adult Hispanic AIDS and HIV cases by country of origin, exposure category and gender. *DOC Worksheet.*
Department of Correction Haitian born AIDS and HIV (Not AIDS) cases by gender. *DOC Worksheet.*
Department of Correction Haitian born Adult AIDS and HIV (Not AIDS) cases by exposure category and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by age group and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by race/ethnicity and gender. *DOC Worksheet.*
Department of Correction living AIDS & HIV cases by exposure category and gender. *DOC Worksheet.*

ONE-IN STATEMENTS

One-in statements for Persons Living with HIV or AIDS through 2009 (all ages) in Miami-Dade & Florida. *ONE-IN STATEMENTS Worksheet.*

USEFUL WEBSITES LINKS

Useful websites for HIV/AIDS related information. *WEBSITE Worksheet.*



Office of HIV/AIDS
8600 NW 17th Street, Miami, FL 33126
(305) 470-6999
www.dadehealth.org



INTRODUCTORY NOTE TO NEW MONTHLY REPORT VERSION

Due to the new implementation of a computerized system of entering, retrieving and analyzing HIV/AIDS data in our state, electronic HIV/AIDS Reporting System [eHARS], there are few changes that reflect the way to process and present the information, different from the old HIV/AIDS Reporting System [HARS] and monthly HIV/AIDS Surveillance Report. This new way to produce data is reflected in the format in our monthly report including more information than before. Henceforth the data referred to HIV and AIDS cases will exclude those from Department of Correction [DOC], instead DOC information is provided in a separate worksheet in seven (7) different tables with demographics. New tables will reflect information in a separate worksheet like: People Living with HIV or AIDS in our County [PLWHA], Perinatal Exposed cases and useful website link that will provide a new tool to find HIV/AIDS related data beyond our County. All these changes will allow the Miami-Dade County Health Department Administration and public, to have more detailed information concerning the HIV/AIDS epidemic in our County.

AN IMPORTANT NOTE ON REPORTING CHANGES AND THEIR EFFECT ON HIV/AIDS TRENDS DURING 2007-2010

- HIV/AIDS data help monitor the epidemic, if they are collected and reported the same way each year. In 2007, 2008, 2009, and 2010, HIV and AIDS case data were collected in somewhat different ways, which complicated interpretation of trends that fluctuated erratically. In addition, the influence of these data collection and reporting changes created artificial increases or decreases in cases that occurred across the board in virtually all counties and in all racial/ethnic, gender, age and HIV risk factor categories. Sometimes these increases or decreases were quite large. Whenever there is a high degree of consistency in across-the-board trends, it tends to indicate the artificial influence of reporting factors. (By contrast, HIV/AIDS death data were collected and reported the same way throughout this period, so trends in such deaths can be reliably monitored and interpreted over this time period.)
- In 2007, viral load reporting and CD4 reporting (first implemented in November 2006) resulted in marked increases in HIV cases. However, this apparent change did not necessarily mean a real change in HIV trend in 2007. The reporting changes could have masked an actual decrease or exaggerated an increase in HIV cases.

(Continue next Page)

- Also in 2007, expansion of electronic lab reporting would have resulted in increases in AIDS cases across the board, but unavoidable data entry of many lab-based AIDS cases for 2007 did not occur till early 2008. This had the effect of increasing AIDS cases in 2008. Again, this apparent trend did not necessarily mean true changes in the annual occurrence AIDS cases.
- In 2009, a new HIV/AIDS reporting system was implemented, called "eHARS", which resulted in unavoidable data entry delays in the early part of the year. This produced the false impression that HIV and AIDS cases were decreasing in the early months of 2009. Thus, the early months of 2010 will have much higher numbers of cases, compared with the same months of 2009. Again, this could mask an actual decrease in HIV and AIDS trends or exaggerate an increase in trend.
- Since no further changes in HIV/AIDS reporting are expected in 2010 and beyond, reliable interpretation of trends may resume.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2010

AIDS Cases by age group and gender (Excluding DOC)

AIDS Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	208	2.39	196	0.81	404	1.23
5-12	52	0.60	55	0.23	107	0.33
13-19	156	1.79	106	0.44	262	0.80
20-29	1,592	18.30	2,881	11.95	4,473	13.63
30-39	3,104	35.69	9,030	37.45	12,134	36.98
40-49	2,228	25.62	7,250	30.07	9,478	28.89
50-59	911	10.47	3,190	13.23	4,101	12.50
60-64	228	2.62	747	3.10	975	2.97
65-69	124	1.43	380	1.58	504	1.54
>=70	95	1.09	277	1.15	372	1.13
Unknown	0	0.00	0	0.00	0	0.00
Total	8,698	100%	24,112	100%	32,810	100%

Adult AIDS Cases by year of report and gender (Excluding DOC)

Adult AIDS Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.00	4	100.00	4	0.01
1982	7	18.42	31	81.58	38	0.12
1983	16	16.33	82	83.67	98	0.30
1984	18	11.92	133	88.08	151	0.46
1985	29	15.26	161	84.74	190	0.58
1986	71	17.40	337	82.60	408	1.24
1987	67	13.73	421	86.27	488	1.49
1988	118	16.60	593	83.40	711	2.17
1989	209	20.23	824	79.77	1,033	3.15
1990	183	19.41	760	80.59	943	2.87
1991	394	19.69	1,607	80.31	2,001	6.10
1992	341	20.82	1,297	79.18	1,638	4.99
1993	632	22.55	2,171	77.45	2,803	8.54
1994	669	23.48	2,180	76.52	2,849	8.68
1995	593	28.01	1,524	71.99	2,117	6.45
1996	529	27.07	1,425	72.93	1,954	5.96
1997	422	28.34	1,067	71.66	1,489	4.54
1998	466	31.77	1,001	68.23	1,467	4.47
1999	359	29.45	860	70.55	1,219	3.72

Adult AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.76	812	68.24	1,190	3.63
2001	372	32.92	758	67.08	1,130	3.44
2002	304	28.90	748	71.10	1,052	3.21
2003	297	30.28	684	69.72	981	2.99
2004	403	31.41	880	68.59	1,283	3.91
2005	389	33.11	786	66.89	1,175	3.58
2006	392	34.54	743	65.46	1,135	3.46
2007	276	35.38	504	64.62	780	2.38
2008	331	31.11	733	68.89	1,064	3.24
2009	264	30.24	609	69.76	873	2.66
2010	169	30.95	377	69.05	546	1.66
Total Adult AIDS	8,698	26.51	24,112	73.49	32,810	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult						Pediatric						TOTAL CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,517	17.98	9,663	40.50	11,180	34.61	38	14.62	39	15.54	77	15.07	1,555	17.88	9,702	40.24	11,257	34.31
American Indian/Alaska Native	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
Asian	1	0.01	10	0.04	11	0.03	0	0.00	0	0.00	0	0.00	1	0.01	10	0.04	11	0.03
Black or African American	6,364	75.42	9,842	41.25	16,206	50.17	210	80.77	200	79.68	410	80.23	6,574	75.58	10,042	41.65	16,616	50.64
Native Hawaiian/Pacific Islander	1	0.01	2	0.01	3	0.01	0	0.00	0	0.00	0	0.00	1	0.01	2	0.01	3	0.01
White	427	5.06	4,001	16.77	4,428	13.71	10	3.85	11	4.38	21	4.11	437	5.02	4,012	16.64	4,449	13.56
Legacy Asian	2	0.02	12	0.05	14	0.04	0	0.00	0	0.00	0	0.00	2	0.02	12	0.05	14	0.04
Multi-Race	125	1.48	329	1.38	454	1.41	2	0.77	1	0.40	3	0.59	127	1.46	330	1.37	457	1.39
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	8,438	100%	23,861	100%	32,299	100%	260	100%	251	100%	511	100%	8,698	100%	24,112	100%	32,810	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult						Pediatric						TOTAL					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,805	45.09	9,368	39.26	13,173	40.78	86	33.08	91	36.25	177	34.64	3,891	44.73	9,459	39.23	13,350	40.69
Deaths	4,633	54.91	14,493	60.74	19,126	59.22	174	66.92	160	63.75	334	65.36	4,807	55.27	14,653	60.77	19,460	59.31
Total	8,438	100%	23,861	100%	32,299	100%	260	100%	251	100%	511	100%	8,698	100%	24,112	100%	32,810	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			12,968	54.35	12,968	40.15
Adult injection drug use [IDU]	1,943	23.03	3,152	13.21	5,095	15.77
Adult MSM & IDU			1,268	5.31	1,268	3.93
Adult receiving clotting factor [HEMOPH]	9	0.11	51	0.21	60	0.19
Adult heterosexual contact [HTRSX]	5,438	64.45	3,585	15.02	9,023	27.94
Adult received transfusion/transpla [TRNSF]	93	1.10	95	0.40	188	0.58
Adult case reported with pediatric risk	49	0.58	35	0.15	84	0.26
Adult no risk factor reported [NRR]	906	10.74	2,707	11.34	3,613	11.19
Total	8,438	100%	23,861	100%	32,299	100%

Pediatric Exposure Category	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	257	98.85	239	95.22	496	97.06
Child receiving clotting factor [HEMOPH]	2	0.77	5	1.99	7	1.37
Child other risk confirmed [OTHER]	0	0.00	1	0.40	1	0.20
Child no risk factor reported [NRR]	1	0.38	6	2.39	7	1.37
Total	260	100%	251	100%	511	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			224	11.5			1	11.1	1,121	20.6	19	20.4	10	20.4	142	15.7	1,517	18.0
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Black or African American			1,490	76.7			7	77.8	4,051	74.5	60	64.5	36	73.5	720	79.5	6,364	75.4
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	1	0.0
White			193	9.9			1	11.1	186	3.4	11	11.8	2	4.1	34	3.8	427	5.1
Legacy Asian			0	0.0			0	0.0	2	0.0	0	0.0	0	0.0	0	0.0	2	0.0
Multi-Race			36	1.9			0	0.0	75	1.4	3	3.2	1	2.0	10	1.1	125	1.5
Female Subtotal			1,943	100%			9	100%	5,438	100%	93	100%	49	100%	906	100%	8,438	100%

Adult AIDS cases by exposure category and race/ethnicity according to gender (Excluding DOC)

ADULT MALE																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	6,970	53.8	688	21.8	442	34.9	19	37.3	854	23.9	34	35.8	9	19.1	647	23.9	9,663	40.5
American Indian/Alaska Native	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	2	0.0
Asian	6	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	0	0.0	2	0.1	10	0.0
Black or African American	2,599	20.1	2,179	69.1	545	43.0	13	25.5	2,572	71.8	33	34.7	33	70.2	1,868	69.0	9,842	41.2
Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0	1	0.0	2	0.0
White	3,201	24.7	240	7.6	259	20.4	18	35.3	95	2.7	27	28.4	3	6.4	158	5.8	4,001	16.8
Legacy Asian	7	0.1	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0	0	0.0	1	0.0	12	0.1
Multi-Race	178	1.4	44	1.4	22	1.7	1	2.0	52	1.5	1	1.1	2	4.3	29	1.1	329	1.4
Male Subtotal	12,961	100%	3,152	100%	1,268	100%	51	100%	3,580	100%	95	100%	47	100%	2,707	100%	23,861	100%

ADULT TOTAL	12,961		5,095		1,268		60		9,018		188		96		3,613		32,299	
--------------------	---------------	--	--------------	--	--------------	--	-----------	--	--------------	--	------------	--	-----------	--	--------------	--	---------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	36	14.0	1	50.0	0	#DIV/0!	1	100.0	38	14.6
Black or African American	209	81.3	1	50.0	0	#DIV/0!	0	0.0	210	80.8
White	10	3.9	0	0.0	0	#DIV/0!	0	0.0	10	3.8
Multi-Race	2	0.8	0	0.0	0	#DIV/0!	0	0.0	2	0.8
Unknown	0	0.0	0	0.0	0	#DIV/0!	0	0.0	0	0.0
Male Subtotal	257	100%	2	100%	0	#DIV/0!	1	100%	260	100%

PEDIATRIC MALE										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	34	14.2	4	80.0	0	0.0	1	16.7	39	15.5
Black or African American	193	80.8	1	20.0	1	100.0	5	83.3	200	79.7
White	11	4.6	0	0.0	0	0.0	0	0.0	11	4.4
Multi-Race	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Male Subtotal	239	100%	5	100%	1	100%	6	100%	251	100%

TOTAL PEDIATRIC	496		7		1		7		511	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Adult Hispanic AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	24	1.6	15.0	136	1.4	85.0	160	1.4
Colombia	61	4.0	12.5	428	4.4	87.5	489	4.4
Cuba	369	24.3	7.9	4,306	44.6	92.1	4,675	41.8
Dominican Republic	68	4.5	34.0	132	1.4	66.0	200	1.8
Honduras	119	7.8	28.6	297	3.1	71.4	416	3.7
Mexico	19	1.3	8.6	201	2.1	91.4	220	2.0
Nicaragua	63	4.2	16.3	323	3.3	83.7	386	3.5
Peru	23	1.5	13.0	154	1.6	87.0	177	1.6
Puerto Rico	177	11.7	18.0	805	8.3	82.0	982	8.8
United States	320	21.1	20.8	1,218	12.6	79.2	1,538	13.8
Venezuela	12	0.8	5.2	221	2.3	94.8	233	2.1
Other/Unknown Countries	262	17.3	15.4	1,442	14.9	84.6	1,704	15.2
Total Adult Hispanic	1,517	100%		9,663	100%		11,180	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

Adult Hispanic AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			3	12.5			0	0.0	19	79.2	0	0.0	2	8.3	24	100%
Colombia			7	11.5			2	3.3	44	72.1	0	0.0	8	13.1	61	100%
Cuba			53	14.4			8	2.2	265	71.8	0	0.0	43	11.7	369	100%
Dominican Republic			3	4.4			0	0.0	58	85.3	0	0.0	7	10.3	68	100%
Honduras			8	6.7			1	0.8	99	83.2	0	0.0	11	9.2	119	100%
Mexico			3	15.8			1	5.3	14	73.7	0	0.0	1	5.3	19	100%
Nicaragua			2	3.2			1	1.6	50	79.4	0	0.0	10	15.9	63	100%
Peru			1	4.3			0	0.0	21	91.3	0	0.0	1	4.3	23	100%
Puerto Rico			45	25.4			2	1.1	120	67.8	0	0.0	10	5.6	177	100%
United States			72	22.5			3	0.9	212	66.3	10	3.1	23	7.2	320	100%
Venezuela			3	25.0			1	8.3	8	66.7	0	0.0	0	0.0	12	100%
Other/Unknown			24	9.2			1	0.4	211	80.5	0	0.0	26	9.9	262	100%
Total Hispanic Female			224	14.8%			20	1.3%	1,121	73.9%	10	0.7%	142	9.4%	1,517	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	113	83.1	4	2.9	7	5.1	0	0.0	9	6.6	0	0.0	3	2.2	136	100%
Colombia	348	81.3	13	3.0	15	3.5	3	0.7	30	7.0	0	0.0	19	4.4	428	100%
Cuba	3,289	76.4	208	4.8	175	4.1	25	0.6	329	7.6	1	0.0	279	6.5	4,306	100%
Dominican Republic	75	56.8	7	5.3	4	3.0	1	0.8	32	24.2	0	0.0	13	9.8	132	100%
Honduras	182	61.3	16	5.4	5	1.7	5	1.7	64	21.5	0	0.0	25	8.4	297	100%
Mexico	133	66.2	11	5.5	6	3.0	0	0.0	32	15.9	0	0.0	19	9.5	201	100%
Nicaragua	234	72.4	10	3.1	13	4.0	-1	-0.3	45	13.9	0	0.0	22	6.8	323	100%
Peru	122	79.2	2	1.3	2	1.3	0	0.0	16	10.4	0	0.0	12	7.8	154	100%
Puerto Rico	389	48.3	212	26.3	89	11.1	3	0.4	58	7.2	0	0.0	54	6.7	805	100%
United States	802	65.8	148	12.2	96	7.9	8	0.7	101	8.3	4	0.3	59	4.8	1,218	100%
Venezuela	196	88.7	2	0.9	2	0.9	2	0.9	12	5.4	0	0.0	7	3.2	221	100%
Other/Unknown	1,087	75.4	55	3.8	28	1.9	7	0.5	126	8.7	4	44.4	135	9.4	1,442	144%
Total Hispanic Male	6,970	72.1%	688	7.1%	442	4.6%	53	0.5%	854	8.8%	9	0.1%	647	6.7%	9,663	100%

TOTAL ADULT HISPANIC	6,970	62.3%	912	8.2%	442	4.0%	73	0.7%	1,975	17.7%	19	0.2%	789	7.1%	11,180	100%
-----------------------------	--------------	--------------	------------	-------------	------------	-------------	-----------	-------------	--------------	--------------	-----------	-------------	------------	-------------	---------------	-------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,406	38.0%	2,295	62.0%	3,701	100%

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			52	3.7%			25	1.8%	1,012	72.0%	1	0.1%	316	22.5%	1,406	100%
Haitian Adult Male	490	21.4%	74	3.2%	25	1.1%	9	0.4%	776	33.8%	3	0.1%	918	40.0%	2,295	100%
Total Haitian	490	13.2%	126	3.4%	25	0.7%	34	0.9%	1,788	48.3%	4	0.1%	1,234	33.3%	3,701	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2010

HIV (not AIDS) cases by age group and gender (Excluding DOC)

HIV Cases by Age Group & Gender	Female		Male		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %
Under 5	61	1.64	46	0.52	107	0.85
5-12	41	1.10	26	0.29	67	0.53
13-19	221	5.94	217	2.45	438	3.49
20-29	873	23.48	1,802	20.38	2,675	21.30
30-39	1,074	28.89	3,020	34.16	4,094	32.60
40-49	886	23.83	2,315	26.18	3,201	25.49
50-59	408	10.97	972	10.99	1,380	10.99
60-64	71	1.91	215	2.43	286	2.28
65-69	56	1.51	128	1.45	184	1.46
>=70	27	0.73	101	1.14	128	1.02
Unknown	0	0.00	0	0.00	0	0.00
Total	3,718	100%	8,842	100%	12,560	100%

Adult HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July, 1997.

Adult HIV Cases by Year & Gender	Female		Male		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
>=July 1997	140	37.23	236	62.77	376	2.99
1998	318	32.25	668	67.75	986	7.85
1999	307	32.52	637	67.48	944	7.52
2000	274	32.27	575	67.73	849	6.76
2001	302	32.75	620	67.25	922	7.34
2002	333	31.15	736	68.85	1,069	8.51
2003	265	28.16	676	71.84	941	7.49
2004	274	28.13	700	71.87	974	7.75
2005	269	31.72	579	68.28	848	6.75
2006	223	29.04	545	70.96	768	6.11
2007	284	28.29	720	71.71	1,004	7.99
2008	292	25.86	837	74.14	1,129	8.99
2009	252	25.40	740	74.60	992	7.90
2010	185	24.41	573	75.59	758	6.04
Total Adult HIV	3,718	42.05	8,842	70.40	12,560	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	812	22.46	4,069	46.40	4,881	39.41	17	16.67	10	13.89	27	15.52	829	22.30	4,079	46.13	4,908	39.08
American Indian/Alaska Native	1	0.03	2	0.02	3	0.02	0	0.00	0	0.00	0	0.00	1	0.03	2	0.02	3	0.02
Asian	3	0.08	7	0.08	10	0.08	0	0.00	0	0.00	0	0.00	3	0.08	7	0.08	10	0.08
Black or African American	2,557	70.71	3,088	35.21	5,645	45.58	83	81.37	58	80.56	141	81.03	2,640	71.01	3,146	35.58	5,786	46.07
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	0	0.00	0	0.00	0	0.00	1	0.03	2	0.02	3	0.02
White	206	5.70	1,516	17.29	1,722	13.90	1	0.98	1	1.39	2	1.15	207	5.57	1,517	17.16	1,724	13.73
Legacy Asian	2	0.06	6	0.07	8	0.06	0	0.00	1	1.39	1	0.57	2	0.05	7	0.08	9	0.07
Multi-Race	34	0.94	80	0.91	114	0.92	1	0.98	2	2.78	3	1.72	35	0.94	82	0.93	117	0.93
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,616	100%	8,770	100%	12,386	100%	102	100%	72	100%	174	100%	3,718	100%	8,842	100%	12,560	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,368	93.14	8,144	92.86	11,512	92.94	101	99.02	71	98.61	172	98.85	3,469	93.30	8,215	92.91	11,684	93.03
Deaths	248	6.86	626	7.14	874	7.06	1	0.98	1	1.39	2	1.15	249	6.70	627	7.09	876	6.97
Total	3,616	100%	8,770	100%	12,386	100%	102	100%	72	100%	174	100%	3,718	100%	8,842	100%	12,560	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult Exposure Category	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			5,252	59.89	5,252	42.40
Adult injection drug use [IDU]	282	7.80	344	3.92	626	5.05
Adult MSM & IDU			210	2.39	210	1.70
Adult receiving clotting factor [HEMOPH]	2	0.06	4	0.05	6	0.05
Adult heterosexual contact [HTRSX]	2,660	73.56	1,526	17.40	4,186	33.80
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	4	0.11	2	0.02	6	0.05
Adult no risk factor reported [NRR]	668	18.47	1,432	16.33	2,100	16.95
Total	3,616	100%	8,770	100%	12,386	100%

Pediatric Exposure Category	Pediatric HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	98	96.08	71	98.61	169	97.13
Child receiving clotting factor [HEMOPH]	0	0.00	0	0.00	0	0.00
Child other risk confirmed [OTHER]	0	0.00	0	0.00	0	0.00
Child no risk factor reported [NRR]	4	3.92	1	1.39	5	2.87
Total	102	100%	72	100%	174	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)			65	23.0			0	0.0	593	22.3	0	#DIV/O!	2	33.3	152	22.8	812	22.5
American Indian/Alaska Native			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	0	0.0	1	0.0
Asian			0	0.0			0	0.0	2	0.1	0	#DIV/O!	0	0.0	1	0.1	3	0.1
Black or African American			170	60.3			1	50.0	1,915	72.0	0	#DIV/O!	2	33.3	469	70.2	2,557	70.7
Native Hawaiian/Pacific Islander			0	0.0			0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	1	0.0
White			40	14.2			0	0.0	124	4.7	0	#DIV/O!	2	33.3	40	6.0	206	5.7
Legacy Asian			0	0.0			0	0.0	1	0.0	0	#DIV/O!	0	0.0	1	0.1	2	0.1
Multi-Race			7	2.5			1	50.0	22	0.8	0	#DIV/O!	0	0.0	4	0.6	34	0.9
Female Subtotal			282	100%			2	100%	2,658	100%	0	#DIV/O!	6	100%	668	100%	3,616	100%

ADULT MALE HIV																		
Exposure Category/ Race/Ethnicity	MSM		IDU		MSM & IDU		HEMOPH		HTRSX		TRNSF		Adult with Pediatric Risk		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	2,927	55.7	102	29.7	97	46.2	0	0.0	395	25.9	0	#DIV/O!	0	0.0	548	38.3	4,069	46.4
American Indian/Alaska Native	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	#DIV/O!	0	0.0	0	0.0	2	0.0
Asian	6	0.1	0	0.0	0	0.0	0	0.0	1	0.1	0	#DIV/O!	0	0.0	0	0.0	7	0.1
Black or African American	1,013	19.3	198	57.6	71	33.8	4	100.0	1,052	68.9	0	#DIV/O!	1	50.0	749	52.3	3,088	35.2
Native Hawaiian/Pacific Islander	2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	0	0.0	2	0.0
White	1,250	23.8	41	11.9	39	18.6	0	0.0	58	3.8	0	#DIV/O!	1	50.0	127	8.9	1,516	17.3
Legacy Asian	5	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	#DIV/O!	0	0.0	1	0.1	6	0.1
Multi-Race	49	0.9	3	0.9	3	1.4	0	0.0	18	1.2	0	#DIV/O!	0	0.0	7	0.5	80	0.9
Male Subtotal	5,252	100%	344	100%	210	100%	4	100%	1,526	100%	0	#DIV/O!	2	100%	1,432	100%	8,770	100%

ADULT TOTAL	5,252	626	210	6	4,184	0	8	2,100	12,386
-------------	-------	-----	-----	---	-------	---	---	-------	--------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	14	14.3	0	#DIV/O!	0	#DIV/O!	3	75.0	17	16.7
Black or African American	82	83.7	0	#DIV/O!	0	#DIV/O!	1	25.0	83	81.4
White	1	1.0	0	#DIV/O!	0	#DIV/O!	0	0.0	1	1.0
Multi-Race	1	1.0	0	#DIV/O!	0	#DIV/O!	0	0.0	1	1.0
Unknown	0	0.0	0	#DIV/O!	0	#DIV/O!	0	0.0	0	0.0
Male Subtotal	98	100%	0	#DIV/O!	0	#DIV/O!	4	100%	102	100%

PEDIATRIC MALE HIV										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPH		OTHER		NRR		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	10	14.1	0	#DIV/O!	0	#DIV/O!	0	0.0	10	13.9
Black or African American	57	80.3	0	#DIV/O!	0	#DIV/O!	1	100.0	58	80.6
White	1	1.4	0	#DIV/O!	0	#DIV/O!	0	0.0	1	1.4
Multi-Race	1	1.4	0	#DIV/O!	0	#DIV/O!	0	0.0	1	1.4
Unknown	2	2.8	0	#DIV/O!	0	#DIV/O!	0	0.0	2	2.8
Male Subtotal	71	100%	0	#DIV/O!	0	#DIV/O!	1	100%	72	100%

TOTAL PEDIATRIC	169		0		0		5		174	
------------------------	------------	--	----------	--	----------	--	----------	--	------------	--

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	18	2.2	12.2	129	3.2	87.8	147	3.0
Colombia	37	4.6	18.0	168	4.1	82.0	205	4.2
Cuba	103	12.7	9.3	1,004	24.7	90.7	1,107	22.7
Dominican Republic	27	3.3	31.0	60	1.5	69.0	87	1.8
Honduras	66	8.1	37.1	112	2.8	62.9	178	3.6
Mexico	8	1.0	6.8	109	2.7	93.2	117	2.4
Nicaragua	32	3.9	21.5	117	2.9	78.5	149	3.1
Peru	12	1.5	15.4	66	1.6	84.6	78	1.6
Puerto Rico	48	5.9	20.1	191	4.7	79.9	239	4.9
United States	202	24.9	20.8	767	18.8	79.2	969	19.9
Venezuela	21	2.6	9.0	213	5.2	91.0	234	4.8
Other/Unknown Countries	238	29.3	17.4	1,133	27.8	82.6	1,371	28.1
Total Adult Hispanic	812	100%		4,069	100%		4,881	100%

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT FEMALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina			5	27.8			0	0.0	11	61.1	0	0.0%	2	11.1	18	100%
Colombia			1	2.7			0	0.0	30	81.1	0	0.0%	6	16.2	37	100%
Cuba			7	6.8			0	0.0	75	72.8	0	0.0%	21	20.4	103	100%
Dominican Republic			1	3.7			0	0.0	24	88.9	0	0.0%	2	7.4	27	100%
Honduras			0	0.0			0	0.0	56	84.8	0	0.0%	10	15.2	66	100%
Mexico			2	25.0			0	0.0	4	50.0	0	0.0%	2	25.0	8	100%
Nicaragua			0	0.0			0	0.0	24	75.0	0	0.0%	8	25.0	32	100%
Peru			1	8.3			0	0.0	9	75.0	0	0.0%	2	16.7	12	100%
Puerto Rico			11	22.9			0	0.0	29	60.4	0	0.0%	8	16.7	48	100%
United States			29	14.4			0	0.0	142	70.3	2	1.0%	29	14.4	202	99%
Venezuela			1	4.8			0	0.0	20	95.2	0	0.0%	0	0.0	21	100%
Other/Unknown			7	2.9			0	0.0	169	71.0	0	0.0%	62	26.1	238	100%
Total Hispanic Female			65	8.0%			0	0.0%	593	73.0%	2	0.2%	152	18.7%	812	100%

ADULT MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Argentina	109	84.5	2	1.6	2	1.6	0	0.0	9	7.0	0	0.0%	7	5.4	129	100%
Colombia	136	81.0	1	0.6	6	3.6	0	0.0	15	8.9	0	0.0%	10	6.0	168	100%
Cuba	747	74.4	17	1.7	35	3.5	0	0.0	102	10.2	0	0.0%	103	10.3	1,004	100%
Dominican Republic	25	41.7	4	6.7	2	3.3	0	0.0	18	30.0	0	0.0%	11	18.3	60	100%
Honduras	63	56.3	1	0.9	2	1.8	0	0.0	28	25.0	0	0.0%	18	16.1	112	100%
Mexico	90	82.6	2	1.8	1	0.9	0	0.0	6	5.5	0	0.0%	10	9.2	109	100%
Nicaragua	83	70.9	3	2.6	1	0.9	0	0.0	13	11.1	0	0.0%	17	14.5	117	100%
Peru	55	83.3	1	1.5	1	1.5	0	0.0	5	7.6	0	0.0%	4	6.1	66	100%
Puerto Rico	119	62.3	34	17.8	17	8.9	0	0.0	9	4.7	0	0.0%	12	6.3	191	100%
United States	551	71.8	23	3.0	18	2.3	0	0.0	74	9.6	0	0.0%	101	13.2	767	100%
Venezuela	186	87.3	1	0.5	2	0.9	2	0.9	13	6.1	0	0.0%	9	4.2	213	100%
Other/Unknown	763	67.3	13	1.1	10	0.9	-2	-0.2	103	9.1	0	0.0%	246	21.7	1,133	100%
Total Hispanic Male	2,927	71.9%	102	2.5%	97	2.4%	0	0.0%	395	9.7%	0	0.0%	548	13.5%	4,069	100%

TOTAL ADULT HISPANIC	2,927	60.0%	167	3.4%	97	2.0%	0	0.0%	988	20.2%	2	0.0%	700	14.3%	4,881	100%
-----------------------------	--------------	--------------	------------	-------------	-----------	-------------	----------	-------------	------------	--------------	----------	-------------	------------	--------------	--------------	-------------

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born HIV (Not AIDS) cases by gender (Excluding DOC)

Country of Origin	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	535	50.0%	535	50.0%	1,070	100%

Haitian born adult HIV (Not AIDS) cases by exposure category and gender (Excluding DOC)

ADULT																
Country of Origin GENDER	MSM		IDU		[MSM \ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			10	1.9%			0	0.0%	430	80.4%	0	0.0%	95	17.8%	535	100%
Haitian Adult Male	83	15.5%	7	1.3%	1	0.2%	0	0.0%	278	52.0%	0	0.0%	166	31.0%	535	100%
Total Haitian	83	7.8%	17	1.6%	1	0.1%	0	0.0%	708	66.2%	0	0.0%	261	24.4%	1,070	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Miami-Dade County Health Department
 Documented People Living with HIV or AIDS [PLWHA]

SEPTEMBER 2010

Total people living with HIV or AIDS by current age and gender (Excluding DOC)

Living People by Current Age Group & Gender	People Living w/AIDS						People Living w/HIV						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-04	0	0.00	1	0.01	1	0.01	3	0.09	4	0.05	7	0.06	3	0.04	5	0.03	8	0.03
05-12	12	0.31	7	0.07	19	0.14	32	0.92	24	0.29	56	0.48	44	0.60	31	0.18	75	0.30
13-19	66	1.70	58	0.61	124	0.93	81	2.33	75	0.91	156	1.34	147	2.00	133	0.75	280	1.12
20-29	220	5.65	282	2.98	502	3.76	459	13.23	870	10.59	1,329	11.37	679	9.22	1,152	6.52	1,831	7.31
30-39	647	16.62	1,100	11.63	1,747	13.09	836	24.10	1,851	22.53	2,687	23.00	1,483	20.15	2,951	16.70	4,434	17.71
40-49	1,331	34.20	3,457	36.55	4,788	35.86	1,032	29.75	2,993	36.43	4,025	34.45	2,363	32.10	6,450	36.49	8,813	35.20
50-59	1,131	29.06	3,146	33.26	4,277	32.04	722	20.81	1,672	20.35	2,394	20.49	1,853	25.17	4,818	27.26	6,671	26.65
60-64	247	6.35	715	7.56	962	7.21	144	4.15	354	4.31	498	4.26	391	5.31	1,069	6.05	1,460	5.83
65-69	119	3.06	391	4.13	510	3.82	82	2.36	186	2.26	268	2.29	201	2.73	577	3.26	778	3.11
>=70	119	3.06	302	3.19	421	3.15	78	2.25	186	2.26	264	2.26	197	2.68	488	2.76	685	2.74
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	3,892	100%	9,459	100%	13,351	100%	3,469	100%	8,215	100%	11,684	100%	7,361	100%	17,674	100%	25,035	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult & Pediatric cases living with HIV or AIDS cases by race/ethnicity and gender (Excluding DOC)

Total Living Adult by Race/Ethnicity	Adult cases living w/AIDS						Adult cases living w/HIV (not AIDS)						TOTAL ADULT LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	849	21.88	4,247	44.94	5,096	38.23	775	22.57	3,876	47.34	4,651	40.02	1,624	22.20	8,123	46.05	9,747	39.06
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	2	0.02	3	0.03	1	0.01	3	0.02	4	0.02
Asian	1	0.03	8	0.08	9	0.07	3	0.09	7	0.09	10	0.09	4	0.05	15	0.09	19	0.08
Black or African American	2,798	72.11	3,627	38.38	6,425	48.20	2,432	70.82	2,792	34.10	5,224	44.95	5,230	71.51	6,419	36.39	11,649	46.69
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	2	0.02	3	0.03	2	0.03	4	0.02	6	0.02
White	176	4.54	1,434	15.17	1,610	12.08	194	5.65	1,434	17.52	1,628	14.01	370	5.06	2,868	16.26	3,238	12.98
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	53	1.37	125	1.32	178	1.34	26	0.76	67	0.82	93	0.80	79	1.08	192	1.09	271	1.09
Total	3,880	100%	9,451	100%	13,331	100%	3,434	100%	8,187	100%	11,621	100%	7,314	100%	17,638	100%	24,952	100%

Total Living Pediatric by Race/Ethnicity	Pediatric cases living w/AIDS						Pediatric cases living w/HIV (not AIDS)						TOTAL PEDIATRIC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1	8.33	2	25.00	3	15.00	8	22.86	3	10.71	11	17.46	9	19.15	5	13.89	14	16.87
Black or African American	11	91.67	6	75.00	17	85.00	27	77.14	25	89.29	52	82.54	38	80.85	31	86.11	69	83.13
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Multi-race	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total	12	100%	8	100%	20	100%	35	100%	28	100%	63	100%	47	100%	36	100%	83	100%

Total people living with HIV or AIDS by race/ethnicity and gender (Excluding DOC)

Total Living Cases by Race/Ethnicity	Total People Living w/AIDS						Total People Living w/HIV (not AIDS)						TOTAL PEOPLE LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	850	21.84	4,249	44.92	5,099	38.19	783	22.57	3,879	47.22	4,662	39.90	1,633	22.18	8,128	45.99	9,761	38.99
American Indian/Alaska Native	0	0.00	1	0.01	1	0.01	1	0.03	2	0.02	3	0.03	1	0.01	3	0.02	4	0.02
Asian	1	0.03	8	0.08	9	0.07	3	0.09	7	0.09	10	0.09	4	0.05	15	0.08	19	0.08
Black or African American	2,809	72.17	3,633	38.41	6,442	48.25	2,459	70.88	2,817	34.29	5,276	45.16	5,268	71.57	6,450	36.49	11,718	46.81
Native Hawaiian/Pacific Islander	1	0.03	2	0.02	3	0.02	1	0.03	2	0.02	3	0.03	2	0.03	4	0.02	6	0.02
White	176	4.52	1,434	15.16	1,610	12.06	194	5.59	1,434	17.46	1,628	13.93	370	5.03	2,868	16.23	3,238	12.93
Legacy Asian	2	0.05	7	0.07	9	0.07	2	0.06	7	0.09	9	0.08	4	0.05	14	0.08	18	0.07
Multi race	53	1.36	125	1.32	178	1.33	26	0.75	67	0.82	93	0.80	79	1.07	192	1.09	271	1.08
Total	3,892	100%	9,459	100%	13,351	100%	3,469	100%	8,215	100%	11,684	100%	7,361	100%	17,674	100%	25,035	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	78	9.2	355	12.7	63	35.8	12	17.9	508	13.1
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.0	0	0.0	0	0.0	1	0.0
Adult heterosexual contact [HTRSX]	683	80.4	2125	76.2	92	52.3	42	62.7	2,942	75.8
Adult received transfusion/transplant [TRNSF]	4	0.5	8	0.3	2	1.1	0	0.0	14	0.4
Adult case reported with pediatric risk	21	2.5	74	2.7	5	2.8	11	16.4	111	2.9
Adult no risk factor reported [NRR]	63	7.4	225	8.1	14	8.0	2	3.0	304	7.8
Living Adult Female Subtotal	849	100%	2,788	100%	176	100%	67	100%	3,880	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE AIDS LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	3,153	74.2	1,180	32.5	1,186	82.7	91	63.6	5,610	59.4
Adult injection drug use [IDU]	217	5.1	446	12.3	58	4.0	11	7.7	732	7.7
Adult MSM & IDU	164	3.9	160	4.4	73	5.1	12	8.4	409	4.3
Adult receiving clotting factor [HEMOPH]	3	0.1	3	0.1	3	0.2	0	0.0	9	0.1
Adult heterosexual contact [HTRSX]	470	11.1	1,239	34.2	41	2.9	20	14.0	1,770	18.7
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.1	1	0.1	0	0.0	9	0.1
Adult case reported with pediatric risk	9	0.2	95	2.6	7	0.5	1	0.7	112	1.2
Adult no risk factor reported [NRR]	226	5.3	501	13.8	65	4.5	8	5.6	800	8.5
Living Adult Male Subtotal	4,247	100%	3,627	100%	1,434	100%	143	100%	9,451	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other *		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	55	7.1	142	5.8	34	17.5	5	15.2	236	6.9
Adult receiving clotting factor [HEMOPH]	0	0.0	0	0.0	0	0.0	1	3.0	1	0.2
Adult heterosexual contact [HTRSX]	571	73.7	1,801	74.1	123	63.4	20	60.6	2,515	73.2
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	11	1.4	57	2.3	1	0.5	1	3.0	70	2.0
Adult no risk factor reported [NRR]	138	17.8	432	17.8	36	18.6	6	18.2	612	17.8
Living Adult HIV Female	775	100%	2,432	100%	194	100%	33	100%	3,434	100%

* Other includes: American Indian/Alaska Native, Asian, Hawaiian Native, Legacy Asian/Pacific Islander and Multi-race

ADULT MALE HIV LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	2,815	72.6	956	34.2	1,201	83.8	59	69.4	5,031	61.5
Adult injection drug use [IDU]	90	2.3	153	5.5	28	2.0	1	1.2	272	3.3
Adult MSM & IDU	92	2.4	64	2.3	37	2.6	2	2.4	195	2.4
Adult receiving clotting factor [HEMOPH]	0	0.0	4	0.1	0	0.0	0	0.0	4	0.0
Adult heterosexual contact [HTRSX]	369	9.5	931	33.3	47	3.3	15	17.6	1,362	16.6
Adult received transfusion/transplant [TRNSF]	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adult case reported with pediatric risk	6	0.2	34	1.2	2	0.1	3	3.5	45	0.5
Adult no risk factor reported [NRR]	504	13.0	650	23.3	119	8.3	5	5.9	1,278	15.6
Living Adult Male Subtotal	3,876	100%	2,792	100%	1,434	100%	85	100%	8,187	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total adult living cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult injection drug use [IDU]	133	8.2	497	9.5	97	26.2	17	17.0	744	10.2
Adult receiving clotting factor [HEMOPH]	0	0.0	1	0.2	0	0.0	1	1.0	2	0.2
Adult heterosexual contact [HTRSX]	1,254	77.2	3,926	75.2	215	58.1	62	62.0	5,457	74.6
Adult received transfusion/transplant [TRNSF]	4	0.2	8	0.2	2	0.5	0	0.0	14	0.2
Adult case reported with pediatric risk	32	2.0	131	2.5	6	1.6	12	12.0	181	2.5
Adult no risk factor reported [NRR]	201	12.4	657	12.6	50	13.5	8	8.0	916	12.5
Living Adult Female Subtotal	1,624	100%	5,220	100%	370	100%	100	100%	7,314	100%

ADULT MALE LIVING CASES										
Exposure Category/ Race/Ethnicity	Hispanic		Black		White		Other		TOTAL	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]	5,968	73.5	2,136	33.3	2,387	83.2	150	65.8	10,641	60.3
Adult injection drug use [IDU]	307	3.8	599	9.3	86	3.0	12	5.3	1,004	5.7
Adult MSM & IDU	256	3.2	224	3.5	110	3.8	14	6.1	604	3.4
Adult receiving clotting factor [HEMOPH]	3	0.0	7	0.1	3	0.1	0	0.0	13	0.1
Adult heterosexual contact [HTRSX]	839	10.3	2,170	33.8	88	3.1	35	15.4	3,132	17.8
Adult received transfusion/transplant [TRNSF]	5	0.1	3	0.0	1	0.0	0	0.0	9	0.1
Adult case reported with pediatric risk	15	0.2	129	2.0	9	0.3	4	1.8	157	0.9
Adult no risk factor reported [NRR]	730	9.0	1,151	17.9	184	6.4	13	5.7	2,078	11.8
Living Adult Male Subtotal	8,123	100%	6,419	100%	2,868	100%	228	100%	17,638	100%

(Continue next Page)

**Miami-Dade County Health Department
Documented People Living with HIV or AIDS [PLWHA]**

Total Adult Hispanic cases living with HIV or AIDS by country of origin and gender (Excluding DOC)

Country of Origin [COO]	Adult Hispanic Living w/ AIDS								Adult Hispanic Living w/ HIV							
	ADULT FEMALE			ADULT MALE			TOTAL		ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	19	2.2	17.9	87	2.0	82.1	106	2.1	18	2.3	12.3	128	3.3	87.7	146	3.1
Colombia	32	3.8	12.4	226	5.3	87.6	258	5.1	36	4.6	17.9	165	4.3	82.1	201	4.3
Cuba	159	18.7	12.2	1,144	26.9	87.8	1,303	25.6	93	12.0	9.2	916	23.6	90.8	1,009	21.7
Dominican Republic	40	4.7	38.8	63	1.5	61.2	103	2.0	27	3.5	31.8	58	1.5	68.2	85	1.8
Honduras	76	9.0	27.8	197	4.6	72.2	273	5.4	66	8.5	37.7	109	2.8	62.3	175	3.8
Mexico	11	1.3	8.2	123	2.9	91.8	134	2.6	8	1.0	7.0	107	2.8	93.0	115	2.5
Nicaragua	37	4.4	17.5	175	4.1	82.5	212	4.2	31	4.0	22.5	107	2.8	77.5	138	3.0
Peru	17	2.0	16.8	84	2.0	83.2	101	2.0	12	1.5	13.3	78	2.0	86.7	90	1.9
Puerto Rico	78	9.2	21.2	290	6.8	78.8	368	7.2	35	4.5	14.7	203	5.2	85.3	238	5.1
United States	180	21.2	21.4	662	15.6	78.6	842	16.5	200	25.8	17.5	943	24.3	82.5	1,143	24.6
Venezuela	7	0.8	4.1	162	3.8	95.9	169	3.3	21	2.7	8.3	232	6.0	91.7	253	5.4
Other/Unknown Countries	193	22.7	15.7	1,034	24.3	84.3	1,227	24.1	228	29.4	21.6	830	21.4	78.4	1,058	22.7
Total Adult Hispanic	849	100%		4,247	100%		5,096	100%	775	100%		3,876	100%		4,651	100%

Country of Origin [COO]	Total Adult Hispanic Living w/ AIDS or HIV							
	ADULT FEMALE			ADULT MALE			TOTAL	
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %
Argentina	37	2.3	14.7	215	2.6	85.3	252	2.6
Colombia	68	4.2	14.8	391	4.8	85.2	459	4.7
Cuba	252	15.5	10.9	2,060	25.4	89.1	2,312	23.7
Dominican Republic	67	4.1	35.6	121	1.5	64.4	188	1.9
Honduras	142	8.7	31.7	306	3.8	68.3	448	4.6
Mexico	19	1.2	7.6	230	2.8	92.4	249	2.6
Nicaragua	68	4.2	19.4	282	3.5	80.6	350	3.6
Peru	29	1.8	15.2	162	2.0	84.8	191	2.0
Puerto Rico	113	7.0	18.6	493	6.1	81.4	606	6.2
United States	380	23.4	19.1	1,605	19.8	80.9	1,985	20.4
Venezuela	28	1.7	6.6	394	4.9	93.4	422	4.3
Other/Unknown Countries	421	25.9	18.4	1,864	22.9	81.6	2,285	23.4
Total Adult Hispanic	1,624	100%		8,123	100%		9,747	100%

Total Adult Haitian born cases living with HIV or AIDS by gender (Excluding DOC)

C.O.O	Total Adult Haitian Living w/AIDS					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	740	43.5%	960	56.5%	1,700	100%

C.O.O	Total Adult Haitian Living w/HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	503	51.2%	480	48.8%	983	100%

C.O.O	Total Adult Haitian Living w/AIDS or HIV					
	FEMALE		MALE		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Row %
Haiti	1,243	46.3%	1,440	53.7%	2,683	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

*All EXPOSED Perinatal pediatric cases by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾
Born in Miami-Dade county.*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	TOTAL
>=November 20 th , 2006	4	0	0	15	19
2007	71	1	0	67	139
2008	93	1	1	35	130
2009	101	1	0	17	119
2010	76	1	0	4	81
Total	345	4	1	138	488

SEPTEMBER 2010

*All EXPOSED Perinatal pediatric cases by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾
Born in Miami-Dade county.*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	89	38	9	1	2	0	139
2008	89	38	2	0	0	1	130
2009	83	24	9	1	0	2	119
2010	52	17	4	2	0	6	81
Total	329	119	24	4	2	10	488

(Continue next Page)

**Miami-Dade County Health Department
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

All EXPOSED Perinatal pediatric cases by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Born in Miami-Dade county.

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	236	76	19	3	2	9	345
Pediatric HIV	4	0	0	0	0	0	4
Pediatric AIDS	1	0	0	0	0	0	1
Pediatric Seroreverter	88	43	5	1	0	1	138
Total	329	119	24	4	2	10	488

All EXPOSED Perinatal pediatric cases by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Born in Miami-Dade county.

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	TOTAL
Perinatal HIV Exposure	0	0	345	0	0	345
Pediatric HIV	4	0	0	0	0	4
Pediatric AIDS	0	1	0	0	0	1
Pediatric Seroreverter	0	0	0	134	4	138
Total	4	1	345	134	4	488

CONFIRMED Infected Perinatal Cases, know HIV or AIDS by year, 2000-2010

Born in Miami-Dade county.

HIV/AIDS Cases by Year	Pediatric HIV		Pediatric AIDS		TOTAL	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	5	71.4	2	28.6	7	16.7
2001	6	60.0	4	40.0	10	23.8
2002	3	50.0	3	50.0	6	14.3
2003	3	75.0	1	25.0	4	9.5
2004	1	50.0	1	50.0	2	4.8
2005	3	60.0	2	40.0	5	11.9
2006	3	100.0	0	0.0	3	7.1
2007	1	100.0	0	0.0	1	2.4
2008	1	50.0	1	50.0	2	4.8
2009	1	100.0	0	0.0	1	2.4
2010	1	100.0	0	0.0	1	2.4
Total Adult HIV	28	66.7	14	33.3	42	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

Miami-Dade County Health Department
 Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

SEPTEMBER 2010

Department of Correction [DOC] AIDS & HIV Cases by age group and gender.

DOC Cases by Age Group/Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
13-19	0	0.00	1	0.16	1	0.15	0	0.00	3	0.74	3	0.73	0	0.00	4	0.39	4	0.38
20-29	6	26.09	127	20.19	133	20.40	2	20.00	86	21.34	88	21.31	8	24.24	213	20.64	221	20.75
30-39	9	39.13	294	46.74	303	46.47	4	40.00	160	39.70	164	39.71	13	39.39	454	43.99	467	43.85
40-49	7	30.43	174	27.66	181	27.76	3	30.00	116	28.78	119	28.81	10	30.30	290	28.10	300	28.17
50-59	1	4.35	25	3.97	26	3.99	1	10.00	32	7.94	33	7.99	2	6.06	57	5.52	59	5.54
60-64	0	0.00	4	0.64	4	0.61	0	0.00	4	0.99	4	0.97	0	0.00	8	0.78	8	0.75
65-69	0	0.00	2	0.32	2	0.31	0	0.00	2	0.50	2	0.48	0	0.00	4	0.39	4	0.38
>=70	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	629	100%	652	100%	10	100%	403	100%	413	100%	33	100%	1,032	100%	1,065	100%

DOC Adult AIDS & HIV cases by race/ethnicity and gender.

DOC Cases by Race/Ethnicity */Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	78	12.40	78	11.96	1	10.00	54	13.40	55	13.32	1	3.03	132	12.79	133	12.49
American Indian/Alaska Native	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Asian	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Black or African American	20	86.96	476	75.68	496	76.07	6	60.00	290	71.96	296	71.67	26	78.79	766	74.22	792	74.37
Native Hawaiian/Pacific Islander	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
White	2	8.70	64	10.17	66	10.12	3	30.00	55	13.65	58	14.04	5	15.15	119	11.53	124	11.64
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.25	1	0.24	0	0.00	1	0.10	1	0.09
Multi-Race	1	4.35	9	1.43	10	1.53	0	0.00	3	0.74	3	0.73	1	3.03	12	1.16	13	1.22
Unknown	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total DOC	23	100%	629	100%	652	100%	10	100%	403	100%	413	100%	33	100%	1,032	100%	1,065	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

DOC AIDS & HIV cases by mortality status and gender

DOC Cases by Mortality Status /Gender	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	17	73.91	372	59.14	389	59.66	10	100.00	379	94.04	389	94.19	27	81.82	751	72.77	778	73.05
Deaths	6	26.09	257	40.86	263	40.34	0	0.00	24	5.96	24	5.81	6	18.18	281	27.23	287	26.95
Total DOC	23	100%	629	100%	652	100%	10	100%	403	100%	413	100%	33	100%	1,032	100%	1,065	100%

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC AIDS & HIV cases by exposure category and gender

DOC Adult Exposure Category	DOC AIDS Cases						DOC HIV Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			163	25.91	163	25.00			107	26.55	107	25.91	0	0.00	270	26.16	270	25.35
Adult injection drug use [IDU]	9	39.13	155	24.64	164	25.15	3	30.00	48	11.91	51	12.35	12	36.36	203	19.67	215	20.19
Adult MSM & IDU			99	15.74	99	15.18			38	9.43	38	9.20	0	0.00	137	13.28	137	12.86
Adult receiving clotting factor [HEMOPH]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult heterosexual contact [HTRSX]	10	43.48	104	16.53	114	17.48	3	30.00	86	21.34	89	21.55	13	39.39	190	18.41	203	19.06
Adult received transfusion/transpla [TRNSF]	0	0.00	2	0.32	2	0.31	0	0.00	0	0.00	0	0.00	0	0.00	2	0.19	2	0.19
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	4	17.39	104	16.53	108	16.56	4	40.00	124	30.77	128	30.99	8	24.24	228	22.09	236	22.16
Total DOC	23	100%	629	100%	652	100%	10	100%	403	100%	413	100%	33	100%	1,032	100%	1,065	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Hispanic AIDS and HIV cases by country of origin and gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Colombia	0	#DIV/O!	3	3.8	3	3.8	0	0.0	2	3.7	2	3.6	0	0.00	5	3.79	5	3.76
Cuba	0	#DIV/O!	19	24.4	19	24.4	0	0.0	10	18.5	10	18.2	0	0.00	29	21.97	29	21.80
Dominican Republic	0	#DIV/O!	3	3.8	3	3.8	0	0.0	1	1.9	1	1.8	0	0.00	4	3.03	4	3.01
Honduras	0	#DIV/O!	1	1.3	1	1.3	0	0.0	0	0.0	0	0.0	0	0.00	1	0.76	1	0.75
Mexico	0	#DIV/O!	2	2.6	2	2.6	0	0.0	4	7.4	4	7.3	0	0.00	6	4.55	6	4.51
Nicaragua	0	#DIV/O!	2	2.6	2	2.6	0	0.0	2	3.7	2	3.6	0	0.00	4	3.03	4	3.01
Puerto Rico	0	#DIV/O!	24	30.8	24	30.8	0	0.0	5	9.3	5	9.1	0	0.00	29	21.97	29	21.80
United States	0	#DIV/O!	19	24.4	19	24.4	0	0.0	23	42.6	23	41.8	0	0.00	42	31.82	42	31.58
Other/Unknown Countries	0	#DIV/O!	5	6.4	5	6.4	1	100.0	7	13.0	8	14.5	1	100.00	12	9.09	13	9.77
Total Hispanic DOC	0	#DIV/O!	78	100%	78	100%	1	100%	54	100%	55	100%	1	100%	132	100%	133	100%

DOC Adult Hispanic AIDS cases by country of origin, exposure category and gender

ADULT HISPANIC DOC AIDS MALE																
Country of Origin	MSM		IDU		[MSM] & [IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	1	33.3	3	100%
Cuba	6	31.6	3	15.8	4	21.1	0	0.0	3	15.8	0	0.0	3	15.8	19	100%
Dominican Republic	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	3	100%
Honduras	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.00	1	100%
Mexico	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	2	100%
Nicaragua	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	2	100%
Puerto Rico	4	16.7	9	37.5	5	20.8	0	0.0	3	12.5	0	0.0	3	12.5	24	100%
United States	6	31.6	6	31.6	4	21.1	0	0.0	1	5.3	0	0.0	2	10.5	19	100%
Other/Unknown	1	20.0	1	20.0	0	0.0	0	0.0	2	40.0	0	0.0	1	20.0	5	100%
Total Hispanic DOC	20	25.6%	19	24.4%	14	17.9%	0	0.0%	11	14.1%	0	0.0%	14	17.9%	78	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Adult Hispanic HIV (not AIDS) cases by country of origin, exposure category and gender

ADULT HISPANIC DOC HIV FEMALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Cuba			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Dominican Republic			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Mexico			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Nicaragua			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Puerto Rico			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
United States			0	#DIV/O!			0	#DIV/O!	0	#DIV/O!	0	0.0	0	#DIV/O!	0	#DIV/O!
Other/Unknown			1	100.0			0	0.0	0	0.0	0	0.0	0	0.0	1	100%
Total DOC Hispanic Female	0	0.0%	1	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	100%

ADULT HISPANIC DOC HIV MALE																
Country of Origin Among DOC	MSM		IDU		[MSM] & IDU]		OTHER		HTRSX		Adult with Pediatric Risk		NRR		Total Risk by Country	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Colombia	0	0.0	1	50.0	0	0.0	0	0.0	1	50.0	0	0.0	0	0.0	2	100%
Cuba	2	20.0	0	0.0	1	10.0	0	0.0	4	40.0	0	0.0	3	30.0	10	100%
Dominican Republic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	100%
Mexico	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	4	100%
Nicaragua	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	2	100%
Puerto Rico	1	20.0	3	60.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100%
United States	12	52.2	2	8.7	3	13.0	0	0.0	2	8.7	0	0.0	4	17.4	23	100%
Other/Unknown	3	42.9	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	28.6	7	100%
Total DOC Hispanic Male	21	38.9%	7	13.0%	5	9.3%	0	0.0%	9	16.7%	0	0.0%	12	22.2%	54	100%
Total Hispanic DOC	21	38.2%	8	14.5%	5	9.1%	0	0.0%	9	16.4%	0	0.0%	12	21.8%	55	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Haitian born AIDS and HIV (Not AIDS) cases by gender

Country of Origin Among DOC	DOC AIDS Cases						DOC HIV (not AIDS) Cases						TOTAL DOC CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
DOC Haitian born	0	0.0%	17	100%	17	100%	0	0.0%	8	100%	8	100%	0	0.0%	25	100.0	25	100%

DOC Haitian born adult AIDS cases by exposure category and gender

ADULT DOC AIDS HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%
Total Haitian DOC	4	23.5%	3	17.6%	0	0.0%	0	0.0%	4	23.5%	0	0.0%	6	35.3%	17	100%

DOC Haitian born adult HIV (Not AIDS) cases by exposure category and gender

ADULT DOC HIV HAITIAN BORN																
Country of Origin GENDER	MSM		IDU		[MSM\ & [IDU]		OTHER		HETERO		Adult with Pediatric Risk		NRR		Total Risk by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian Adult Female			0	#DIV/0!			0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Haitian Adult Male	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%
Total Haitian DOC	0	0.0%	1	12.5%	0	0.0%	0	0.0%	4	50.0%	0	0.0%	3	37.5%	8	100%

(Continue next Page)

Miami-Dade County Health Department
Cumulative Number HIV AIDS Cases Reported from Department of Correction [DOC]

DOC Living AIDS & HIV Cases by age group and gender

DOC Living Cases by Age Group/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
20-29	1	5.88	3	0.81	4	1.03	0	0.00	11	2.90	11	2.83	1	3.70	14	1.86	15	1.93
30-39	3	17.65	53	14.25	56	14.40	2	20.00	78	20.58	80	20.57	5	18.52	131	17.44	136	17.48
40-49	9	52.94	195	52.42	204	52.44	4	40.00	164	43.27	168	43.19	13	48.15	359	47.80	372	47.81
50-59	4	23.53	102	27.42	106	27.25	4	40.00	104	27.44	108	27.76	8	29.63	206	27.43	214	27.51
60-64	0	0.00	13	3.49	13	3.34	0	0.00	15	3.96	15	3.86	0	0.00	28	3.73	28	3.60
65-69	0	0.00	3	0.81	3	0.77	0	0.00	4	1.06	4	1.03	0	0.00	7	0.93	7	0.90
>=70	0	0.00	3	0.81	3	0.77	0	0.00	3	0.79	3	0.77	0	0.00	6	0.80	6	0.77
Total DOC	17	100%	372	100%	389	100%	10	100%	379	100%	389	100%	27	100%	751	100%	778	100%

DOC Living AIDS & HIV Cases by race/ethnicity and gender

DOC Living Cases Race/Ethnicity/Gender	DOC AIDS Living Cases						DOC HIV Living Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	0	0.00	51	13.71	51	13.11	1	10.00	52	13.72	53	13.62	1	3.70	103	13.72	104	13.37
American Indian/Alaska Native	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Black or African American	16	94.12	278	74.73	294	75.58	6	60.00	270	71.24	276	70.95	22	81.48	548	72.97	570	73.26
White	1	5.88	36	9.68	37	9.51	3	30.00	53	13.98	56	14.40	4	14.81	89	11.85	93	11.95
Legacy Asian	0	0.00	0	0.00	0	0.00	0	0.00	1	0.26	1	0.26	0	0.00	1	0.13	1	0.13
Multi-race	0	0.00	6	1.61	6	1.54	0	0.00	3	0.79	3	0.77	0	0.00	9	1.20	9	1.16
Total DOC	17	100%	372	100%	389	100%	10	100%	379	100%	389	100%	27	100%	751	100%	778	100%

DOC Living AIDS & HIV cases by exposure category and gender

DOC Living Cases by Adult Exposure Category	DOC Living AIDS Cases						DOC Living HIV Cases						TOTAL DOC LIVING CASES					
	Female		Male		Total		Female		Male		Total		Female		Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Adult male sexual contact w/male [MSM]			111	29.84	111	28.53			104	27.44	104	26.74	0	0.00	215	28.63	215	27.63
Adult injection drug use [IDU]	7	41.18	69	18.55	76	19.54	3	30.00	42	11.08	45	11.57	10	37.04	111	14.78	121	15.55
Adult MSM & IDU			51	13.71	51	13.11			37	9.76	37	9.51	0	0.00	88	11.72	88	11.31
Adult receiving clotting factor [HEMOPH]	0	0.00	1	0.27	1	0.26	0	0.00	0	0.00	0	0.00	0	0.00	1	0.13	1	0.13
Adult heterosexual contact [HTRSX]	7	41.18	66	17.74	73	18.77	3	30.00	80	21.11	83	21.34	10	37.04	146	19.44	156	20.05
Adult received transfusion/transpla [TRNSF]	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult case reported with pediatric risk	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Adult no risk factor reported [NRR]	3	17.65	74	19.89	77	19.79	4	40.00	116	30.61	120	30.85	7	25.93	190	25.30	197	25.32
Total DOC	17	100%	372	100%	389	100%	10	100%	379	100%	389	100%	27	100%	751	100%	778	100%

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**Miami-Dade County Health Department
HIV/AIDS Surveillance
2009 One-in Statements**

ONE-IN Statements for Persons Living with HIV or AIDS [PLWHA] through 2009 (all ages) in Miami-Dade & Florida

MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 72 White male in Miami-Dade is living with HIV or AIDS	• One in 236 White male
• One in 35 Black male in Miami-Dade is living with HIV or AIDS	• One in 54 Black male
• One in 97 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 141 Hispanic male
• One in 99 other race male in Miami-Dade is living with HIV or AIDS	• One in 231 Other male
✓ One in 70 male in Miami-Dade is living with HIV or AIDS	✓ One in 142 male in Florida

FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 548 White female in Miami-Dade is living with HIV or AIDS	• One in 1,291 White female
• One in 48 Black female in Miami-Dade is living with HIV or AIDS	• One in 78 Black female
• One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 539 Hispanic female
• One in 261 other race female in Miami-Dade is living with HIV or AIDS	• One in 552 Other female
✓ One in 179 female in Miami-Dade is living with HIV or AIDS	✓ One in 341 female in Florida

TOTAL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 127 White in Miami-Dade is living with HIV or AIDS	• One in 406 White
• One in 41 Black in Miami-Dade is living with HIV or AIDS	• One in 64 Black
• One in 167 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 244 Hispanic
• One in 147 other race in Miami-Dade is living with HIV or AIDS	• One in 331 Other race
✓ One in 103 Miami-Dade resident is living with HIV or AIDS	✓ One in 202 Floridian

Note: Excluding Department of Correction

These statements are updated by the Bureau of HIV/AIDS every June of following year.

Miami-Dade County Health Department
Useful Website Links

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATION	ELECTRONIC ADDRESS
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Department of Health. Bureau of HIV/AIDS and Hepatitis	http://www.doh.state.fl.us/disease_ctrl/aids/index.html
Miami-Dade County Health Department	http://www.dadehealth.org
Organización Panamericana de la Salud [PAHO]	http://www.paho.org
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidn.html
World Health Organization [WHO]	http://www.who.int