



MIAMI-DADE COUNTY NEIGHBORHOOD PROFILES

The following surveillance data includes, for each of ten zones we divided our county, the cumulative number of people living with AIDS and with HIV, through December 31st, 2010, as well as a total of people living with HIV/AIDS [PLWHA] through that date in each zone.



Source: MDCHD, HIV/AIDS Surveillance.
 Electronic HIV/AIDS Reporting System [e-HARS]
 Frozen database on January 2011.

Zone I, which includes Hialeah, Miami Lakes, Hialeah Gardens, Miami Springs, Medley and vicinity, has the sixth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age by group and risk category are as follow:

ZONE I	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	36	134	170	19.4	34	102	136	19.0	70	236	306	19.2
HAITIAN	5	11	16	1.8	4	8	12	1.7	9	19	28	1.8
HISPANIC	95	520	615	70.0	104	414	518	72.5	199	934	1,133	71.2
WHITE	7	61	68	7.7	6	40	46	6.4	13	101	114	7.2
OTHER ⁽¹⁾	3	6	9	1.0	0	2	2	0.3	3	8	11	0.7
TOTAL	146	732	878	100	148	566	714	100	294	1,298	1,592	100
<=12 Yrs.	0	2	2	0.2	0	0	0	0.0	0	2	2	0.1
13-24 Yrs.	1	11	12	1.4	12	26	38	5.3	13	37	50	3.1
25-44 Yrs.	56	233	289	32.9	66	289	355	49.7	122	522	644	40.5
45-64 Yrs.	74	437	511	58.2	66	229	295	41.3	140	666	806	50.6
>=65 Yrs.	15	49	64	7.3	4	22	26	3.6	19	71	90	5.7
TOTAL	146	732	878	100	148	566	714	100	294	1,298	1,592	100
MSM		472	472	53.8		340	340	47.6		812	812	51.0
IDU	11	64	75	8.5	7	22	29	4.1	18	86	104	6.5
MSM-IDU		37	37	4.2		20	20	2.8		57	57	3.6
HTSX	116	102	218	24.8	118	89	207	29.0	234	191	425	26.7
OTHER ⁽²⁾	1	8	9	1.0	3	2	5	0.7	4	10	14	0.9
NRR/NIR	18	49	67	7.6	20	93	113	15.8	38	142	180	11.3
TOTAL	146	732	878	100	148	566	714	100	294	1,298	1,592	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.
NRR/NIR=No reported or identified risk.

Zone II, which includes Opa-Locka, Carol City, Norland and vicinity, has the fourth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE II	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	432	471	903	57.6	412	424	836	60.5	844	895	1,739	59.0
HAITIAN	136	138	274	17.5	97	78	175	12.7	233	216	449	15.2
HISPANIC	68	214	282	18.0	54	211	265	19.2	122	425	547	18.6
WHITE	14	80	94	6.0	17	78	95	6.9	31	158	189	6.4
OTHER ⁽¹⁾	2	12	14	0.9	2	8	10	0.7	4	20	24	0.8
TOTAL	652	915	1,567	100	582	799	1,381	100	1,234	1,714	2,948	100
<=12 Yrs.	1	2	3	0.2	5	5	10	0.7	6	7	13	0.4
13-24 Yrs.	34	37	71	4.5	48	89	137	9.9	82	126	208	7.1
25-44 Yrs.	261	239	500	31.9	275	337	612	44.3	536	576	1,112	37.7
45-64 Yrs.	322	558	880	56.2	225	330	555	40.2	547	888	1,435	48.7
>=65 Yrs.	34	79	113	7.2	29	38	67	4.9	63	117	180	6.1
TOTAL	652	915	1,567	100	582	799	1,381	100	1,234	1,714	2,948	100
MSM		394	394	25.1		411	411	29.8		805	805	27.3
IDU	56	85	141	9.0	30	18	48	3.5	86	103	189	6.4
MSM-IDU		31	31	2.0		16	16	1.2		47	47	1.6
HTSX	517	269	786	50.2	445	193	638	46.2	962	462	1,424	48.3
OTHER ⁽²⁾	30	29	59	3.8	26	19	45	3.3	56	48	104	3.5
NRR/NIR	49	107	156	10.0	81	142	223	16.1	130	249	379	12.9
TOTAL	652	915	1,567	100	582	799	1,381	100	1,234	1,714	2,948	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone III, which includes Miami Beach, South Beach, Surfside and vicinity, has the second highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE III	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	27	93	120	8.1	33	126	159	9.2	60	219	279	8.7
HAITIAN	23	25	48	3.2	13	11	24	1.4	36	36	72	2.3
HISPANIC	56	741	797	53.9	57	857	914	53.2	113	1,598	1,711	53.5
WHITE	19	468	487	32.9	29	577	606	35.3	48	1,045	1,093	34.2
OTHER ⁽¹⁾	3	23	26	1.8	2	14	16	0.9	5	37	42	1.3
TOTAL	128	1,350	1,478	100	134	1,585	1,719	100	262	2,935	3,197	100
<=12 Yrs.	1	0	1	0.1	2	0	2	0.1	3	0	3	0.1
13-24 Yrs.	3	6	9	0.6	2	20	22	1.3	5	26	31	1.0
25-44 Yrs.	38	403	441	29.8	65	835	900	52.4	103	1,238	1,341	41.9
45-64 Yrs.	72	886	958	64.8	53	701	754	43.9	125	1,587	1,712	53.6
>=65 Yrs.	14	55	69	4.7	12	29	41	2.4	26	84	110	3.4
TOTAL	128	1,350	1,478	100	134	1,585	1,719	100	262	2,935	3,197	100
MSM		1,171	1,171	79.2		1,381	1,381	80.3		2,552	2,552	79.8
IDU	13	29	42	2.8	5	12	17	1.0	18	41	59	1.8
MSM-IDU		47	47	3.2		20	20	1.2		67	67	2.1
HTSX	100	56	156	10.6	100	64	164	9.5	200	120	320	10.0
OTHER ⁽²⁾	2	3	5	0.3	3	1	4	0.2	5	4	9	0.3
NRR/NIR	13	44	57	3.9	26	107	133	7.7	39	151	190	5.9
TOTAL	128	1,350	1,478	100	134	1,585	1,719	100	262	2,935	3,197	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone IV, which includes Liberty City, Miami Shores, El Portal and vicinity, has the first highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE IV	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	576	629	1,205	45.2	510	541	1,051	51.6	1,086	1,170	2,256	48.0
HAITIAN	384	444	828	31.1	254	236	490	24.1	638	680	1,318	28.0
HISPANIC	86	335	421	15.8	65	264	329	16.2	151	599	750	16.0
WHITE	27	159	186	7.0	20	128	148	7.3	47	287	334	7.1
OTHER ⁽¹⁾	8	18	26	1.0	7	11	18	0.9	15	29	44	0.9
TOTAL	1,081	1,585	2,666	100	856	1,180	2,036	100	1,937	2,765	4,702	100
<=12 Yrs.	1	1	2	0.1	7	8	15	0.7	8	9	17	0.4
13-24 Yrs.	33	34	67	2.5	56	66	122	6.0	89	100	189	4.0
25-44 Yrs.	360	372	732	27.5	402	460	862	42.3	762	832	1,594	33.9
45-64 Yrs.	619	1,046	1,665	62.5	360	570	930	45.7	979	1,616	2,595	55.2
>=65 Yrs.	68	132	200	7.5	31	76	107	5.3	99	208	307	6.5
TOTAL	1,081	1,585	2,666	100	856	1,180	2,036	100	1,937	2,765	4,702	100
MSM		682	682	25.6		531	531	26.1		1,213	1,213	25.8
IDU	118	134	252	9.5	46	43	89	4.4	164	177	341	7.3
MSM-IDU		53	53	2.0		15	15	0.7		68	68	1.4
HTSX	854	502	1,356	50.9	654	375	1,029	50.5	1,508	877	2,385	50.7
OTHER ⁽²⁾	32	38	70	2.6	28	20	48	2.4	60	58	118	2.5
NRR/NIR	77	176	253	9.5	128	196	324	15.9	205	372	577	12.3
TOTAL	1,081	1,585	2,666	100	856	1,180	2,036	100	1,937	2,765	4,702	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone V, which includes Little Haiti, Brownsville, part of Liberty City and vicinity, has the third highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE V	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	383	446	829	51.1	357	397	754	55.7	740	843	1,583	53.2
HAITIAN	112	184	296	18.3	59	73	132	9.7	171	257	428	14.4
HISPANIC	87	306	393	24.2	83	274	357	26.4	170	580	750	25.2
WHITE	14	74	88	5.4	14	89	103	7.6	28	163	191	6.4
OTHER ⁽¹⁾	2	13	15	0.9	3	5	8	0.6	5	18	23	0.8
TOTAL	598	1,023	1,621	100	516	838	1,354	100	1,114	1,861	2,975	100
<=12 Yrs.	2	0	2	0.1	5	6	11	0.8	7	6	13	0.4
13-24 Yrs.	22	22	44	2.7	34	34	68	5.0	56	56	112	3.8
25-44 Yrs.	185	255	440	27.1	228	362	590	43.6	413	617	1,030	34.6
45-64 Yrs.	350	649	999	61.6	224	395	619	45.7	574	1,044	1,618	54.4
>=65 Yrs.	39	97	136	8.4	25	41	66	4.9	64	138	202	6.8
TOTAL	598	1,023	1,621	100	516	838	1,354	100	1,114	1,861	2,975	100
MSM		480	480	29.6		397	397	29.3		877	877	29.5
IDU	102	115	217	13.4	48	58	106	7.8	150	173	323	10.9
MSM-IDU		49	49	3.0		28	28	2.1		77	77	2.6
HTSX	428	246	674	41.6	375	191	566	41.8	803	437	1,240	41.7
OTHER ⁽²⁾	22	19	41	2.5	12	13	25	1.8	34	32	66	2.2
NRR/NIR	46	114	160	9.9	81	151	232	17.1	127	265	392	13.2
TOTAL	598	1,023	1,621	100	516	838	1,354	100	1,114	1,861	2,975	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone VI, which includes Little Havana, Overtown, Key Biscayne and vicinity, has the fifth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE VI	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	160	273	433	29.3	119	225	344	28.1	279	498	777	28.7
HAITIAN	29	40	69	4.7	9	21	30	2.5	38	61	99	3.7
HISPANIC	137	709	846	57.2	133	569	702	57.4	270	1,278	1,548	57.3
WHITE	16	94	110	7.4	30	108	138	11.3	46	202	248	9.2
OTHER (1)	6	16	22	1.5	3	6	9	0.7	9	22	31	1.1
TOTAL	348	1,132	1,480	100	294	929	1,223	100	642	2,061	2,703	100
<=12 Yrs.	1	1	2	0.1	1	3	4	0.3	2	4	6	0.2
13-24 Yrs.	9	15	24	1.6	2	47	49	4.1	11	62	73	2.7
25-44 Yrs.	108	293	401	27.1	138	442	580	48.2	246	735	981	36.6
45-64 Yrs.	205	707	912	61.6	128	372	500	41.6	333	1,079	1,412	52.6
>=65 Yrs.	25	116	141	9.5	5	65	70	5.8	30	181	211	7.9
TOTAL	348	1,132	1,480	100	274	929	1,203	100	622	2,061	2,683	100
MSM		698	698	47.2		557	557	45.5		1,255	1,255	46.4
IDU	62	111	173	11.7	34	47	81	6.6	96	158	254	9.4
MSM-IDU		74	74	5.0		28	28	2.3		102	102	3.8
HTSX	251	172	423	28.6	195	146	341	27.9	446	318	764	28.3
OTHER (2)	6	9	15	1.0	8	11	19	1.6	14	20	34	1.3
NRR/NIR	29	68	97	6.6	57	140	197	16.1	86	208	294	10.9
TOTAL	348	1,132	1,480	100	294	929	1,223	100	642	2,061	2,703	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone VII, which includes Sweetwater, Westchester, Kendal and vicinity, has the ninth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE VII	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	9	22	31	5.3	17	32	49	8.8	26	54	80	7.0
HAITIAN	6	12	18	3.1	1	13	14	2.5	7	25	32	2.8
HISPANIC	77	393	470	80.2	66	381	447	80.4	143	774	917	80.3
WHITE	6	52	58	9.9	5	1	6	1.1	11	53	64	5.6
OTHER ⁽¹⁾	5	4	9	1.5	3	37	40	7.2	8	41	49	4.3
TOTAL	103	483	586	100	92	464	556	100	195	947	1,142	100
<=12 Yrs.	0	0	0	0.0	0	0	0	0.0	0	0	0	0.0
13-24 Yrs.	4	7	11	1.9	5	16	21	3.8	9	23	32	2.8
25-44 Yrs.	20	124	144	24.6	43	248	291	52.3	63	372	435	38.1
45-64 Yrs.	65	318	383	65.4	30	186	216	38.8	95	504	599	52.5
>=65 Yrs.	14	34	48	8.2	14	14	28	5.0	28	48	76	6.7
TOTAL	103	483	586	100	92	464	556	100	195	947	1,142	100
MSM		353	353	60.2		321	321	57.7		674	674	59.0
IDU	9	25	34	5.8	3	7	10	1.8	12	32	44	3.9
MSM-IDU		9	9	1.5		5	5	0.9		14	14	1.2
HTSX	79	58	137	23.4	66	43	109	19.6	145	101	246	21.5
OTHER ⁽²⁾	6	3	9	1.5	1	1	2	0.4	7	4	11	1.0
NRR/NIR	9	35	44	7.5	22	87	109	19.6	31	122	153	13.4
TOTAL	103	483	586	100	92	464	556	100	195	947	1,142	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone VIII, which includes South & West Miami, Coral Gables, Coconut Grove and vicinity, has the eighth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE VIII	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	48	75	123	16.7	40	72	112	16.7	88	147	235	16.7
HAITIAN	2	3	5	0.7	3	4	7	1.0	5	7	12	0.9
HISPANIC	68	406	474	64.2	48	394	442	65.9	116	800	916	65.0
WHITE	12	120	132	17.9	12	88	100	14.9	24	208	232	16.5
OTHER ⁽¹⁾	1	3	4	0.5	2	8	10	1.5	3	11	14	1.0
TOTAL	131	607	738	100	105	566	671	100	236	1,173	1,409	100
<=12 Yrs.	1	0	1	0.1	2	0	2	0.3	3	0	3	0.2
13-24 Yrs.	8	6	14	1.9	7	15	22	3.3	15	21	36	2.6
25-44 Yrs.	38	131	169	22.9	48	252	300	44.7	86	383	469	33.3
45-64 Yrs.	71	416	487	66.0	45	266	311	46.3	116	682	798	56.6
>=65 Yrs.	13	54	67	9.1	3	33	36	5.4	16	87	103	7.3
TOTAL	131	607	738	100	105	566	671	100	236	1,173	1,409	100
MSM		468	468	63.4		423	423	63.0		891	891	63.2
IDU	18	27	45	6.1	5	17	22	3.3	23	44	67	4.8
MSM-IDU		7	7	0.9		8	8	1.2		15	15	1.1
HTSX	96	65	161	21.8	77	60	137	20.4	173	125	298	21.1
OTHER ⁽²⁾	10	6	16	2.2	5	0	5	0.7	15	6	21	1.5
NRR/NIR	7	34	41	5.6	18	58	76	11.3	25	92	117	8.3
TOTAL	131	607	738	100	105	566	671	100	236	1,173	1,409	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.
 (2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.
 Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.
 NRR/NIR=No reported or identified risk.

Zone IX, which includes Ferrine, Cutler Ridge and vicinity, has the seventh highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE IX	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	168	181	349	43.1	141	153	294	43.5	309	334	643	43.3
HAITIAN	12	15	27	3.3	15	4	19	2.8	27	19	46	3.1
HISPANIC	66	251	317	39.1	76	203	279	41.3	142	454	596	40.1
WHITE	16	74	90	11.1	17	60	77	11.4	33	134	167	11.2
OTHER ⁽¹⁾	8	19	27	3.3	2	5	7	1.0	10	24	34	2.3
TOTAL	270	540	810	100	251	425	676	100	521	965	1,486	100
<=12 Yrs.	2	1	3	0.4	3	4	7	1.0	5	5	10	0.7
13-24 Yrs.	9	10	19	2.3	20	41	61	9.0	29	51	80	5.4
25-44 Yrs.	103	145	248	30.6	105	184	289	42.8	208	329	537	36.1
45-64 Yrs.	145	334	479	59.1	115	177	292	43.2	260	511	771	51.9
>=65 Yrs.	11	50	61	7.5	8	19	27	4.0	19	69	88	5.9
TOTAL	270	540	810	100	251	425	676	100	521	965	1,486	100
MSM		324	324	40.0		224	224	33.1		548	548	36.9
IDU	37	41	78	9.6	17	8	25	3.7	54	49	103	6.9
MSM-IDU		22	22	2.7		6	6	0.9		28	28	1.9
HTSX	209	115	324	40.0	185	101	286	42.3	394	216	610	41.0
OTHER ⁽²⁾	9	5	14	1.7	4	13	17	2.5	13	18	31	2.1
NRR/NIR	15	33	48	5.9	45	73	118	17.5	60	106	166	11.2
TOTAL	270	540	810	100	251	425	676	100	521	965	1,486	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.

Zone X, which includes Homestead, Florida City, Naranja and vicinity, has the tenth highest number of people living with HIV/AIDS [PLWHA]. The analysis by race/ethnicity, current age group and risk category are as follow:

ZONE X	PEOPLE LIVING WITH AIDS				PEOPLE LIVING WITH HIV				PEOPLE LIVING WITH HIV/AIDS			
	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%	FEMALE	MALE	TOTAL	%
BLACK	152	148	300	52.8	134	94	228	56.0	286	242	528	54.2
HAITIAN	18	33	51	9.0	16	17	33	8.1	34	50	84	8.6
HISPANIC	47	117	164	28.9	38	76	114	28.0	85	193	278	28.5
WHITE	14	26	40	7.0	9	16	25	6.1	23	42	65	6.7
OTHER ⁽¹⁾	5	8	13	2.3	4	3	7	1.7	9	11	20	2.1
TOTAL	236	332	568	100	201	206	407	100	437	538	975	100
<=12 Yrs.	0	0	0	0.0	2	0	2	0.5	2	0	2	0.2
13-24 Yrs.	16	9	25	4.4	25	23	48	11.8	41	32	73	7.5
25-44 Yrs.	84	113	197	34.7	96	89	185	45.5	180	202	382	39.2
45-64 Yrs.	127	188	315	55.5	74	72	146	35.9	201	260	461	47.3
>=65 Yrs.	9	22	31	5.5	4	22	26	6.4	13	44	57	5.8
TOTAL	236	332	568	100	201	206	407	100	437	538	975	100
MSM		118	118	20.8		77	77	18.9		195	195	20.0
IDU	40	35	75	13.2	8	7	15	3.7	48	42	90	9.2
MSM-IDU		13	13	2.3		5	5	1.2		18	18	1.8
HTSX	166	118	284	50.0	153	56	209	51.4	319	174	493	50.6
OTHER ⁽²⁾	13	8	21	3.7	8	1	9	2.2	21	9	30	3.1
NRR/NIR	17	40	57	10.0	32	60	92	22.6	49	100	149	15.3
TOTAL	236	332	568	100	201	206	407	100	437	538	975	100

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Men having sex with men. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

NRR/NIR=No reported or identified risk.