



**Table 6-1. Reported AIDS Cases and Incidence per 100,000 Population by Year of Diagnosis and Sex, Miami-Dade County, 1979-2001**

Year of Diagnosis	Male		Female		Total	
	Cases	Incidence	Cases	Incidence	Cases	Incidence
≤1981	17	–	3	–	20	–
1982	43	5.1	10	1.1	53	3.0
1983	116	14.1	18	1.9	134	7.7
1984	175	20.7	37	4.0	212	12.0
1985	323	37.2	56	6.0	379	20.9
1986	434	49.8	86	9.0	520	28.6
1987	694	77.9	136	14.4	830	44.8
1988	871	96.5	197	20.0	1068	56.7
1989	1030	112.1	238	23.9	1268	66.2
1990	1156	123.4	287	28.2	1443	73.8
1991	1411	149.1	337	32.7	1748	88.4
1992	1641	174.2	435	42.1	2076	105.3
1993	1959	207.7	564	55.3	2523	128.2
1994	1837	190.4	559	52.7	2396	118.6
1995	1593	160.2	578	53.2	2171	104.5
1996	1434	116.5	529	41.2	1963	77.6
1997	1125	111.0	435	40.5	1560	74.6
1998	1053	101.6	462	42.2	1515	70.9
1999	881	85.3	339	31.0	1220	57.2
2000	869	79.8	386	33.2	1255	55.7
2001	665	60.2	324	27.4	989	43.3



**Table 6-2. AIDS Cases By Sex, Age Group, Race/Ethnicity and Country of Origin  
Miami-Dade County**  
(Cumulative data from 1980 through December 2001)

Demographics	Male		Female		Total	
	Cases	Percent	Cases	Percent	Cases	Percent
<b>Age (yrs.)</b>						
0-12	241	1.25	243	4.03	484	1.91
13-19	59	0.31	75	1.25	134	0.53
20-29	2,495	12.90	1,196	19.86	3,691	14.55
30-39	7,996	41.35	2,432	40.38	10,428	41.12
40-49	5,452	28.19	1,382	22.95	6,834	26.95
50-59	2,147	11.10	454	7.54	2,601	10.26
60+	949	4.91	241	4.00	1,190	4.69
<b>Total</b>	<b>19,339</b>	<b>100.00</b>	<b>6,023</b>	<b>100.00</b>	<b>25,362</b>	<b>100.00</b>
<b>Race/Ethnicity*</b>						
Non-Hispanic White	3,956	20.71	390	6.75	4,346	17.47
Non-Hispanic Black	7,918	41.46	4,458	77.13	12,376	49.74
Hispanic	7,190	37.65	923	15.97	8,113	32.61
Others	35	0.18	9	0.16	44	0.18
<b>Total</b>	<b>19,099</b>	<b>100.00</b>	<b>5,780</b>	<b>100.00</b>	<b>24,879</b>	<b>100.00</b>
<b>Country of Origin**</b>						
Hispanic born in USA	608	8.46	133	14.41	741	9.13
Puerto Rico	662	9.21	129	13.98	791	9.75
Colombia	302	4.20	42	4.55	344	4.24
Cuba	3,473	48.30	245	26.54	3,718	45.83
Dominican Republic	93	1.29	48	5.20	141	1.74
Honduras	177	2.46	72	7.80	249	3.07
Nicaragua	224	3.12	32	3.47	256	3.16
Other Countries/Unknown	1,651	22.96	222	24.05	1,873	23.09
<b>Total</b>	<b>7,190</b>	<b>100.00</b>	<b>923</b>	<b>100.00</b>	<b>8,113</b>	<b>100.00</b>
<b>Race/Ethnicity***</b>						
Non-Hispanic White	11	4.58	11	4.53	22	4.55
Non-Hispanic Black	207	86.25	210	86.42	417	86.34
Hispanic	22	9.17	22	9.05	44	9.11
Other	0	0.00	0	0.00	0	0.00
<b>Total</b>	<b>240</b>	<b>100.00</b>	<b>243</b>	<b>100.00</b>	<b>483</b>	<b>100.00</b>

\*Only for ≥13 years. \*\*: Only for Hispanic ≥ 13 years. \*\*\*: Only for <13 Years

**Table 6-3. AIDS - Indicator Conditions Diagnosed in Adults/Adolescents  
Miami-Dade County**  
(Cumulative data from 1980 through December 2001)

Disease Summary	Definitive *	Presumptive **	% of Patients with Disease (N=24,879)
Bacterial infections	0	n/a	0.00
Candidiasis, bronchi or lungs	487	n/a	1.96
Candidiasis, esophageal	1,146	1,304	9.85
Cervical carcinoma	74	n/a	0.30
Coccidioidomycosis	20	n/a	0.08
Cryptococcosis	568	n/a	2.28
Cryptosporidiosis	324	n/a	1.30
Cytomegalovirus disease	819	n/a	3.29
Cytomegalovirus retinitis	390	435	3.32
HIV encephalopathy	1,078	n/a	4.33
Herpes simplex	869	n/a	3.49
Histoplasmosis	71	n/a	0.29
Isosporiasis	39	n/a	0.16
Lymphoid interstitial pneumonitis	0	0	0.00
Kaposi's sarcoma	1,345	365	6.87
Lymphoma, Burkitt's	117	n/a	0.47
Lymphoma, immunoblastic	335	n/a	1.35
Lymphoma, primary in brain	110	n/a	0.44
Mycobacterium avium	615	110	2.91
Pulmonary tuberculosis	1,760	0	7.07
M. tuberculosis	654	0	2.63
Mycobacterium, other species	238	85	1.30
<i>Pneumocystis carinii</i> pneumonia	3,447	4,115	30.40
Pneumonia, recurrent	399	249	2.60
P.M. leukoencephalopathy	165	n/a	0.66
Salmonella septicemia	59	n/a	0.24
Toxoplasmosis of brain	472	1,247	6.91
Wasting syndrome	3,292	n/a	13.23
CD4 immune deficiency	16,303	n/a	65.53

\* DEFINITIVE : With laboratory confirmation. \*\* PRESUMPTIVE: Based on clinical evaluation without laboratory confirmation

**Table 6-4. AIDS - Indicator Conditions Diagnosed in Pediatric Patients  
Miami-Dade County**  
(Cumulative data from 1980 through December 2001)

Disease Summary	Definitive *	Presumptive **	% of Patients Disease (N=483)
Bacterial infections	79	n/a	16.36
Candidiasis, bronchi or lungs	9	n/a	1.86
Candidiasis, esophageal	40	55	19.67
Cervical carcinoma	0	n/a	0.00
Coccidioidomycosis	0	n/a	0.00
Cryptococcosis	3	n/a	0.63
Cryptosporidiosis	14	n/a	2.90
Cytomegalovirus disease	32	n/a	6.63
Cytomegalovirus retinitis	3	3	1.24
HIV encephalopathy	59	n/a	12.22
Herpes simplex	17	n/a	3.52
Histoplasmosis	0	n/a	0.00
Isosporiasis	1	n/a	0.21
Lymphoid interstitial pneumonitis	38	118	32.30
Kaposi's sarcoma	14	0	2.90
Lymphoma, Burkitt's	1	n/a	0.21
Lymphoma, immunoblastic	1	n/a	0.41
Lymphoma, primary in brain	2	n/a	0.41
Mycobacterium avium	22	0	4.55
Pulmonary tuberculosis	9	0	1.86
M. tuberculosis	5	0	1.04
Mycobacterium, other species	4	4	1.66
<i>Pneumocystis carinii</i> pneumonia	92	49	29.19
Pneumonia, recurrent	0	0	0.00
P.M. leukoencephalopathy	1	n/a	0.21
Salmonella septicemia	0	n/a	0.00
Toxoplasmosis of brain	5	4	1.86
Wasting syndrome	70	n/a	14.49
CD4 immune deficiency	123	n/a	25.47

\* DEFINITIVE : With laboratory confirmation. \*\* PRESUMPTIVE: Based on clinical evaluation without laboratory confirmation

**Table 6-5. AIDS Cases among Hispanics by Country of Origin and Exposure Categories, Miami-Dade County**  
(Cumulative data from 1980 through December 2001)

Exposure Categories	U.S.A		Puerto Rico		Colombia		Cuba		Dominican Republic		Honduras		Nicaragua		Others/ unknown		Total	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Men Who Have Sex with Men	361	48.7	290	36.7	226	65.7	2528	68.0	38	27.0	65	26.1	130	50.8	1100	58.7	4738	58.4
Injecting Drug Use	151	20.4	213	26.9	15	4.4	182	4.9	7	5.0	14	5.6	8	3.1	86	4.6	676	8.3
Men Who Have Sex with Men and Inject Drugs	39	5.3	49	6.2	14	4.1	121	3.3	2	1.4	2	0.8	8	3.1	31	1.7	266	3.3
Heterosexual Contact	9	1.2	3	0.4	5	1.5	33	0.9	2	1.4	6	2.4	1	0.4	13	0.7	72	0.9
Transfusion & Transplantation Recipient / Hemophiliacs	79	10.7	98	12.4	40	11.6	291	7.8	42	29.8	63	25.3	31	12.1	219	11.7	863	10.6
Exposure not Specified	102	13.8	138	17.4	44	12.8	563	15.1	50	35.5	99	39.8	78	30.5	424	22.6	1498	18.5
<b>All Exposure Categories</b>	<b>741</b>	<b>100.0</b>	<b>791</b>	<b>100.0</b>	<b>344</b>	<b>100.0</b>	<b>3718</b>	<b>100.0</b>	<b>141</b>	<b>100.0</b>	<b>249</b>	<b>100.0</b>	<b>256</b>	<b>100.0</b>	<b>1873</b>	<b>100.0</b>	<b>8113</b>	<b>100.0</b>

**Table 6-6. AIDS Cases among Persons Older than 12 Years by Race/Ethnicity, Sex and Exposure Categories, Miami-Dade County**  
(Cumulative data from 1980 through December 2001)

Exposure Categories	Non-Hispanic White		Non-Hispanic Black		Hispanic		Others	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
<b>Male</b>								
Men Who Have Sex with Men	2,998	75.78	1,401	17.69	4,738	65.90	20	57.14
Injecting Drug Use	291	7.36	1,897	23.96	543	7.55	2	5.71
Men Who Have Sex with Men and Inject Drugs	194	4.90	344	4.34	266	3.70	1	2.86
Heterosexual Contact	100	2.53	1,124	14.20	392	5.45	4	11.43
Transfusion & Transplantation Recipient / Hemophiliacs	53	1.34	56	0.71	50	0.70	1	2.86
Confirmed, Other	0	0.00	5	0.06	0	0.00	0	0.00
Exposure not Specified	320	8.09	3,091	39.04	1,201	16.70	7	20.00
<b>Male Exposure Categories</b>	<b>3,956</b>	<b>100.00</b>	<b>7,918</b>	<b>100.00</b>	<b>7,190</b>	<b>100.00</b>	<b>35</b>	<b>100.00</b>
<b>Female</b>								
Injecting Drug Use	155	39.74	1,142	25.62	133	14.41	2	22.22
Heterosexual Contact	115	29.49	1,589	35.64	471	51.03	3	33.33
Transfusion & Transplantation Recipient / Hemophiliacs	15	3.85	68	1.53	22	2.38	1	11.11
Confirmed, Other	0	0.00	8	0.18	0	0.00	0	0.00
Exposure not Specified	105	26.92	1,651	37.03	297	32.18	3	33.33
<b>Female Exposure Categories</b>	<b>390</b>	<b>100.00</b>	<b>4,458</b>	<b>100.00</b>	<b>923</b>	<b>100.00</b>	<b>9</b>	<b>100.00</b>

**Table 6-7. Pediatric AIDS Cases by Race/Ethnicity and Exposure Categories, Miami-Dade County**  
 (Cumulative data from 1980 through December 2001)

Exposure Categories	Non-Hispanic White		Non-Hispanic Black		Hispanic		Others	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Mother with/at Risk for HIV Infection	22	100.00	413	99.04	37	84.09	472	97.72
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.00	2	0.48	5	11.36	7	1.45
Exposure not Specified	0	0.00	2	0.48	2	4.55	4	0.83
<b>All Exposure Categories</b>	<b>22</b>	<b>100.00</b>	<b>417</b>	<b>100.00</b>	<b>44</b>	<b>100.00</b>	<b>483</b>	<b>100.00</b>

**Table 6-8. Reported HIV Cases and Incidence per 100,000 Population by Year of Diagnosis and Sex, Miami-Dade County, 1987-2001**

Year of Diagnosis	Male		Female		Total	
	Cases	Incidence	Cases	Incidence	Cases	Incidence
1997	455	45.5	241	22.5	696	33.6
1998	1156	114.4	601	55.6	1757	84.1
1999	1076	105.3	529	48.5	1605	76.0
2000	994	91.3	503	43.2	1497	66.4
2001	1118	101.2	550	46.6	1668	73.0

**Table 6-9. Reported HIV Cases by Age Group and Sex, Miami-Dade County**  
(Cumulative data from July 1997 through December 2001)

Age (yrs.)	Male		Female		Total	
	Cases	Percent	Cases	Percent	Cases	Percent
0-12	36	0.75	57	2.35	93	1.29
13-19	56	1.17	135	5.57	191	2.64
20-29	860	17.92	646	26.65	1,506	20.85
30-39	2,039	42.49	806	33.25	2,845	39.39
40-49	1,209	25.19	538	22.19	1,747	24.19
50-59	404	8.42	174	7.18	578	8.00
60+	195	4.06	68	2.81	263	3.64
<b>Total</b>	<b>4,799</b>	<b>100.00</b>	<b>2,424</b>	<b>100.00</b>	<b>7,223</b>	<b>100.00</b>

**Table 6-10. Reported HIV Cases among Adult/Adolescent by Sex, Race/Ethnicity and Exposure Categories, Miami-Dade County**

(Cumulative data from July 1997 through December 2001)

Exposure Categories	White Non-Hispanic		Black Non-Hispanic		Hispanic		Others	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
<b>Male</b>								
Men who have sex with men	515	61.16	312	14.34	853	49.28	8	53.33
Injecting drug use	27	3.21	108	4.97	56	3.24	0	0.00
Men who have sex with men and inject drugs	14	1.66	20	0.92	19	1.10	0	0.00
Heterosexual contact	29	3.44	319	14.67	83	4.79	1	6.67
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.00	0	0.00	1	0.06	0	0.00
Exposure not specified	257	30.52	1,416	65.10	719	41.54	6	40.00
<b>Male Exposure Categories</b>	<b>842</b>	<b>100.00</b>	<b>2,175</b>	<b>100.00</b>	<b>1,731</b>	<b>100.00</b>	<b>15</b>	<b>100.00</b>
<b>Female</b>								
Injecting drug use	24	14.20	81	4.56	24	5.73	0	0.00
Heterosexual contact	50	29.59	615	34.61	151	36.04	1	50.00
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.00	1	0.06	0	0.00	0	0.00
Exposure not specified	95	56.21	1080	60.78	244	58.23	1	50.00
<b>Female Exposure Categories</b>	<b>169</b>	<b>100.00</b>	<b>1,777</b>	<b>100.00</b>	<b>419</b>	<b>100.00</b>	<b>2</b>	<b>100.00</b>

**Table 6-11. Reported HIV Cases among Children By Race/Ethnicity and Exposure Categories, Miami-Dade County**

(Cumulative data from July 1997 through December 2001)

Exposure Categories	White Non-Hispanic		Black Non-Hispanic		Hispanic		Total	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Mother with/at risk for HIV infection	2	100.00	76	96.20	11	91.67	89	95.70
Exposure not specified	0	0.00	3	3.80	1	8.33	4	4.30
<b>All Exposure Categories</b>	<b>2</b>	<b>100.00</b>	<b>79</b>	<b>100.00</b>	<b>12</b>	<b>100.00</b>	<b>93</b>	<b>100.00</b>