



Table 6-1. Reported AIDS Cases by Year of Diagnosis and Sex, Miami-Dade County, 1979-2002

Year of Diagnosis	Male		Female		Total	
	Cases	Incidence*	Cases	Incidence*	Cases	Incidence*
≤1981	17	–	3	–	20	–
1982	43	5.1	10	1.1	53	3.0
1983	115	14.1	18	1.9	133	7.7
1984	175	20.7	38	4.0	213	12.0
1985	323	37.2	56	6.0	379	20.9
1986	435	49.8	85	9.0	520	28.6
1987	690	77.9	136	14.4	826	44.8
1988	871	96.5	196	20.0	1,067	56.7
1989	1,025	112.1	239	23.9	1,264	66.2
1990	1,156	123.4	287	28.2	1,443	73.8
1991	1,411	148.6	334	32.5	1,745	88.2
1992	1,636	169.9	435	41.8	2,071	103.3
1993	1,956	203.8	565	54.5	2,521	126.3
1994	1,836	186.1	559	52.6	2,395	116.9
1995	1,592	159.1	579	53.8	2,171	104.6
1996	1,437	141.0	533	48.7	1,970	93.2
1997	1,132	109.3	438	39.4	1,570	73.2
1998	1,075	102.5	458	40.8	1,533	70.6
1999	897	84.1	351	30.8	1,248	56.5
2000	891	81.8	390	33.5	1,281	56.8
2001	823	74.4	380	32.2	1,203	52.6
2002	617	55.0	256	21.4	873	37.7

*:Incidence for 100,000 population



**Table 6-2. AIDS Cases By Sex, Age Group, Race/Ethnicity and Country of Origin
Miami-Dade County**
(Cumulative data from 1980 through December 2002)

Demographics	Male		Female		Total	
	Cases	Percent	Cases	Percent	Cases	Percent
Age Group						
0-12	243	1.22	243	3.87	486	1.85
13-19	65	0.33	78	1.24	143	0.54
20-29	2,552	12.77	1,236	19.70	3,788	14.43
30-39	8,206	41.08	2,504	39.91	10,710	40.80
40-49	5,669	28.38	1,471	23.45	7,140	27.20
50-59	2,245	11.24	484	7.71	2,729	10.40
60+	998	5.00	258	4.11	1,256	4.78
Total	19,978	100	6,274	100	26,252	100
Adult/Adolescent Race/Ethnicity*						
Non-Hispanic White	4,034	20.44	412	6.83	4,446	17.26
Non-Hispanic Black	8,210	41.60	4,641	76.95	12,851	49.88
Hispanic	7,452	37.76	970	16.08	8,422	32.69
Other	39	0.20	8	0.13	47	0.18
Total	19,735	100	6,031	100	25,766	100
Country of Origin among Hispanics**						
Hispanic born in USA	629	8.44	143	14.74	772	9.17
Puerto Rico	689	9.25	132	13.61	821	9.75
Colombia	314	4.21	42	4.33	356	4.23
Cuba	3,537	47.46	253	26.08	3,790	45.00
Dominican Republic	97	1.30	52	5.36	149	1.77
Honduras	194	2.60	77	7.94	271	3.22
Nicaragua	236	3.17	36	3.71	272	3.23
Other Countries/Unknown	1,756	23.56	235	24.23	1,991	23.64
Total	7,452	100	970	100	8,422	100
Pediatric Race/Ethnicity***						
Non-Hispanic White	11	4.53	11	4.53	22	4.53
Non-Hispanic Black	208	85.60	210	86.42	418	86.01
Hispanic	24	9.88	22	9.05	46	9.47
Other	0	0.00	0	0.00	0	0.00
Total	243	100	243	100	486	100

*Only for ≥13 years. **: Only for Hispanic ≥ 13 years. ***: Only for <13 Years

**Table 6-3. AIDS - Indicator Conditions Diagnosed in Adults/Adolescents
Miami-Dade County**
(Cumulative data from 1980 through December 2002)

Disease Summary	Definitive *	Presumptive **	% of Patients with Disease (N=26,005)
Bacterial infections	0	n/a	0.00
Candidiasis, bronchi or lungs	505	n/a	1.94
Candidiasis, esophageal	1,197	1,319	9.68
Cervical carcinoma	74	n/a	0.28
Coccidioidomycosis	20	n/a	0.08
Cryptococcosis	604	n/a	2.32
Cryptosporidiosis	333	n/a	1.28
Cytomegalovirus disease	834	n/a	3.21
Cytomegalovirus retinitis	405	438	3.24
HIV encephalopathy	1,146	n/a	4.41
Herpes simplex	897	n/a	3.45
Histoplasmosis	73	n/a	0.28
Isosporiasis	39	n/a	0.15
Lymphoid interstitial pneumonitis	0	0	0.00
Kaposi's sarcoma	1,386	370	6.75
Lymphoma, Burkitt's	121	n/a	0.47
Lymphoma, immunoblastic	346	n/a	1.33
Lymphoma, primary in brain	115	n/a	0.44
Mycobacterium avium	649	111	2.92
Pulmonary tuberculosis	1,807	1	6.95
M. tuberculosis	669	0	2.57
Mycobacterium, other species	244	86	1.27
<i>Pneumocystis carinii</i> pneumonia	3,576	4,190	29.87
Pneumonia, recurrent	412	255	2.57
P.M. leukoencephalopathy	167	n/a	0.64
Salmonella septicemia	59	n/a	0.23
Toxoplasmosis of brain	529	1,276	6.94
Wasting syndrome	3,355	n/a	12.90
CD4 immune deficiency	17,471	n/a	67.19

* DEFINITIVE : With laboratory confirmation. ** PRESUMPTIVE: Based on clinical evaluation without laboratory confirmation

**Table 6-4. AIDS - Indicator Conditions Diagnosed in Pediatric Patients
Miami-Dade County**
(Cumulative data from 1980 through December 2002)

Disease Summary	Definitive *	Presumptive **	% of Patients Disease (N=487)
Bacterial infections	79	n/a	16.22
Candidiasis, bronchi or lungs	9	n/a	1.85
Candidiasis, esophageal	40	56	19.71
Cervical carcinoma	0	n/a	0.00
Coccidioidomycosis	0	n/a	0.00
Cryptococcosis	3	n/a	0.62
Cryptosporidiosis	14	n/a	2.87
Cytomegalovirus disease	34	n/a	6.98
Cytomegalovirus retinitis	3	3	1.23
HIV encephalopathy	59	n/a	12.11
Herpes simplex	17	n/a	3.49
Histoplasmosis	0	n/a	0.00
Isosporiasis	1	n/a	0.21
Lymphoid interstitial pneumonitis	38	119	32.24
Kaposi's sarcoma	14	0	2.87
Lymphoma, Burkitt's	1	n/a	0.21
Lymphoma, immunoblastic	2	n/a	0.41
Lymphoma, primary in brain	2	n/a	0.41
Mycobacterium avium	23	0	4.72
Pulmonary tuberculosis	9	0	1.85
M. tuberculosis	5	0	1.03
Mycobacterium, other species	4	4	1.64
<i>Pneumocystis carinii</i> pneumonia	93	49	29.16
Pneumonia, recurrent	0	0	0.00
P.M. leukoencephalopathy	1	n/a	0.21
Salmonella septicemia	0	n/a	0.00
Toxoplasmosis of brain	5	4	1.85
Wasting syndrome	71	n/a	14.58
CD4 immune deficiency	127	n/a	26.08

* DEFINITIVE : With laboratory confirmation. ** PRESUMPTIVE: Based on clinical evaluation without laboratory confirmation

Table 6-5. AIDS Cases among Hispanics by Country of Origin and Exposure Categories, Miami-Dade County
(Cumulative data from 1980 through December 2002)

Exposure Categories	U.S.A		Puerto Rico		Colombia		Cuba		Dominican Republic		Honduras		Nicaragua		Others/ unknown		Total	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Men Who Have Sex with Men	373	48.3	299	36.4	233	65.4	2,572	67.9	38	25.5	72	26.6	140	51.5	1,196	60.1	4,923	58.5
Injecting Drug Use	156	20.2	220	26.8	15	4.2	189	5.0	7	4.7	15	5.5	8	2.9	94	4.7	704	8.4
Men Who Have Sex with Men and Inject Drugs	39	5.1	51	6.2	14	3.9	125	3.3	2	1.3	2	0.7	8	2.9	33	1.7	274	3.3
Heterosexual Contact	10	1.3	3	0.4	5	1.4	33	0.9	2	1.3	6	2.2	1	0.4	13	0.7	73	0.9
Transfusion & Transplantation Recipient / Hemophiliacs	93	12.0	106	12.9	44	12.4	317	8.4	46	30.9	79	29.2	40	14.7	258	13.0	983	11.7
Exposure not Specified	101	13.1	142	17.3	45	12.6	554	14.6	54	36.2	97	35.8	75	27.6	397	19.9	1,465	17.4
All Exposure Categories	772	100.0	821	100.0	356	100.0	3,790	100.0	149	100.0	271	100.0	272	100.0	1,991	100.0	8,422	100.0

Table 6-6. AIDS Cases among Persons Older than 12 Years by Race/Ethnicity, Sex and Exposure Categories, Miami-Dade County

(Cumulative data from 1980 through December 2002)

Exposure Categories	Non-Hispanic White		Non-Hispanic Black		Hispanic		Others		All	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Male										
Men Who Have Sex with Men	3,050	75.6	1,530	18.6	4,923	66.1	23	59.0	9,526	48.3
Injecting Drug Use	293	7.3	1,947	23.7	566	7.6	2	5.1	2,808	14.2
Men Who Have Sex with Men and Inject Drugs	200	5.0	350	4.3	274	3.7	1	2.6	825	4.2
Heterosexual Contact	104	2.6	1,266	15.4	451	6.1	4	10.3	1,825	9.2
Transfusion & Transplantation Recipient / Hemophiliacs	53	1.3	58	0.7	50	0.7	1	2.6	162	0.8
Confirmed, Other	0	0.0	7	0.1	0	0.0	0	0.0	7	0.0
Exposure not Specified	334	8.3	3,052	37.2	1,188	15.9	8	20.5	4,582	23.2
Male Exposure Categories	4,034	100.0	8,210	100.0	7,452	100.0	39	100.0	19,735	100.0
Female										
Injecting Drug Use	166	40.3	1,168	25.2	138	14.2	2	22.2	1,474	24.4
Heterosexual Contact	123	29.9	1,800	38.8	532	54.8	3	33.3	2,458	40.7
Transfusion & Transplantation Recipient / Hemophiliacs	15	3.6	69	1.5	22	2.3	1	11.1	107	1.8
Confirmed, Other	1	0.2	8	0.2	1	0.1	0	0.0	10	0.2
Exposure not Specified	107	26.0	1,596	34.4	277	28.6	3	33.3	1,983	32.9
Female Exposure Categories	412	100.0	4,641	100.0	970	100.0	9	100.0	6,032	100.0

Table 6-7. Pediatric AIDS Cases by Race/Ethnicity and Exposure Categories, Miami-Dade County
(Cumulative data from 1980 through December 2002)

Exposure Categories	Non-Hispanic White		Non-Hispanic Black		Hispanic		ALL	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Mother with/at Risk for HIV Infection	22	100.0	415	99.0	38	82.6	475	97.5
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.0	2	0.5	5	10.9	7	1.4
Exposure not Specified	0	0.0	2	0.5	3	6.5	5	1.0
All Exposure Categories	22	100.0	419	100.0	46	100.0	487	100.0

**Table 6-8. Reported HIV Cases by Year of Report and Sex,
Miami-Dade County, 1997-2002**

(HIV Reporting cases began in July 1997)

Year of Reported	Male		Female		Total	
	Cases	Incidence*	Cases	Incidence*	Cases	Incidence*
1997	428	41.3	228	20.5	656	30.6
1998	1,102	105.1	573	51.0	1,675	77.1
1999	1,018	95.4	503	44.1	1,521	68.9
2000	949	87.1	476	40.9	1,425	63.2
2001	1,007	91.1	498	42.2	1,505	65.8
2002	1,274	113.7	560	46.8	1,834	79.2

*:Incidence for 100,000 population

Table 6-9. Reported HIV Cases by Age Group and Sex, Miami-Dade County

(Cumulative data from July 1997 through December 2002)

Age Group	Male		Female		Total	
	Cases	Percent	Cases	Percent	Cases	Percent
0-12	40	0.69	68	2.40	108	1.25
13-19	83	1.44	165	5.81	248	2.88
20-29	1,032	17.86	715	25.19	1,747	20.28
30-39	2,400	41.54	931	32.80	3,331	38.66
40-49	1,485	25.70	645	22.73	2,130	24.72
50-59	494	8.55	220	7.75	714	8.29
60+	244	4.22	94	3.31	338	3.92
Total	5,778	100	2,838	100	8,616	100

Table 6-10. Reported HIV Cases among Adult/Adolescent by Sex, Race/Ethnicity and Exposure Categories, Miami-Dade County

(Cumulative data from July 1997 through December 2002)

Exposure Categories	White Non-Hispanic		Black Non-Hispanic		Hispanic		Others		All	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Male										
Men who have sex with men	675	64.53	410	16.16	1144	53.48	11	68.75	2,240	39.04
Injecting drug use	30	2.87	134	5.28	70	3.27	0	0.00	234	4.08
Men who have sex with men and inject drugs	23	2.20	28	1.10	23	1.08	0	0.00	74	1.29
Heterosexual contact	36	3.44	501	19.75	135	6.31	2	12.50	674	11.75
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.00	1	0.04	1	0.05	0	0.00	2	0.03
Exposure not specified	282	26.96	1,463	57.67	766	35.81	3	18.75	2,514	43.81
Male Exposure Categories	1,046	100.00	2,537	100.00	2,139	100.00	16	100.00	5,738	100.00
Female										
Injecting drug use	31	15.82	111	5.37	27	5.39	1	20.00	170	6.14
Heterosexual contact	67	34.18	836	40.43	218	43.51	2	40.00	1,123	40.54
Transfusion & Transplantation Recipient / Hemophiliacs	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Exposure not specified	98	50.00	1121	54.21	256	51.10	2	40.00	1,477	53.32
Female Exposure Categories	196	100.00	2,068	100.00	501	100.00	5	100.00	2,770	100.00

Table 6-11. Reported HIV Cases among Children By Race/Ethnicity and Exposure Categories, Miami-Dade County

(Cumulative data from July 1997 through December 2002)

Exposure Categories	White Non-Hispanic		Black Non-Hispanic		Hispanic		Others		Total	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Mother with/at risk for HIV infection	2	100.00	89	98.89	13	86.67	1	100.00	105	97.22
Receipt of blood, components, or tissue	0	0.00	0	0.00	1	7.69	0	0.00	1	0.93
Exposure not specified	0	0.00	1	1.11	1	6.67	0	0.00	2	1.85
All Exposure Categories	2	100	90	100	15	100	1	100	108	100

