



Miami-Dade County Health Department

Vital and Morbidity Statistics 2003

SECTION-2 MORTALITY

Lillian Rivera, RN, MSN
Administrator

Fermin Leguen, MD, MPH
Chief Physician

For more information, please contact:
Office of Epidemiology and Disease Control
Miami-Dade County Health Department
8600 NW 17 Street, Miami, FL 33126
Telephone (305) 470-5660; Fax: (305) 470-5533
Web Site: <http://www.DadeHealth.org>

Miami-Dade County Health Department Vital and Morbidity Statistics 2003

SECTION-2 MORTALITY Table of Contents

	<u>Page</u>
Highlights: Mortality in Miami-Dade County, 2003	II-I
Table 2-1. Ten Leading Causes of Death, Miami-Dade County, Florida, 2002	2-1
Table 2-2. Ten Leading Causes of Death by Race and Sex, Miami-Dade County, 2002	2-2
Table 2-3. Five Leading Causes of Death by Age Group, Miami-Dade County, 2002	2-4
Table 2-4a. Age-Adjusted Death Rates for Selected Leading Causes of Death, Miami-Dade County, 1999	2-6
Table 2-4b. Age-Adjusted Death Rates for Selected Leading Causes of Death, Miami-Dade County, 2000	2-7
Table 2-4c. Age-Adjusted Death Rates for Selected Leading Causes of Death, Miami-Dade County, 2001	2-8
Table 2-4d. Age-Adjusted Death Rates for Selected Leading Causes of Death, Miami-Dade County, 2002	2-9
Table 2-4e. Age-Adjusted Death Rates for Selected Leading Causes of Death, Miami-Dade County, 2003	2-10
Table 2-5. Selected Deaths among People Aged 25-44 Years by Race, Miami-Dade County, 1992-2003	2-11
Table 2-6. Female Breast Cancer and Cervical Cancer Deaths, Miami-Dade County, 1999-2003	2-12
Figure 2-1. Cause-Specific Death Rates for Persons 25-44 Years of Age, Miami-Dade County, 1984-2003	2-13
Figure 2-2. Female Breast Cancer Deaths by Race, Miami-Dade County, 1990-2003	2-13
Figure 2-3. Female Cervical Cancer Deaths by Race, Miami-Dade County, 1990-2003.....	2-14
Table 2-7a. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 1999	2-15
Table 2-7b. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2000	2-16
Table 2-7c. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2001	2-17
Table 2-7d. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2002	2-18
Table 2-7e. Years of Potential Life Lost (YPLL) Under 75 Years of Age,	

	Miami-Dade County, 2003	2-19
Figure 2-4.	Years of Potential Life Lost (YPLL) Prior to Age 75 for Selected Leading Causes of Death, Miami-Dade County, 2003.....	2-20
Figure 2-5.	Years of Potential Life Lost (YPLL) Prior to Age 75 for Selected Leading Causes of Death, Miami-Dade County, 1990-2003	2-21

Highlights: Mortality in Miami-Dade County, 2003

Deaths: there were 18,222 deaths among Miami-Dade County residents in 2003; 115 (0.64%) more than in 2002. Of these, 9,110 (50%) were males. Sex was not available in 4 deaths. Deaths among individuals 65 years old and over represented 73.4% of all deaths in Miami-Dade County.

The 2003 crude death rate was 776.7 per 100,000 population in Miami-Dade County. The crude death rate was 827.2 among whites; and was 616.1 among nonwhites. The age adjusted death rate, which eliminates the effects of the aging in the population, was 733.6 per 100,000 population. The age adjusted death rate was 687.1 among whites; and was 908.5 among nonwhites.

Leading Causes of Death

Heart diseases was the top leading cause with 5,909 deaths (6,168 in 2002) which accounted for 32% of all deaths. The crude mortality rate was 251.9 per 100,000 population.

Malignant neoplasms (cancer) ranked second with 3,947 deaths (3,815 in 2002) which accounted for 22% of all deaths. The crude mortality rate was 168.2 per 100,000 population.

Cerebrovascular diseases (stroke) ranked third with 962 deaths (991 in 2002) which accounted for 5.3% of all deaths. The crude mortality rate was 41.0 per 100,000 population.

Unintentional injuries (accidents) ranked fourth with 710 deaths in 2003 (755 in 2002)—3.9% of all deaths. The crude mortality rate was 30.3 per 100,000 population.

Chronic lower respiratory diseases ranked fifth with 622 deaths (671 in 2002)—3.6% of all deaths. The crude mortality rate was 28.2 per 100,000 population.

Diabetes mellitus ranked sixth with 607 deaths (539 in 2002)—3.3% of all deaths. The crude mortality rate was 25.9 per 100,000 population.

Alzheimer's disease ranked seventh with 535 deaths (in 2002)—2.9% of all deaths. The crude mortality rate was 22.8 per 100,000 population.

Human Immunodeficiency Virus (HIV) related deaths gradually decreased each year from 480 in 1999 to 420 in 2003. The rank dropped to the eighth cause of death in 2002 from seventh in 1999 in Miami-Dade County. In Florida, HIV related deaths dropped-out from the top ten leading causes of death in 1998. The crude mortality rate was 17.9 per 100,000 population.

Influenza and pneumonia ranked ninth with 362 deaths (369 in 2002)—2.0% of all deaths. The crude mortality rate was 15.4 per 100,000 population.

Nephritis, nephritic syndrome and nephrosis (kidney disease) ranked tenth with 333 deaths (in 2002)—1.8% of all deaths. The crude mortality rate was 14.2 per 100,000 population.

These 10 causes accounted for 79.3% of all deaths in Miami-Dade County.

Among the white male population, the top five leading causes of death were heart disease, malignant neoplasms, unintentional injuries, cerebrovascular diseases and chronic lower respiratory diseases.

Among the white female population, the top five leading causes of death were heart disease, malignant neoplasms, cerebrovascular diseases, alzheimer's disease, and chronic lower respiratory diseases.

Among the nonwhite male population, the top five leading causes of death were heart disease, malignant neoplasms, HIV, homicide and unintentional injuries.

Among the nonwhite female population, the top five leading causes of death were heart disease, malignant neoplasms, HIV, cerebrovascular diseases, diabetes mellitus.

Years of Potential Life Lost (YPLL) Under 75 Years of Age: The rate of YPLL for all causes of death has decreased from 7643.9 years lost per 100,000 population under age of 75 years in 1999 to 6954.3 years lost in 2003. Major cardiovascular disease, malignant neoplasms, accidents, HIV and Homicide continued to be the top five causes of premature mortality in Miami-Dade County.

Table 2-1. Ten Leading Causes of Death, Miami-Dade County and Florida, 2003

Cause of Death (ICD-10-Code in Parenthesis)	Miami-Dade				Florida	
	Rank	Number	Rate*	Percent	Rank	Rate*
HEART DISEASES (I00-I09,I11,I13,I20-I51)	1	5909	251.9	32.4	1	280.4
MALIGNANT NEOPLASMS (C00-C97)	2	3947	168.2	21.7	2	228.6
CEREBROVASCULAR DISEASES (I60-I69)	3	962	41.0	5.3	3	57.5
UNINTENTIONAL INJURIES (V01-X59,Y85-Y86)	4	710	30.3	3.9	5	46.0
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	5	662	28.2	3.6	4	52.6
DIABETES MELLITUS (E10-E14)	6	607	25.9	3.3	6	27.7
ALZHEIMER'S DISEASE (G30)	7	535	22.8	2.9	7	25.1
HIV (B20-B24)	8	420	17.9	2.3	13	10.1
INFLUENZA & PNEUMONIA (J10-J18)	9	362	15.4	2.0	8	17.4
NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	333	14.2	1.8	10	13.3
ALL OTHER CAUSES		3775	160.9	20.7		
ALL CAUSES		18222	776.7	100.0	168459	981.5

*Crude Death Rates per 100,000 population

Table 2-2. Ten Leading Causes of Death by Race and Sex*, Miami-Dade County, 2003

Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**	Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**
All White			All Nonwhite		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	4990	279.5	HEART DISEASES (I00-I09, I11, I13, I20-I51)	919	163.9
MALIGNANT NEOPLASMS (C00-C97)	3243	181.7	MALIGNANT NEOPLASMS (C00-C97)	704	125.5
CEREBROVASCULAR DISEASES (I60-I69)	752	42.1	HIV (B20-B24)	288	51.4
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	600	33.6	CEREBROVASCULAR DISEASES (I60-I69)	210	37.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	556	31.1	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	154	27.5
ALZHEIMER'S DISEASE (G30)	502	28.1	DIABETES MELLITUS (E10-E14)	132	23.5
DIABETES MELLITUS (E10-E14)	475	26.6	HOMICIDE (X85-Y09, Y87.1)	121	21.6
INFLUENZA & PNEUMONIA (J10-J18)	317	17.8	SYMPT/SIGNS & ABNORMAL CLINICAL/LAB FINDINGS (R00-R99)****	84	15.0
NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	251	14.1	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	82	14.6
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	196	11.0	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	62	11.1
ALL CAUSES	14767	827.2	ALL CAUSES	3455	616.1
White Male			Nonwhite Male		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2352	271.0	HEART DISEASES (I00-I09, I11, I13, I20-I51)	429	160.5
MALIGNANT NEOPLASMS (C00-C97)	1719	198.1	MALIGNANT NEOPLASMS (C00-C97)	347	129.8
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	367	42.3	HIV (B20-B24)	163	61.0
CEREBROVASCULAR DISEASES (I60-I69)	308	35.5	HOMICIDE (X85-Y09, Y87.1)	110	41.1
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	272	31.3	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	107	40.0
DIABETES MELLITUS (E10-E14)	228	26.3	CEREBROVASCULAR DISEASES (I60-I69)	87	32.5
ALZHEIMER'S DISEASE (G30)	158	18.2	DIABETES MELLITUS (E10-E14)	52	19.4
SUICIDE (X60-X84, Y87.0)	142	16.4	SYMPT/SIGNS & ABNORMAL CLINICAL/LAB FINDINGS (R00-R99)****	46	17.2
CHRONIC LIVER DIS & CIRRHOSIS (K70, K73-K74)	141	16.2	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	38	14.2
INFLUENZA & PNEUMONIA (J10-J18)	139	16.0	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	36	13.5
ALL CAUSES	7333	845.0	ALL CAUSES	1777	664.6

Note: *: Sex was not available in 4 deaths

** : Rates per 100,000 population in specified group

***: Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)

****:Symptoms, Signs & Abnormal Clinical/Lab Findings, NEC (R00-R99)

Table 2-2. (cont'd) Ten Leading Causes of Death by Race and Sex*, Miami-Dade County, 2003

Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**	Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**
White Female			Nonwhite Female		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2638	287.6	HEART DISEASES (I00-I09, I11, I13, I20-I51)	490	167.0
MALIGNANT NEOPLASMS (C00-C97)	1523	166.0	MALIGNANT NEOPLASMS (C00-C97)	357	121.7
CEREBROVASCULAR DISEASES (I60-I69)	444	48.4	HIV (B20-B24)	125	42.6
ALZHEIMER'S DISEASE (G30)	344	37.5	CEREBROVASCULAR DISEASES (I60-I69)	123	41.9
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	328	35.8	DIABETES MELLITUS (E10-E14)	80	27.3
DIABETES MELLITUS (E10-E14)	247	26.9	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	47	16.0
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	189	20.6	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	46	15.7
INFLUENZA & PNEUMONIA (J10-J18)	178	19.4	SYMPT/SIGNS & ABNORMAL CLINICAL/LAB FINDINGS (R00-R99)****	37	12.6
NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	123	13.4	HYPERTENSION & HYP RENAL DIS (I10, I12)	26	8.9
OTHER DIS OF RESP SYS (J00-J06,J30-J39,J67,J70-J98)*****	99	10.8	SEPTICEMIA (A40-A41)	25	8.5
ALL CAUSES	7432	810.2	ALL CAUSES	1676	571.2
Males (white and nonwhite)			Females (white and nonwhite)		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2781	245.0	HEART DISEASES (I00-I09, I11, I13, I20-I51)	3128	258.4
MALIGNANT NEOPLASMS (C00-C97)	2066	182.0	MALIGNANT NEOPLASMS (C00-C97)	1880	155.3
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	474	41.8	CEREBROVASCULAR DISEASES (I60-I69)	567	46.8
CEREBROVASCULAR DISEASES (I60-I69)	395	34.8	ALZHEIMER'S DISEASE (G30)	363	30.0
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	310	27.3	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	352	29.1
DIABETES MELLITUS (E10-E14)	280	24.7	DIABETES MELLITUS (E10-E14)	327	27.0
HIV (B20-B24)	276	24.3	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	236	19.5
HOMICIDE (X85-Y09, Y87.1)	174	15.3	INFLUENZA & PNEUMONIA (J10-J18)	195	16.1
ALZHEIMER'S DISEASE (G30)	172	15.2	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	169	14.0
INFLUENZA & PNEUMONIA(J10-J18)	167	14.7	HIV (B20-B24)	144	11.9
ALL CAUSES	9110	802.5	ALL CAUSES	9108	752.3

Note: *: Sex was not available in 4 deaths

** : Rates per 100,000 population in specified group

***: Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)

****:Symptoms, Signs & Abnormal Clinical/Lab Findings, NEC (R00-R99)

*****:Other Diseases of Respiratory System (J00-J06,J30-J39,J67,J70-J98)

Table 2-3. Five Leading Causes of Death by Age Group, Miami-Dade County, 2003

Cause of Death (ICD-10-CODE)	Number	Rate*
1-4 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	15	12.2
HOMICIDE (X85-Y09, Y87.1)	4	3.2
MALIGNANT NEOPLASMS (C00-C97)	4	3.2
CONGENITAL MALFORMATIONS/DEFORMATIONS & CHROMOSOMAL ABNORM (Q00-Q99)	3	2.4
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	3	2.4
5-14 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	18	5.6
MALIGNANT NEOPLASMS (C00-C97)	8	2.5
CONGENITAL MALFORMATIONS/DEFORMATIONS & CHROMOSOMAL ABNORM (Q00-Q99)	2	0.6
HOMICIDE (X85-Y09, Y87.1)	2	0.6
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	2	0.6
15-24 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	100	31.6
HOMICIDE (X85-Y09, Y87.1)	54	17.1
SUICIDE (X60-X84, Y87.0)	22	6.9
MALIGNANT NEOPLASMS (C00-C97)	15	4.7
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	14	4.4
25-34 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	90	27.0
HOMICIDE (X85-Y09, Y87.1)	64	19.2
HIV (B20-B24)	46	13.8
MALIGNANT NEOPLASMS (C00-C97)	29	8.7
SUICIDE (X60-X84, Y87.0)	27	8.1
35-44 years		
HIV (B20-B24)	142	38.5
MALIGNANT NEOPLASMS (C00-C97)	130	35.2
HEART DISEASES (I00-I09, I11, I13, I20-I51)	87	23.6
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	85	23.0
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	51	13.8
45-54 years		
MALIGNANT NEOPLASMS (C00-C97)	371	120.1
HEART DISEASES (I00-I09, I11, I13, I20-I51)	265	85.8
HIV (B20-B24)	150	48.6
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	89	28.8
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	55	17.8

*: Rates per 100,000 population in specific group

Table 2-3. (cont'd) Five Leading Causes of Death by Age Group, Miami-Dade County, 2003

Cause of Death (ICD-10-CODE)	Number	Rate*
55-64 years		
MALIGNANT NEOPLASMS (C00-C97)	677	302.6
HEART DISEASES (I00-I09, I11, I13, I20-I51)	505	225.7
DIABETES MELLITUS (E10-E14)	78	34.9
CEREBROVASCULAR DISEASES (I60-I69)	69	30.8
CHRONIC LIVER DIS & CIRRHOSIS (K70, K73-K74)	60	26.8
65-74 years		
MALIGNANT NEOPLASMS (C00-C97)	1003	601.7
HEART DISEASES (I00-I09, I11, I13, I20-I51)	918	550.7
CEREBROVASCULAR DISEASES (I60-I69)	158	94.8
DIABETES MELLITUS (E10-E14)	134	80.4
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	100	60.0
75+ years		
HEART DISEASES (I00-I09,I11,I13,I20-I51)	4090	2755.7
MALIGNANT NEOPLASMS (C00-C97)	1709	1151.5
CEREBROVASCULAR DISEASES (I60-I69)	672	452.8
ALZHEIMER'S DISEASE (G30)	496	334.2
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	487	328.1

*: Rates per 100,000 population in specific group

**Table 2-4a. Age-Adjusted Death Rates for Selected Leading Causes of Death
Miami-Dade County, 1999**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate**	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	294.7	281.9	313.0	329.3	347.0	225.2	330.5	271.0	189.2	388.9	170.7	278.0	179.5	325.0
MALIGNANT NEOPLASMS (C00-C97)	182.0	176.6	211.0	212.7	189.4	145.0	199.9	172.2	136.3	264.8	113.4	160.2	124.3	198.5
CEREBROVASCULAR DISEASES (I60-I69)	45.7	44.0	44.9	47.3	50.8	33.7	48.0	39.6	34.5	74.4	42.3	68.1	38.6	71.4
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	37.9	36.2	46.9	49.6	42.9	29.2	44.8	36.8	16.4	37.7	14.6	22.2	15.5	27.7
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	31.5	31.2	43.7	44.3	19.7	17.1	31.3	29.6	47.3	60.2	17.9	20.5	31.9	37.9
DIABETES MELLITUS (E10-E14)	26.2	25.2	26.6	27.2	27.7	19.4	27.1	22.7	18.4	31.5	27.3	39.6	23.1	36.5
HIV/AIDS (B20-B24)	23.3	23.4	18.0	17.8	2.5	2.6	10.0	10.0	79.3	92.6	53.6	54.9	65.9	71.5
INFLUENZA & PNEUMONIA (J10-J18)	21.6	20.6	22.9	24.9	26.7	17.2	24.9	20.1	12.4	23.7	9.8	16.2	11.1	19.7
SUICIDE (X60-X84, Y87.0)	11.0	10.8	19.5	19.4	5.9	5.4	12.5	11.6	11.6	13.3	1.1	1.1	6.1	6.6
NNS & N (N00-N07, N17-N19, N25-N27)***	12.9	12.3	13.5	14.4	11.6	8.0	12.5	10.3	14.4	31.9	13.5	20.3	13.9	24.4
HOMICIDE (X85-Y09, Y87.1)	10.0	9.8	9.8	9.5	2.1	2.1	5.8	5.7	42.5	40.4	5.8	5.4	23.3	21.9

*AADR: Age-Adjusted Death Rates per 100,000 population

**Rate: per 100,000 population

***NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

**Table 2-4b. Age-Adjusted Death Rates for Selected Leading Causes of Death
Miami-Dade County, 2000**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate**	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	284.4	270.7	310.5	327.6	326.4	212.2	318.7	261.3	174.8	355.2	172.3	265.0	173.5	301.7
MALIGNANT NEOPLASMS (C00-C97)	172.4	166.3	201.3	202.5	166.0	126.0	183.1	156.9	152.7	294.6	123.6	170.1	137.6	216.0
CEREBROVASCULAR DISEASES (I60-I69)	41.4	39.6	39.0	41.2	47.9	31.4	43.6	35.7	29.5	54.5	39.0	58.7	34.5	57.8
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	30.0	28.7	33.4	34.9	38.3	26.0	35.9	29.7	14.6	28.4	7.5	11.4	10.9	18.1
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	34.3	33.8	45.4	45.8	23.3	19.3	34.0	31.6	54.3	63.6	18.3	20.7	35.4	39.1
DIABETES MELLITUS (E10-E14)	23.0	22.0	23.2	23.5	23.7	16.9	23.5	19.7	20.1	42.1	22.9	35.8	21.6	38.0
HIV/AIDS (B20-B24)	21.3	21.4	13.7	13.3	3.3	3.3	8.3	8.2	81.5	93.6	46.6	47.9	63.2	68.5
INFLUENZA & PNEUMONIA (J10-J18)	17.3	16.4	16.9	18.5	23.3	14.8	20.2	16.3	7.9	15.0	8.2	13.3	8.1	14.3
SUICIDE (X60-X84, Y87.0)	9.7	9.5	18.7	18.5	3.3	2.9	10.8	10.0	11.0	13.2	1.8	1.9	6.2	6.5
NNS & N (N00-N07, N17-N19, N25-N27)***	14.5	13.9	17.5	18.9	13.6	9.1	15.5	12.8	8.7	18.2	14.0	21.0	11.4	19.6
HOMICIDE (X85-Y09, Y87.1)	8.9	8.9	6.8	6.8	2.8	2.7	4.8	4.7	41.7	40.0	4.3	4.4	22.1	20.4

*AADR: Age-Adjusted Death Rates per 100,000 population

**Rate: per 100,000 population

***NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

**Table 2-4c. Age-Adjusted Death Rates for Selected Leading Causes of Death
Miami-Dade County, 2001**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate**	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	294.4	280.8	309.6	325.1	338.0	222.7	324.2	266.9	202.7	425.2	195.9	298.7	199.2	346.7
MALIGNANT NEOPLASMS (C00-C97)	169.3	162.8	201.5	201.0	167.6	128.0	184.1	157.7	144.9	272.6	101.1	134.7	122.0	186.0
CEREBROVASCULAR DISEASES (I60-I69)	42.6	40.9	36.5	39.0	50.8	34.3	43.9	36.3	30.1	59.1	46.4	69.6	38.6	66.4
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	31.6	30.2	34.0	35.5	39.6	27.1	36.9	30.5	17.3	33.7	12.3	18.7	14.7	24.6
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	31.9	31.4	44.4	44.1	20.6	17.6	32.2	30.4	47.0	51.9	16.5	18.6	31.1	34.1
DIABETES MELLITUS (E10-E14)	24.5	23.5	24.3	24.4	25.8	18.6	25.1	21.1	19.7	36.1	25.3	36.9	22.6	36.9
HIV/AIDS (B20-B24)	20.4	20.4	14.8	14.5	2.6	2.6	8.5	8.4	69.0	79.8	48.8	50.4	58.4	63.6
INFLUENZA & PNEUMONIA (J10-J18)	19.2	18.1	18.9	20.8	25.4	16.1	22.2	17.9	11.6	26.4	7.7	11.4	9.6	16.7
SUICIDE (X60-X84, Y87.0)	9.5	9.4	18.9	18.7	3.5	3.3	11.0	10.3	8.9	9.4	1.4	1.4	5.0	5.1
NNS & N (N00-N07, N17-N19, N25-N27)***	14.0	13.4	15.0	16.0	13.8	9.5	14.4	11.9	12.3	30.2	13.3	20.1	12.9	23.2
HOMICIDE (X85-Y09, Y87.1)	8.9	8.9	8.5	8.2	2.7	2.7	5.5	5.4	35.8	36.5	5.3	5.2	19.8	19.5

*AADR: Age-Adjusted Death Rates per 100,000 population

**Rate: per 100,000 population

***NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

**Table 2-4d. Age-Adjusted Death Rates for Selected Leading Causes of Death
Miami-Dade County, 2002**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate**	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	266.7	249.5	290.0	296.7	297.3	191.0	293.8	237.4	179.1	354.4	181.9	266.4	180.5	302.3
MALIGNANT NEOPLASMS (C00-C97)	165.0	156.1	192.9	189.6	170.5	127.7	181.4	153.0	125.2	237.2	101.3	134.1	112.7	172.4
CEREBROVASCULAR DISEASES (I60-I69)	42.9	40.2	35.5	36.4	52.5	34.8	44.3	36.0	34.5	64.8	41.8	61.7	38.4	63.9
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	29.0	27.2	33.9	34.6	34.1	22.4	34.0	27.5	19.0	37.0	8.0	11.7	13.2	21.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	32.6	32.0	48.7	48.6	21.1	18.0	34.6	32.4	40.2	45.6	13.8	16.1	26.6	30.0
DIABETES MELLITUS (E10-E14)	23.3	22.0	23.7	23.9	23.0	16.3	23.4	19.3	19.4	33.8	26.6	37.3	23.2	36.2
HIV/AIDS (B20-B24)	17.7	17.8	10.6	10.4	2.9	2.7	6.6	6.5	70.2	80.1	37.3	39.0	53.0	57.7
INFLUENZA & PNEUMONIA (J10-J18)	16.0	14.9	16.2	17.2	20.1	12.9	18.2	14.6	9.5	19.1	8.0	10.8	8.7	13.8
SUICIDE (X60-X84, Y87.0)	9.3	9.1	16.6	16.2	5.5	5.0	10.9	10.1	7.2	7.5	1.7	1.7	4.3	4.4
NNS & N (N00-N07, N17-N19, N25-N27)***	12.4	11.6	13.7	14.1	11.9	7.9	12.8	10.3	11.4	21.2	11.1	15.4	11.2	17.6
HOMICIDE (X85-Y09, Y87.1)	9.2	9.2	7.5	7.4	2.9	3.1	5.1	5.2	37.6	35.7	8.0	7.7	22.1	20.9

*AADR: Age-Adjusted Death Rates per 100,000 population

**Rate: per 100,000 population

***NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

**Table 2-4e. Age-Adjusted Death Rates for Selected Leading Causes of Death
Miami-Dade County, 2003**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate**	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	251.9	235.4	271.0	279.0	287.6	185.4	279.5	225.9	160.5	306.9	167.0	247.4	163.9	273.9
MALIGNANT NEOPLASMS (C00-C97)	168.2	159.5	198.1	194.6	166.0	125.1	181.7	153.5	129.8	231.2	121.7	158.9	125.5	186.1
CEREBROVASCULAR DISEASES (I60-I69)	41.0	38.4	35.5	36.6	48.4	31.4	42.1	34.0	32.5	59.6	41.9	62.6	37.4	62.8
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	28.2	26.4	31.3	32.2	35.8	23.5	33.6	27.1	14.2	28.6	8.2	11.8	11.1	18.3
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	30.3	29.6	42.3	42.6	20.6	17.3	31.1	29.1	40.0	46.4	16.0	17.6	27.5	30.6
DIABETES MELLITUS (E10-E14)	25.9	24.5	26.3	26.4	26.9	19.3	26.6	22.2	19.4	35.5	27.3	38.6	23.5	37.3
HIV/AIDS (B20-B24)	17.9	17.9	13.0	12.8	2.1	2.0	7.4	7.2	61.0	69.6	42.6	44.8	51.4	56.0
INFLUENZA & PNEUMONIA (J10-J18)	15.4	14.4	16.0	17.1	19.4	12.1	17.8	14.1	10.5	20.6	5.8	7.6	8.0	12.4
SUICIDE (X60-X84, Y87.0)	8.2	8.0	16.4	16.0	2.5	2.4	9.2	8.7	8.6	9.6	1.4	1.3	4.8	5.1
NNS & N (N00-N07, N17-N19, N25-N27)***	14.2	13.3	14.7	15.6	13.4	8.9	14.1	11.3	13.5	26.8	15.7	21.9	14.6	23.6
HOMICIDE (X85-Y09, Y87.1)	8.9	8.8	7.4	7.2	2.5	2.6	4.9	4.8	41.1	39.1	3.4	3.2	21.6	20.2

*AADR: Age-Adjusted Death Rates per 100,000 population

**Rate: per 100,000 population

***NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

**Table 2-5. Selected Deaths among People Aged 25-44 Years by Race
Miami-Dade County, 1994-2003**

Selected Cause Of Death	Year	White		Nonwhite		All Race	
		Number	Rate*	Number	Rate*	Number	Rate*
HIV/AIDS (ICD9CODE: 42-44) (ICD10CODE: B20-B24)	1994	411	82.8	385	247.8	796	122.1
	1995	361	72.1	400	256.5	761	115.9
	1996	222	43.5	314	199.3	536	80.3
	1997	127	24.6	214	134.1	341	50.4
	1998	87	16.7	163	101.6	250	36.7
	1999	94	17.8	214	133.2	308	44.8
	2000	78	14.5	180	111.4	258	36.9
	2001	84	15.7	155	95.3	239	34.3
	2002	49	9.3	135	82.6	184	26.6
	2003	51	9.5	137	82.6	188	26.8
Accident (ICD9CODE: E800-E949) (ICD10CODE: V01-X59, Y85-Y86)	1994	146	29.4	58	37.3	204	31.3
	1995	149	29.8	47	30.1	196	29.9
	1996	123	24.1	59	37.5	182	27.3
	1997	154	29.8	51	32.0	205	30.3
	1998	162	31.1	59	36.8	221	32.5
	1999	138	26.2	49	30.5	187	27.2
	2000	173	32.2	53	32.8	226	32.3
	2001	164	15.7	43	95.3	207	34.3
	2002	177	33.4	43	26.3	220	31.8
	2003	133	24.8	42	25.3	175	24.9
Cancer (ICD9CODE: 140-208) (ICD10CODE: C00-C97)	1994	122	24.6	68	43.8	190	29.1
	1995	133	26.6	47	30.1	180	27.4
	1996	134	26.3	59	37.5	193	28.9
	1997	123	23.8	50	31.3	173	25.6
	1998	111	21.3	49	30.5	160	23.5
	1999	122	23.1	51	31.8	173	25.2
	2000	103	19.1	61	37.7	164	23.4
	2001	123	15.7	47	95.3	170	34.3
	2002	91	17.2	44	26.9	135	19.5
	2003	113	21.1	46	27.7	159	22.6
Heart Disease (ICD9CODE: 390-398, 402, 404-429) (ICD10CODE: I00-I09, I11, I13, I20-I51)	1994	71	14.3	57	36.7	128	19.6
	1995	77	15.4	60	38.5	137	20.9
	1996	64	12.5	45	28.6	109	16.3
	1997	54	10.5	57	35.7	111	16.4
	1998	67	12.9	58	36.2	125	18.4
	1999	66	12.5	61	38.0	127	18.5
	2000	78	14.5	54	33.4	132	18.9
	2001	67	15.7	72	95.3	139	34.3
	2002	67	12.7	55	33.6	122	17.6
	2003	61	11.4	49	29.5	110	15.7
Homicide (ICD9CODE: E960-E977), (ICD10CODE: X85-Y09, Y87.1)	1994	67	13.5	110	70.8	177	27.2
	1995	73	14.6	77	49.4	150	22.8
	1996	67	13.1	83	52.7	150	22.5
	1997	63	12.2	75	47.0	138	20.4
	1998	64	12.3	71	44.3	135	19.8
	1999	50	9.5	54	33.6	104	15.1
	2000	34	6.3	55	34.0	89	12.7
	2001	45	15.7	44	95.3	89	34.3
	2002	31	5.9	59	36.1	90	13.0
	2003	43	8.0	58	35.0	101	14.4

*Rate per 100,000 population in specified group

Section 2: Mortality

Table 2-6. Female Breast and Cervical Cancer Deaths, Miami-Dade County, 2000-2003

Age Group (yrs.)	Breast Cancer						Cervical Cancer					
	White		Nonwhite		All Races		White		Nonwhite		All Races	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
2000												
25-34	0	0.0	1	2.4	1	0.6	1	0.8	2	4.8	3	1.8
35-44	10	7.2	5	11.3	15	8.1	8	5.7	3	6.8	11	6.0
45-54	22	19.3	22	64.7	44	29.7	5	4.4	7	20.6	12	8.1
55-64	34	38.0	14	67.9	48	43.6	3	3.4	4	19.4	7	6.4
65-74	55	71.9	15	110.0	70	77.7	3	3.9	1	7.3	4	4.4
75-84	62	115.1	10	146.9	72	118.6	2	3.7	2	29.4	4	6.6
85+	43	176.2	5	216.0	48	179.6		0.0	2	86.4	2	7.5
All	226	25.5	72	25.8	298	25.6	22	2.5	21	7.5	43	3.7
2001												
25-34	4	3.2	0	0.0	4	2.4	1	0.8	0	0.0	1	0.6
35-44	16	11.4	6	13.5	22	11.9	3	2.1	2	4.5	5	2.7
45-54	32	27.2	15	42.0	47	30.7	3	2.6	4	11.2	7	4.6
55-64	41	44.6	8	36.9	49	43.1	4	4.4	3	13.8	7	6.2
65-74	50	65.5	12	86.1	62	68.6	3	3.9	5	35.9	8	8.9
75-84	52	94.8	5	70.4	57	92.0	4	7.3	0	0.0	4	6.5
85+	37	152.0	0	0.0	37	138.4	1	4.1	0	0.0	1	3.7
All	232	25.9	46	16.2	278	23.6	19	2.1	14	4.9	33	2.8
2002												
25-34	1	0.8	1	2.4	2	1.2	1	0.8	0	0.0	1	0.6
35-44	13	9.3	6	13.5	19	10.3	5	3.6	5	11.2	10	5.4
45-54	30	24.7	17	45.2	47	29.6	5	4.1	2	5.3	7	4.4
55-64	44	46.6	13	57.0	57	48.6	2	2.1	4	17.5	6	5.1
65-74	56	73.0	13	90.8	69	75.8	4	5.2	2	14.0	6	6.6
75-84	62	109.8	5	67.0	67	104.8	4	7.1	1	13.4	5	7.8
85+	41	162.7	3	116.8	44	158.4	2	7.9	0	0.0	2	7.2
All	247	27.3	58	20.1	305	25.6	23	2.5	14	4.8	37	3.1
2003												
25-34	1	0.8	0	0.0	1	0.6	3	2.4	1	2.3	4	2.4
35-44	10	7.0	8	17.7	18	9.6	6	4.2	3	6.6	9	4.8
45-54	31	25.2	21	55.0	52	32.2	9	7.3	5	13.1	14	8.7
55-64	50	52.2	22	95.1	72	60.5	6	6.3	1	4.3	7	5.9
65-74	55	70.7	12	82.6	67	72.6	2	2.6	0	0.0	2	2.2
75-84	63	110.0	8	105.6	71	109.5	2	3.5	2	26.4	4	6.2
85+	36	140.8	3	115.1	39	138.4	2	7.8	2	76.7	4	14.2
All	246	26.8	74	25.2	320	26.4	30	3.3	14	4.8	44	3.6

*Rate per 100,000 population in specified group

Figure 2-1. Cause-Specific Death Rates for Persons 25-44 Years of Age, Miami-Dade County, 1994-2003





Figure 2-2. Female Breast Cancer Deaths by Race, Miami-Dade County, 1990-2003






Table 2-7a. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 1999

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	74.5	0	191	490	3364	8214	3141	751	156	16381.5	790.1
MALIGNANT NEOPLASMS (C00-C97)	0	363	1094	1005	1393	4990	8463	10269	5241	32818	1582.8
<i>BREAST CANCER (C50)</i>	0	0	0	0	45	738	1217	1010	317	3327	160.5
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	90	559	115	135	61	960	46.3
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	0	86	404	784	1135	634	3043	146.8
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	0	534	2004	2804	1485	6827	329.3
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	0	113	164	283	560	27.0
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	447	146	131	880	1134	4423	8188	9114	6256	30719	1481.6
<i>HEART DISEASES (I00-I09, I11, I13, I20-I51)</i>	372.5	73	131	718	1005	3570	6556	7349	5097	24871.5	1199.6
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	74.5	73	0	108	129	605	1156	1136	751	4032.5	194.5
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	0	73	64	59	88	140	445	878	784	2531	122.1
DIABETES MELLITUS (E10-E14)	0	0	0	0	42	246	828	1322	725	3163	152.6
INFLUENZA & PNEUMONIA (J10-J18)	149	74	0	51	0	386	344	423	271	1698	81.9
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	149	0	0	52	44	190	283	459	273	1450	69.9
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	0	43	482	947	663	360	2495	120.3
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	298	1239	1171	5135	3576	3891	2485	920	327	19042	918.4
<i>MOTOR VEHICLE ACCIDENTS***</i>	74.5	221	581	3544	2083	1659	1183	444	124	9913.5	478.1
HOMICIDE (X85-Y09, Y87.1)	223.5	294	192	2883	2531	1760	622	276	45	8826.5	425.7
SUICIDE (X60-X84, Y87.0)	0	0	122	872	1445	1352	1232	472	133	5628	271.4
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P9)	5885.5	148	0	0	0	0	0	0	0	6033.5	291.0
ALL OTHERS	4842.5	945	1594	2229	3125	5184	4560	3400	1820	27699.5	1336.0
TOTAL	12069	3282	4559	13656	16785	31258	31538	28947	16391	158485	7643.9

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MALE POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)

Table 2-7b. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2000

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	74.5	72	138	434	3386	6418	3641	754	129	15046.5	711.3
MALIGNANT NEOPLASMS (C00-C97)	74.5	361	384	1398	1654	4359	7740	9559	5248	30777.5	1454.9
<i>BREAST CANCER (C50)</i>	0	0	0	0	41	522	1101	764	348	2776	131.2
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	130	381	301	116	10	938	44.3
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	52	128	421	811	933	443	2788	131.8
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	44	806	1660	2573	1439	6522	308.3
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	0	50	258	301	609	28.8
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	447	147	134	592	1197	4358	8422	9042	6028	30367	1435.5
<i>HEART DISEASES (I00-I09, I11, I13, I20-I51)</i>	447	147	70	486	938	3828	6811	7572	4859	25158	1189.2
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	0	0	64	51	172	369	1104	1092	759	3611	170.7
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	0	0	134	60	0	212	454	749	653	2262	106.9
DIABETES MELLITUS (E10-E14)	0	0	65	57	47	244	609	1197	649	2868	135.6
INFLUENZA & PNEUMONIA (J10-J18)	0	0	0	51	41	254	317	270	190	1123	53.1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	223.5	0	0	56	92	143	359	346	277	1496.5	70.7
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	53	43	482	1127	560	238	2503	118.3
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	447	1310	1369	5299	4725	4317	2407	902	305	21081	996.5
<i>MOTOR VEHICLE ACCIDENTS***</i>	74.5	435	591	3398	2534	2060	999	464	107	10662.5	504.0
HOMICIDE (X85-Y09, Y87.1)	149	293	187	2403	2309	1400	1005	160	36	7942	375.4
SUICIDE (X60-X84, Y87.0)	0	0	62	907	1056	1234	974	565	171	4969	234.9
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	7077.5	0	0	0	0	0	0	0	0	7077.5	334.6
ALL OTHERS	5364	951	433	2692	2988	4401	5059	3328	2013	27229	1287.1
TOTAL	13857	3134	2906	14002	17538	27822	32114	27432	15937	154742	7314.8

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MEN POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)

Table 2-7c. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2001

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	0	0	270	446	2969	6015	3480	989	109	14278	665.7
MALIGNANT NEOPLASMS (C00-C97)	0	216	325	791	1813	4511	8038	9925	5328	30947	1442.9
<i>BREAST CANCER (C50)</i>	0	0	0	0	173	750	1193	716	358	3190	148.7
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	43	176	182	119	57	577	26.9
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	0	175	527	1005	1109	598	3414	159.2
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	41	684	1569	2506	1424	6224	290.2
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	0	92	331	360	783	36.5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	447	294	61	546	1550	4857	8876	9682	6243	32556	1517.9
<i>HEART DISEASES (I00-I09,I11,I13,I20-I51)</i>	372.5	294	61	439	1324	3735	7055	8055	5355	26690.5	1244.4
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	74.5	0	0	0	132	803	1366	1223	596	4194.5	195.6
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	0	0	63	0	135	349	617	665	671	2500	116.6
DIABETES MELLITUS (E10-E14)	0	0	0	105	88	508	740	1122	726	3289	153.3
INFLUENZA & PNEUMONIA (J10-J18)	74.5	0	0	0	181	174	244	248	273	1194.5	55.7
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	74.5	0	0	55	43	183	355	331	339	1380.5	64.4
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	55	42	546	673	754	254	2324	108.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	745	804	1866	4825	4609	3754	2723	1054	403	20783	969.0
<i>MOTOR VEHICLE ACCIDENTS***</i>	74.5	221	1161	3805	2901	1796	1152	433	164	11707.5	545.8
HOMICIDE (X85-Y09, Y87.1)	298	147	264	2645	2113	1527	593	272	69	7928	369.6
SUICIDE (X60-X84, Y87.0)	0	0	65	833	1263	1362	1146	432	131	5232	243.9
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	7524.5	0	0	0	0	0	0	0	0	7524.5	350.8
ALL OTHERS	4917	1018	915	2049	3044	4557	4948	3224	1894	26566	1238.6
TOTAL	14080.5	2479	3829	12350	17850	28343	32433	28698	16440	156502.5	7296.7

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MALE POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2)

Table 2-7. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2002

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	0	0	199	274	1804	5024	3746	916	104	12067	557.1
MALIGNANT NEOPLASMS (C00-C97)	0	217	660	613	1198	3713	8131	9233	5222	28987	1338.2
<i>BREAST CANCER (C50)</i>	0	0	0	0	84	649	1160	895	367	3155	145.6
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	44	359	184	96	31	714	33.0
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	0	83	239	802	996	619	2739	126.4
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	48	449	1597	2482	1383	5959	275.1
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	31	72	191	301	595	27.5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	521.5	146	69	444	1380	4226	9044	9746	5661	31237.5	1442.1
<i>HEART DISEASES (I00-I09,I11,I13,I20-I51)</i>	372.5	146	69	278	927	3509	6963	7823	4678	24765.5	1143.3
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	149	0	0	106	221	581	1656	1345	637	4695	216.7
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	74.5	73	0	118	47	138	517	707	571	2245.5	103.7
DIABETES MELLITUS (E10-E14)	0	0	0	0	225	283	907	1146	541	3102	143.2
INFLUENZA & PNEUMONIA (J10-J18)	0	73	0	55	134	282	400	402	148	1494	69.0
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	149	0	67	51	91	241	230	458	296	1583	73.1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	0	0	338	923	589	302	2152	99.3
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	745	654	719	5208	4193	4547	2825	988	374	20253	935.0
<i>MOTOR VEHICLE ACCIDENTS***</i>	149	217	337	4282	2469	2556	1155	536	155	11856	547.3
HOMICIDE (X85-Y09, Y87.1)	74.5	147	193	3807	2011	1678	569	249	32	8760.5	404.4
SUICIDE (X60-X84, Y87.0)	0	0	61	947	1312	1216	958	555	143	5192	239.7
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	6779.5	0	0	0	0	0	0	0	0	6779.5	313.0
ALL OTHERS	5811	511	914	2113	2862	5034	3951	3153	1757	26106	1205.2
TOTAL	14155	1821	2882	13630	15257	26720	32201	28142	15151	149959	6922.7

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MALE POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2)

Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2003

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	0	0	0	258	2034	4963	3894	825	112	12086	548.1
MALIGNANT NEOPLASMS (C00-C97)	0	289	530	822	1298	4471	9216	10102	5131	31859	1444.8
<i>BREAST CANCER (C50)</i>	0	0	0	0	47	615	1303	1092	401	3458	308.4
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	180	327	362	105	5	979	87.3
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	0	86	311	989	1223	477	3086	140.0
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	0	438	1960	2388	1379	6165	279.6
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	0	27	284	233	544	50.2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	820	218	137	482	1206	3771	8148	9155	5446	29383	1332.5
<i>HEART DISEASES (I00-I09,I11,I13,I20-I51)</i>	820	146	70	269	1035	2992	6599	7623	4425	23979	1087.5
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	0	72	67	107	130	482	1052	1063	694	3667	166.3
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	0	0	65	0	47	133	328	833	473	1879	85.2
DIABETES MELLITUS (E10-E14)	0	0	0	107	446	384	1130	1194	636	3897	176.7
INFLUENZA & PNEUMONIA (J10-J18)	149	0	0	108	179	31	355	219	164	1205	54.6
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	0	0	0	51	0	141	326	313	364	1195	54.2
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	57	174	450	1272	920	214	3087	140.0
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	820	1089	1182	5544	4146	3001	2259	875	353	19269	873.8
<i>MOTOR VEHICLE ACCIDENTS***</i>	149	216	723	4718	3280	1701	1240	432	154	12613	572.0
HOMICIDE (X85-Y09, Y87.1)	75	294	122	2956	2933	1319	663	200	11	8573	388.8
SUICIDE (X60-X84, Y87.0)	0	0	0	1192	1211	1436	572	412	159	4982	225.9
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	7450	74	0	0	0	0	0	0	0	7524	341.2
ALL OTHERS	4992	951	813	2115	3517	4869	5588	3630	1925	28400	1288.0
TOTAL	14304	2915	2849	13692	17191	24969	33751	28678	14988	153337	6954.0

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MALE POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2)

Figure 2-4. Years of Potential Life Lost Prior to Age 75 for Selected Leading Causes of Death, Miami-Dade County, 2003




Figure 2-5. Years of Potential Life Lost Prior to Age 75 for Selected Causes of Death, Miami-Dade County, 1990-2003

