

Table 2-1. Deaths and Crude Death Rates (per 100,000 population) for Ten Leading Causes of Death, Miami-Dade County and Florida, 2002

Cause of Death (ICD-10-Code in Parenthesis)	Miami-Dade				Florida	
	Rank	Number	Rate	Percent	Rank	Rate
HEART DISEASES (I00-I09,I11,I13,I20-I51)	1	6168	266.3	34.2	1	293.7
MALIGNANT NEOPLASMS (C00-C97)	2	3815	164.7	21.2	2	233.0
CEREBROVASCULAR DISEASES (I60-I69)	3	991	42.8	5.5	3	61.3
UNINTENTIONAL INJURIES (V01-X59,Y85-Y86)	4	755	32.6	4.2	5	44.1
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	5	671	29.0	3.7	4	54.1
DIABETES MELLITUS (E10-E14)	6	539	23.3	3.0	6	27.4
ALZHEIMER'S DISEASE (G30)	7	435	18.8	2.4	7	24.1
HIV (B20-B24)	8	410	17.7	2.3	13	10.3
INFLUENZA & PNEUMONIA (J10-J18)	9	369	15.9	2.0	8	19.6
NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	287	12.4	1.6	10	13.3
ALL OTHER CAUSES		3577	154.4	19.9		
ALL CAUSES		18017	777.7	100.0	167702	1003.8

Table 2-2. Ten Leading Causes of Death by Race and Sex*, Miami-Dade County, 2002

Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**	Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**
All White			All Nonwhite		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	5170	322.7	HEART DISEASES (I00-I09, I11, I13, I20-I51)	998	139.7
MALIGNANT NEOPLASMS (C00-C97)	3192	199.2	MALIGNANT NEOPLASMS (C00-C97)	623	87.2
CEREBROVASCULAR DISEASES (I60-I69)	779	48.6	HIV (B20-B24)	293	41.0
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	608	37.9	CEREBROVASCULAR DISEASES (I60-I69)	212	29.7
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	598	37.3	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	147	20.6
DIABETES MELLITUS (E10-E14)	411	25.7	DIABETES MELLITUS (E10-E14)	128	17.9
ALZHEIMER'S DISEASE (G30)	401	25.0	HOMICIDE (X85-Y09, Y87.1)	122	17.1
INFLUENZA & PNEUMONIA (J10-J18)	321	20.0	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	73	10.2
NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	225	14.0	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	62	8.7
SUICIDE (X60-X84, Y87.0)	192	12.0	INFLUENZA & PNEUMONIA (J10-J18)	48	6.7
ALL CAUSES	14640	913.7	ALL CAUSES	3377	472.8
White Male			Nonwhite Male		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2481	318.3	HEART DISEASES (I00-I09, I11, I13, I20-I51)	472	138.2
MALIGNANT NEOPLASMS (C00-C97)	1650	211.7	MALIGNANT NEOPLASMS (C00-C97)	330	96.7
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	417	53.5	HIV (B20-B24)	185	54.2
CEREBROVASCULAR DISEASES (I60-I69)	304	39.0	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	106	31.0
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	290	37.2	HOMICIDE (X85-Y09, Y87.1)	99	29.0
DIABETES MELLITUS (E10-E14)	203	26.0	CEREBROVASCULAR DISEASES (I60-I69)	91	26.7
SUICIDE (X60-X84, Y87.0)	142	18.2	DIABETES MELLITUS (E10-E14)	51	14.9
INFLUENZA & PNEUMONIA (J10-J18)	139	17.8	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	50	14.6
NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	117	15.0	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	30	8.8
ALZHEIMER'S DISEASE (G30)	109	14.0	CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	29	8.5
ALL CAUSES	7183	921.4	ALL CAUSES	1757	514.6

Note: *: Sex not stated for 1 death

** : Rates per 100,000 population in specified group

***: Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)

Table 2-2. (cont'd) Ten Leading Causes of Death by Race and Sex*, Miami-Dade County, 2002

Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**	Cause of Death (ICD-10-Code in Parenthesis)	Number	Rate**
White Female			Nonwhite Female		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2688	326.7	HEART DISEASES (I00-I09, I11, I13, I20-I51)	526	141.1
MALIGNANT NEOPLASMS (C00-C97)	1542	187.4	MALIGNANT NEOPLASMS (C00-C97)	293	78.6
CEREBROVASCULAR DISEASES (I60-I69)	475	57.7	CEREBROVASCULAR DISEASES (I60-I69)	121	32.5
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	308	37.4	HIV (B20-B24)	108	29.0
ALZHEIMER'S DISEASE (G30)	292	35.5	DIABETES MELLITUS (E10-E14)	77	20.7
DIABETES MELLITUS (E10-E14)	208	25.3	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	40	10.7
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	191	23.2	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	32	8.6
INFLUENZA & PNEUMONIA (J10-J18)	182	22.1	HYPERTENSION & HYPERTENSIVE RENAL DIS (I10, I12)	26	7.0
NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	108	13.1	ALZHEIMER'S DISEASE (G30)	24	6.4
SEPTICEMIA (A40-A41)	96	11.7	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)****	23	6.2
ALL CAUSES	7459	906.6	ALL CAUSES	1696	454.9
Males (white and nonwhite)			Females (white and nonwhite)		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2953	263.4	HEART DISEASES (I00-I09, I11, I13, I20-I51)	3214	268.8
MALIGNANT NEOPLASMS (C00-C97)	1980	176.6	MALIGNANT NEOPLASMS (C00-C97)	1835	153.5
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	523	46.7	CEREBROVASCULAR DISEASES (I60-I69)	596	49.8
CEREBROVASCULAR DISEASES (I60-I69)	395	35.2	CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	331	27.7
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	340	30.3	ALZHEIMER'S DISEASE (G30)	316	26.4
HIV (B20-B24)	276	24.6	DIABETES MELLITUS (E10-E14)	285	23.8
DIABETES MELLITUS (E10-E14)	254	22.7	UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	231	19.3
INFLUENZA & PNEUMONIA (J10-J18)	164	14.6	INFLUENZA & PNEUMONIA (J10-J18)	205	17.1
HOMICIDE (X85-Y09, Y87.1)	163	14.5	NEPHRITIS/NEPHROTIC SYN. & NEP. (N00-N07, N17-N19, N25-N27)***	140	11.7
SUICIDE (X60-X84, Y87.0)	161	14.4	HIV (B20-B24)	134	11.2
ALL CAUSES	8940	797.5	ALL CAUSES	9078	759.3

Note: *: Sex not stated for 2 death

** : Rates per 100,000 population in specified group

***: Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)

****HOMICIDE (X85-Y09, Y87.1), INFLUENZA & PNEUMONIA (J10-J18), SEPTICEMIA (A40-A41) had same death numbers

Table 2-3. Five Leading Causes of Death by Age Group, Miami-Dade County, 2002

Cause of Death (ICD-10-CODE)	Number	Rate
1-4 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	9	7.3
MALIGNANT NEOPLASMS (C00-C97)	3	2.4
CONGENITAL MALFORMATIONS/DEFORMATIONS & CHROMOSOMAL ABNORM (Q00-Q99)	2	1.6
HEART DISEASES (I00-I09, I11, I13, I20-I51)	2	1.6
HOMICIDE (X85-Y09, Y87.1)	2	1.6
5-14 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	11	3.4
MALIGNANT NEOPLASMS (C00-C97)	10	3.1
CONGENITAL MALFORMATIONS/DEFORMATIONS & CHROMOSOMAL ABNORM (Q00-Q99)	3	0.9
HIV (B20-B24)	3	0.9
HOMICIDE (X85-Y09, Y87.1)	3	0.9
15-24 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	94	29.9
HOMICIDE (X85-Y09, Y87.1)	70	22.3
SUICIDE (X60-X84, Y87.0)	17	5.4
MALIGNANT NEOPLASMS (C00-C97)	11	3.5
SYMPTOMS, SIGNS & ABNORMAL CLINICAL/LAB FINDINGS, NEC (R00-R99)	7	2.2
25-34 years		
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	92	28.0
HOMICIDE (X85-Y09, Y87.1)	44	13.4
HIV (B20-B24)	41	12.5
SUICIDE (X60-X84, Y87.0)	29	8.8
MALIGNANT NEOPLASMS (C00-C97)	27	8.2
35-44 years		
HIV (B20-B24)	143	39.2
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	128	35.1
MALIGNANT NEOPLASMS (C00-C97)	108	29.6
HEART DISEASES (I00-I09, I11, I13, I20-I51)	101	27.7
HOMICIDE (X85-Y09, Y87.1)	46	12.6
45-54 years		
MALIGNANT NEOPLASMS (C00-C97)	329	108.3
HEART DISEASES (I00-I09, I11, I13, I20-I51)	275	90.6
HIV (B20-B24)	141	46.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	109	35.9
CEREBROVASCULAR DISEASES (I60-I69)	64	21.1

Table 2-3. (cont'd) Five Leading Causes of Death by Age Group, Miami-Dade County, 2002

Cause of Death (ICD-10-CODE)	Number	Rate
55-64 years		
MALIGNANT NEOPLASMS (C00-C97)	609	276.8
HEART DISEASES (I00-I09, I11, I13, I20-I51)	532	241.8
CEREBROVASCULAR DISEASES (I60-I69)	91	41.4
DIABETES MELLITUS (E10-E14)	78	35.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	66	30.0
65-74 years		
MALIGNANT NEOPLASMS (C00-C97)	1021	624.2
HEART DISEASES (I00-I09, I11, I13, I20-I51)	961	587.5
CEREBROVASCULAR DISEASES (I60-I69)	144	88.0
CHRONIC LOWER RESP DIS (J40-J47)	118	72.1
DIABETES MELLITUS (E10-E14)	116	70.9
75+ years		
HEART DISEASES (I00-I09, I11, I13, I20-I51)	4265	2941.9
MALIGNANT NEOPLASMS (C00-C97)	1697	1170.5
CEREBROVASCULAR DISEASES (I60-I69)	666	459.4
CHRONIC LOWER RESP DIS (J40-J47)	474	327.0
ALZHEIMER'S DISEASE (G30)	405	279.4

**Table 2-4. Age-Adjusted Death Rates (per 100,000 population) for Selected Leading Causes of Death
Miami-Dade County, 2002**

Cause of Death (ICD-10-CODE)	All Races		White						Nonwhite					
	Rate	AADR*	Male		Female		All		Male		Female		All	
			Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*	Rate	AADR*
HEART DISEASES (I00-I09, I11,I13, I20-I51)	266.3	252.0	318.3	314.3	326.7	202.2	322.7	251.6	138.2	267.6	141.1	203.0	139.7	229.8
MALIGNANT NEOPLASMS (C00-C97)	164.7	157.1	211.7	201.3	187.4	136.3	199.2	162.9	96.7	180.1	78.6	102.9	87.2	131.9
CEREBROVASCULAR DISEASES (I60-I69)	42.8	40.6	39.0	38.6	57.7	36.9	48.6	38.1	26.7	49.1	32.5	47.0	29.7	48.6
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	29.0	27.5	37.2	36.5	37.4	23.7	37.3	29.1	14.6	28.1	6.2	9.0	10.2	16.4
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	32.6	32.1	53.5	52.9	23.2	19.7	37.9	35.3	31.0	35.2	10.7	12.6	20.6	23.3
DIABETES MELLITUS (E10-E14)	23.3	22.1	26.0	25.3	25.3	17.3	25.7	20.4	14.9	25.7	20.7	28.6	17.9	27.7
HIV/AIDS (B20-B24)	17.7	17.8	11.7	11.4	3.2	3.0	7.3	7.1	54.2	61.2	29.0	29.9	41.0	44.2
INFLUENZA & PNEUMONIA (J10-J18)	15.9	15.1	17.8	18.2	22.1	13.7	20.0	15.5	7.3	14.4	6.2	8.3	6.7	10.5
SUICIDE (X60-X84, Y87.0)	9.3	9.1	18.2	17.6	6.1	5.4	12.0	11.0	5.6	5.7	1.3	1.3	3.4	3.4
NNS & N (N00-N07, N17-N19, N25-N27)**	12.4	11.7	15.0	14.9	13.1	8.3	14.0	10.9	8.8	16.2	8.6	11.8	8.7	13.5
HOMICIDE (X85-Y09, Y87.1)	9.2	9.2	8.2	8.1	3.2	3.4	5.6	5.7	29.0	27.2	6.2	5.9	17.1	16.1

*AADR: Age-Adjusted Death Rates

**NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (N00-N07, N17-N19, N25-N27)

Section 2: Mortality

**Table 2-5. Selected Deaths and Death Rates Aged 25-44 Years by Race
Miami-Dade County, 1992-2002**



Selected Cause Of Death	Year	White		Nonwhite		All Race	
		Number	Rate*	Number	Rate*	Number	Rate*
HIV/AIDS (ICD9CODE: 42-44) (ICD10CODE: B20-B24)	1992	311	65.2	272	171.7	583	91.7
	1993	348	73.8	298	182.5	646	101.8
	1994	411	85.7	385	221.8	796	121.9
	1995	361	75.1	400	220.1	761	114.9
	1996	222	46.0	314	165.0	536	79.6
	1997	127	26.3	214	108.1	341	50.0
	1998	87	18.0	163	79.9	250	36.4
	1999	94	19.5	214	102.2	308	44.5
	2000	78	16.1	180	84.1	258	36.9
	2001	84	17.4	155	71.9	239	34.2
	2002	49	10.3	135	62.3	184	26.5
Accident (ICD9CODE: E800-E949) (ICD10CODE: V01-X59, Y85-Y86)	1992	133	27.9	53	33.5	186	29.3
	1993	154	32.7	59	36.1	213	33.6
	1994	146	30.5	58	33.4	204	31.2
	1995	149	31.0	47	25.9	196	29.6
	1996	123	25.5	59	31.0	182	27.0
	1997	154	31.8	51	25.8	205	30.1
	1998	162	33.6	59	28.9	221	32.2
	1999	138	28.6	49	23.4	187	27.0
	2000	173	35.7	53	24.8	226	32.3
	2001	164	33.9	43	19.9	207	29.6
	2002	177	37.1	43	19.8	220	31.7
Cancer (ICD9CODE: 140-208) (ICD10CODE: C00-C97)	1992	128	26.8	60	37.9	188	29.6
	1993	125	26.5	52	31.8	177	27.9
	1994	122	25.4	68	39.2	190	29.1
	1995	133	27.7	47	25.9	180	27.2
	1996	134	27.8	59	31.0	193	28.7
	1997	123	25.4	50	25.3	173	25.4
	1998	111	23.0	49	24.0	160	23.3
	1999	122	25.3	51	24.4	173	25.0
	2000	103	21.3	61	28.5	164	23.5
	2001	123	25.4	47	21.8	170	24.3
	2002	91	19.1	44	20.3	135	19.5
Heart Disease (ICD9CODE: 390-398, 402, 404-429) (ICD10CODE: I00-I09, I11, I13, I20-I51)	1992	63	13.2	55	34.7	118	18.6
	1993	68	14.4	47	28.8	115	18.1
	1994	71	14.8	57	32.8	128	19.6
	1995	77	16.0	60	33.0	137	20.7
	1996	64	13.3	45	23.6	109	16.2
	1997	54	11.2	57	28.8	111	16.3
	1998	67	13.9	58	28.4	125	18.2
	1999	66	13.7	61	29.1	127	18.3
	2000	78	16.1	54	25.2	132	18.9
	2001	67	13.9	72	33.4	139	19.9
	2002	67	14.1	55	25.4	122	17.6
Homicide (ICD9CODE: E960-E977), (ICD10CODE: X85-Y09, Y87.1)	1992	69	14.5	104	65.7	173	27.2
	1993	87	18.5	107	65.5	194	30.6
	1994	67	14.0	110	63.4	177	27.1
	1995	73	15.2	77	42.4	150	22.7
	1996	67	13.9	83	43.6	150	22.3
	1997	63	13.0	75	37.9	138	20.2
	1998	64	13.3	71	34.8	135	19.7
	1999	50	10.4	54	25.8	104	15.0
	2000	34	7.0	55	25.7	89	12.7
	2001	45	9.3	44	20.4	89	12.7
	2002	31	6.5	59	27.2	90	13.0

*: Rate per 100,000 population in specified group

Table 2-6. Deaths and Death Rates due to Female Breast and Cervical Cancer, Miami-Dade County, 1999-2002

Age Group (yrs.)	Breast Cancer						Cervical Cancer					
	White		Nonwhite		All Races		White		Nonwhite		All Races	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1999												
25-34		0.0	1	1.9	1	0.6	1	0.9	1	1.8	2	1.2
35-44	9	7.3	12	21.4	21	11.7	8	6.4	7	12.1	15	8.2
45-54	31	30.7	16	39.5	47	33.2	3	2.9	2	4.6	5	3.4
55-64	50	61.0	15	61.4	65	61.1	6	7.1	3	11.5	9	8.2
65-74	56	77.8	7	42.2	63	71.1	6	8.3	4	23.0	10	11.1
75-84	62	121.6	6	73.5	68	115.0	3	5.8	1	11.5	4	6.6
85+	46	202.7	2	70.0	48	187.9	1	4.3		0.0	1	3.8
All	254	31.9	59	17.1	313	27.4	28	3.5	18	5.0	46	4.0
2000												
25-34		0.0	1	1.9	1	0.6	1	0.9	2	3.7	3	1.8
35-44	10	8.1	5	8.9	15	8.3	8	6.4	3	5.2	11	6.0
45-54	22	21.8	22	54.4	44	31.1	5	4.8	7	16.1	12	8.1
55-64	34	41.5	14	57.3	48	45.1	3	3.6	4	15.4	7	6.4
65-74	55	76.4	15	90.4	70	79.0	3	4.1	1	5.7	4	4.4
75-84	62	121.6	10	122.5	72	121.7	2	3.9	2	23.0	4	6.6
85+	43	189.5	5	175.1	48	187.9		0.0	2	65.2	2	7.6
All	226	28.4	72	20.9	298	26.1	22	2.7	21	5.9	43	3.7
2001												
25-34	4	3.6	0	0.0	4	2.4	1	0.9	0	0.0	1	0.6
35-44	16	12.5	6	10.3	22	11.8	3	2.4	2	3.4	5	2.7
45-54	32	29.9	15	32.6	47	30.7	3	2.8	4	8.7	7	4.6
55-64	41	47.7	8	29.2	49	43.2	4	4.6	3	10.9	7	6.2
65-74	50	69.0	12	66.8	62	68.5	3	4.1	5	27.8	8	8.8
75-84	52	98.7	5	54.6	57	92.2	4	7.6	0	0.0	4	6.5
85+	37	158.1	0	0.0	37	138.9	1	4.3	0	0.0	1	3.8
All	232	28.4	46	12.6	278	23.5	19	2.3	14	3.8	33	2.8
2002												
25-34	1	0.9	1	1.8	2	1.2	1	0.9	0	0.0	1	0.6
35-44	13	10.3	6	10.2	19	10.3	5	4.0	5	8.5	10	5.4
45-54	30	27.3	17	34.8	47	29.6	5	4.5	2	4.1	7	4.4
55-64	44	50.1	13	44.4	57	48.7	2	2.3	4	13.7	6	5.1
65-74	56	77.7	13	69.9	69	76.1	4	5.6	2	10.8	6	6.6
75-84	62	115.1	5	51.3	67	105.3	4	7.4	1	10.3	5	7.9
85+	41	172.5	3	87.0	44	161.6	2	8.4	0	0.0	2	7.3
All	247	30.0	58	15.6	305	25.5	23	2.8	14	3.8	37	3.1

*: Rate per 100,000 population in specified group






Table 2-7. Years of Potential Life Lost (YPLL) Under 75 Years of Age, Miami-Dade County, 2002

Cause of Death (ICD-10-CODE)	Age Group (yrs.)										RATE*
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	TOTAL	
HIV/AIDS (B20-B24)	0	0	199	274	1804	5024	3746	916	104	12067	555.7
MALIGNANT NEOPLASMS (C00-C97)	0	217	660	613	1198	3713	8131	9233	5222	28987	1334.8
<i>BREAST CANCER (C50)</i>	0	0	0	0	84	649	1160	895	367	3155	145.3
<i>CERVICAL CANCER (C53)</i>	0	0	0	0	44	359	184	96	31	714	32.9
<i>COLON, RECTUM AND ANUS CANCER (C18-C21)</i>	0	0	0	0	83	239	802	996	619	2739	126.1
<i>TRACHEA, BRONCHUS & LUNG CANCER (C33-C34)</i>	0	0	0	0	48	449	1597	2482	1383	5959	274.4
<i>PROSTATE CANCER (C61)</i>	0	0	0	0	0	31	72	191	301	595	27.4
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	521.5	146	69	444	1380	4226	9044	9746	5661	31237.5	1438.4
<i>HEART DISEASES (I00-I09,I11,I13,I20-I51)</i>	372.5	146	69	278	927	3509	6963	7823	4678	24765.5	1140.4
<i>CEREBROVASCULAR DISEASES (I60-I69)</i>	149	0	0	106	221	581	1656	1345	637	4695	216.2
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	74.5	73	0	118	47	138	517	707	571	2245.5	103.4
DIABETES MELLITUS (E10-E14)	0	0	0	0	225	283	907	1146	541	3102	142.8
INFLUENZA & PNEUMONIA (J10-J18)	0	73	0	55	134	282	400	402	148	1494	68.8
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS**	149	0	67	51	91	241	230	458	296	1583	72.9
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	0	0	0	0	0	338	923	589	302	2152	99.1
UNINTENTIONAL INJURIES (V01-X59, Y85-Y86)	745	654	719	5208	4193	4547	2825	988	374	20253	932.6
<i>MOTOR VEHICLE ACCIDENTS***</i>	149	217	337	4282	2469	2556	1155	536	155	11856	545.9
HOMICIDE (X85-Y09, Y87.1)	74.5	147	193	3807	2011	1678	569	249	32	8760.5	403.4
SUICIDE (X60-X84, Y87.0)	0	0	61	947	1312	1216	958	555	143	5192	239.1
CONDITIONS ORIGINATING IN PERINATAL PERIOD (P00-P96)	6779.5	0	0	0	0	0	0	0	0	6779.5	312.2
ALL OTHERS	5811	511	914	2113	2862	5034	3951	3153	1757	26106	1202.1
TOTAL	14155	1821	2882	13630	15257	26720	32201	28142	15151	149959	6905.3

*RATE: PER 100,000 POPULATION AGED UNDER 75 YEARS.

RATE OF BREAST CANCER (C50) AND CERVICAL CANCER (C53) PER 100,000 FEMALE POPULATION UNDER 75 YEARS

RATE OF PROSTATE CANCER (C61) PER 100,000 MALE POPULATION UNDER 75 YEARS

**NEPHRITIS/NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)

***MOTOR VEHICLE ACCIDENTS (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2)

Figure 2-4. Years of Potential Life Lost Prior to Age 75 for Selected Leading Causes of Death, Miami-Dade County, 2002




Figure 2-5. Years of Potential Life Lost Prior to Age 75 for Selected Causes of Death, Miami-Dade County, 1990-2002

