




MIAMI-DADE COUNTY HEALTH DEPARTMENT

HIV/AIDS SURVEILLANCE

MONTHLY SURVEILLANCE REPORT



MAY 2004

TABLES:

- Aids Cases by age group. AIDS Worksheet.
- Adult/Adolescent & Pediatric AIDS cases by race/ethnicity. AIDS Worksheet.
- Adult/Adolescent & Pediatric AIDS cases by mortality status. AIDS Worksheet.
- AIDS Cases by exposure category and sex among Adult/Adolescent and Pediatric. AIDS Worksheet.
- Adult/Adolescent AIDS cases by exposure category and race/ethnicity according to sex. AIDS Worksheet.
- Pediatric AIDS cases by exposure category and race/ethnicity. AIDS Worksheet.
- HIV (not AIDS) Cases by age group. HIV Worksheet.
- Adult/Adolescent & Pediatric HIV (not AIDS) cases by race/ethnicity. HIV Worksheet.
- Adult/Adolescent & Pediatric HIV (not AIDS) cases by mortality status. HIV Worksheet.
- HIV (not AIDS) Cases by exposure category and sex among Adult/Adolescent and Pediatric. HIV Worksheet.
- Adult/Adolescent HIV (not AIDS) cases by exposure category and race/ethnicity according to sex. HIV Worksheet.
- Pediatric HIV (not AIDS) cases by exposure category and race/ethnicity. HIV Worksheet.

CHARTS:

- Percent of AIDS cases by Age Group. AIDS CHARTS Worksheet.
- Percent of AIDS cases by Race/Ethnicity. AIDS CHARTS Worksheet.
- Percent of Adult/Adolescent AIDS cases by Exposure Category. AIDS CHARTS Worksheet.
- AIDS Mortality Rate. AIDS CHARTS Worksheet.
- Percent of HIV (not AIDS) cases by Age Group. HIV CHARTS Worksheet.
- Percent of HIV (not AIDS) cases by Race/Ethnicity. HIV CHARTS Worksheet.
- Percent of Adult/Adolescent HIV (not AIDS) cases by Exposure Category. HIV CHARTS Worksheet.
- HIV Mortality Rate. HIV CHARTS Worksheet.

Evelyn Ullah, BSN, MSW
Director HIV/AIDS Services
1350 NW 14th Street, Miami, FL 33125
(305) 324-2409
Evelyn_Ullah@doh.state.fl.us
www.dadehealth.org

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

**MAY
2004**

AIDS Cases by age group

| AIDS Age Group | Cases | Percent |
|----------------|---------------|------------|
| Under 5 | 396 | 1.41 |
| 5-12 | 102 | 0.36 |
| 13-19 | 160 | 0.57 |
| 20-29 | 3,976 | 14.14 |
| 30-39 | 11,301 | 40.20 |
| 40-49 | 7,790 | 27.71 |
| 50-59 | 3,000 | 10.67 |
| 60-64 | 740 | 2.63 |
| 65-69 | 379 | 1.35 |
| >=70 | 269 | 0.96 |
| Unknown | 0 | 0.00 |
| Total | 28,113 | 100 |

Adult/Adolescent & Pediatric AIDS cases by race/ethnicity

| AIDS by Race/ Ethnicity * | Adult/Adolescent | | Pediatric | | Total AIDS | |
|------------------------------|------------------|------------|------------|------------|---------------|------------|
| | Cases | Percent | Cases | Percent | Cases | Percent |
| Hispanic (All Races) | 9,207 | 33.34 | 47 | 9.44 | 9,254 | 32.92 |
| Am.Indian Alaska Native | 5 | 0.02 | 0 | 0.00 | 5 | 0.02 |
| Asian | 2 | 0.01 | 0 | 0.00 | 2 | 0.01 |
| Black or Afr.American | 13,817 | 50.03 | 428 | 85.94 | 14,245 | 50.67 |
| Native Hawaii/Pacific Is. | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| White | 4,438 | 16.07 | 23 | 4.62 | 4,461 | 15.87 |
| Legacy Asian | 34 | 0.12 | 0 | 0.00 | 34 | 0.12 |
| Multi-Race | 112 | 0.41 | 0 | 0.00 | 112 | 0.40 |
| Unknown | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| Total | 27,615 | 100 | 498 | 100 | 28,113 | 100 |

Adult/Adolescent & Pediatric AIDS cases by mortality status

| Mortality Status | Adult/Adolescent | | Pediatric | | Total AIDS | |
|---------------------|------------------|------------|------------|------------|---------------|------------|
| | Cases | Percent | Cases | Percent | Cases | Percent |
| Alive | 11,838 | 42.87 | 183 | 36.75 | 12,021 | 42.76 |
| Deaths | 15,777 | 57.13 | 315 | 63.25 | 16,092 | 57.24 |
| Total | 27,615 | 100 | 498 | 100 | 28,113 | 100 |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual necessitated by new federal OMB guidelines for reporting race and ethnicity.

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

AIDS Cases by exposure category and sex among Adult/Adolescent and Pediatric

| Adult/Adolescent AIDS | | | | | | |
|---|---------------|------------|--------------|------------|---------------|------------|
| Adult/Adolescent Exposure Category | Male | Percent | Female | Percent | Total | Percent |
| Men who have sex with men | 10,724 | 50.94 | 0 | 0.00 | 10,724 | 38.83 |
| Injecting drug use | 3,067 | 14.57 | 1,638 | 24.95 | 4,705 | 17.04 |
| Men who have sex with men and inject drug | 1,023 | 4.86 | 0 | 0.00 | 1,023 | 3.70 |
| Hemophilia/coagulation disorder | 55 | 0.26 | 7 | 0.11 | 62 | 0.22 |
| Heterosexual contact | 2,436 | 11.57 | 3,346 | 50.98 | 5,782 | 20.94 |
| Recipient of blood, components, or tissue | 107 | 0.51 | 99 | 1.51 | 206 | 0.75 |
| Risk not reported or identified | 3,639 | 17.29 | 1,474 | 22.46 | 5,113 | 18.52 |
| Total | 21,051 | 100 | 6,564 | 100 | 27,615 | 100 |

| Pediatric AIDS | | | | | | |
|---|------------|------------|------------|------------|------------|------------|
| Pediatric Exposure Category | Male | Percent | Female | Percent | Total | Percent |
| Hemophilia/coagulation disorder | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| Mother with/at risk for HIV infection | 238 | 96.75 | 249 | 98.81 | 487 | 97.79 |
| Recipient of blood, components, or tissue | 5 | 2.03 | 2 | 0.79 | 7 | 1.41 |
| Risk not reported or identified | 3 | 1.22 | 1 | 0.40 | 4 | 0.80 |
| Total | 246 | 100 | 252 | 100 | 498 | 100 |

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

Adult/Adolescent AIDS cases by exposure category and race/ethnicity according to sex

| ADULT MALE | | | | | | | | | | | | | | | | | |
|--------------------------------------|---------------|------------|--------------|------------|--------------|------------|-----------|------------|--------------|------------|------------|------------|--------------|------------|---------------|------------|--|
| Exposure Category/ Race/Ethnicity | MSM | | IDU | | MSM & IDU | | HEMOPH | | HETROSEX | | TRAN/OTHER | | NIR | | TOTAL | | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | |
| Hispanic (All Races) | 5,542 | 51.7 | 663 | 21.6 | 362 | 35.4 | 17 | 30.9 | 591 | 24.3 | 34 | 29.3 | 898 | 24.7 | 8,107 | 38.5 | |
| Am.Indian Alaska Native | 1 | 0.0 | 2 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 4 | 0.0 | |
| Asian | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | |
| Black or Afr.American | 1,983 | 18.5 | 2,110 | 68.8 | 417 | 40.8 | 17 | 30.9 | 1,723 | 70.7 | 50 | 43.1 | 2,492 | 68.7 | 8,792 | 41.8 | |
| Native Hawaii/Pacific Is. | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| White | 3,138 | 29.3 | 282 | 9.2 | 239 | 23.4 | 20 | 36.4 | 107 | 4.4 | 30 | 25.9 | 225 | 6.2 | 4,041 | 19.2 | |
| Legacy Asian | 21 | 0.2 | 0 | 0.0 | 0 | 0.0 | 1 | 1.8 | 4 | 0.2 | 0 | 0.0 | 3 | 0.1 | 29 | 0.1 | |
| Multi-Race | 39 | 0.4 | 10 | 0.3 | 5 | 0.5 | 0 | 0.0 | 9 | 0.4 | 2 | 1.7 | 11 | 0.3 | 76 | 0.4 | |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| Male Subtotal | 10,724 | 100 | 3,067 | 100 | 1,023 | 100 | 55 | 100 | 2,436 | 100 | 116 | 100 | 3,630 | 100 | 21,051 | 100 | |

| ADULT FEMALE | | | | | | | | | | | | | | | | | |
|--------------------------------------|----------|----------|--------------|------------|-----------|----------|------------|------------|--------------|------------|------------|------------|--------------|------------|--------------|------------|--|
| Exposure Category/ Race/Ethnicity | MSM | | IDU | | MSM & IDU | | HEMOPHILIA | | HETROSEX | | TRAN/OTHER | | NIR | | TOTAL | | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | |
| Hispanic (All Races) | 0 | 0 | 171 | 10.4 | 0 | 0 | 1 | 14.3 | 694 | 20.7 | 24 | 21.6 | 210 | 14.4 | 1,100 | 16.8 | |
| Am.Indian Alaska Native | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | |
| Asian | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| Black or Afr.American | 0 | 0 | 1,285 | 78.4 | 0 | 0 | 5 | 71.4 | 2,489 | 74.4 | 70 | 63.1 | 1,176 | 80.4 | 5,025 | 76.6 | |
| Native Hawaii/Pacific Is. | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| White | 0 | 0 | 174 | 10.6 | 0 | 0 | 1 | 14.3 | 144 | 4.3 | 13 | 11.7 | 65 | 4.4 | 397 | 6.0 | |
| Legacy Asian | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 0.0 | 2 | 0.1 | 1 | 0.9 | 1 | 0.1 | 5 | 0.1 | |
| Multi-Race | 0 | 0 | 6 | 0.4 | 0 | 0 | 0 | 0.0 | 17 | 0.5 | 3 | 2.7 | 10 | 0.7 | 36 | 0.5 | |
| Unknown | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| Female Subtotal | 0 | 0 | 1,633 | 100 | 0 | 0 | 7 | 100 | 3,346 | 100 | 111 | 100 | 1,462 | 100 | 6,564 | 100 | |

| ADULT TOTAL | 10,724 | | 4,705 | | 1,023 | | 62 | | 5,782 | | 227 | | 5,092 | | 27,615 | |
|--------------------|---------------|--|--------------|--|--------------|--|-----------|--|--------------|--|------------|--|--------------|--|---------------|--|
|--------------------|---------------|--|--------------|--|--------------|--|-----------|--|--------------|--|------------|--|--------------|--|---------------|--|

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases





Pediatric AIDS cases by exposure category and race/ethnicity

| PEDIATRIC | | | | | | | | | | |
|--------------------------------------|------------|----------|--------------|------------|---------------|------------|----------|------------|------------|------------|
| Exposure Category/ Race/Ethnicity | HEMOPHILIA | | Mother w/HIV | | RECEIPT BLOOD | | PED. NIR | | TOTAL | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent |
| Hispanic (All Races) | 0 | 0.0 | 39 | 8.0 | 5 | 71.4 | 3 | 75.0 | 47 | 9.4 |
| Am.Indian Alaska Native | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Asian | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Black or Afr.American | 0 | 0.0 | 425 | 87.3 | 2 | 28.6 | 1 | 25.0 | 428 | 85.9 |
| Native Hawaii/Pacific Is. | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| White | 0 | 0.0 | 23 | 4.7 | 0 | 0.0 | 0 | 0.0 | 23 | 4.6 |
| Legacy Asian | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Multi-Race | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Total Pediatrics | 0 | 0 | 487 | 100 | 7 | 100 | 4 | 100 | 498 | 100 |

NOTE:

All data at the local level is considered provisional and subject to edit checks by state and federal agencies.
Adjustment are performed on a monthly basis to compensate for duplicate reports state wide and case validation projects.

MIAMI-DADE COUNTY AIDS CASES UP TO DATE



Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (not AIDS) Cases

**MAY
2004**

HIV (not AIDS) Cases by age group

| HIV Age Group | Cases | Percent |
|---------------|---------------|------------|
| Under 5 | 72 | 0.72 |
| 5-12 | 45 | 0.45 |
| 13-19 | 283 | 2.83 |
| 20-29 | 2,044 | 20.44 |
| 30-39 | 3,793 | 37.93 |
| 40-49 | 2,481 | 24.81 |
| 50-59 | 870 | 8.70 |
| 60-64 | 202 | 2.02 |
| 65-69 | 119 | 1.19 |
| >=70 | 92 | 0.92 |
| Unknown | 0 | 0.00 |
| Total | 10,001 | 100 |

Adult/Adolescent & Pediatric HIV (not AIDS) cases by race/ethnicity

| HIV by Race/ Ethnicity * | Adult/Adolescent | | Pediatric | | Total HIV | |
|-----------------------------|------------------|------------|------------|------------|---------------|------------|
| | Cases | Percent | Cases | Percent | Cases | Percent |
| Hispanic (All Races) | 3,259 | 32.97 | 16 | 13.68 | 3,275 | 32.75 |
| Am.Indian Alaska Native | 6 | 0.06 | 0 | 0.00 | 6 | 0.06 |
| Asian | 2 | 0.02 | 0 | 0.00 | 2 | 0.02 |
| Black or Afr.American | 5,143 | 52.03 | 98 | 83.76 | 5,241 | 52.40 |
| Native Hawaii/Pacific Is. | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| White | 1,426 | 14.43 | 2 | 1.71 | 1,428 | 14.28 |
| Legacy Asian | 12 | 0.12 | 1 | 0.85 | 13 | 0.13 |
| Multi-Race | 36 | 0.36 | 0 | 0.00 | 36 | 0.36 |
| Unknown | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| Total | 9,884 | 100 | 117 | 100 | 10,001 | 100 |

Adult/Adolescent & Pediatric HIV (not AIDS) cases by mortality status

| Mortality Status | Adult/Adolescent | | Pediatric | | Total HIV | |
|---------------------|------------------|------------|------------|------------|---------------|------------|
| | Cases | Percent | Cases | Percent | Cases | Percent |
| Alive | 9,635 | 97.48 | 117 | 100.00 | 9,752 | 97.51 |
| Deaths | 249 | 2.52 | 0 | 0.00 | 249 | 2.49 |
| Total | 9,884 | 100 | 117 | 100 | 10,001 | 100 |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual necessitated by new federal OMB guidelines for reporting race and ethnicity.

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (not AIDS) Cases

HIV (not AIDS) Cases by exposure category and sex among Adult/Adolescent and Pediatric

| Adult/Adolescent HIV | | | | | | |
|---|--------------|------------|--------------|------------|--------------|------------|
| Adult/Adolescent Exposure Category | Male | Percent | Female | Percent | Total | Percent |
| Men who have sex with men | 3,093 | 45.67 | 0 | 0.00 | 3,093 | 31.29 |
| Injecting drug use | 331 | 4.89 | 225 | 7.23 | 556 | 5.63 |
| Men who have sex with men and inject drug | 147 | 2.17 | 0 | 0.00 | 147 | 1.49 |
| Hemophilia/coagulation disorder | 4 | 0.06 | 2 | 0.06 | 6 | 0.06 |
| Heterosexual contact | 1,007 | 14.87 | 1,667 | 53.57 | 2,674 | 27.05 |
| Recipient of blood, components, or tissue | 1 | 0.01 | 0 | 0.00 | 1 | 0.01 |
| Risk not reported or identified | 2,189 | 32.32 | 1,218 | 39.14 | 3,407 | 34.47 |
| Total | 6,772 | 100 | 3,112 | 100 | 9,884 | 100 |

| Pediatric HIV | | | | | | |
|---|-----------|------------|-----------|------------|------------|------------|
| Pediatric Exposure Category | Male | Percent | Female | Percent | Total | Percent |
| Hemophilia/coagulation disorder | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 |
| Mother with/at risk for HIV infection | 45 | 100.00 | 67 | 93.06 | 112 | 95.73 |
| Recipient of blood, components, or tissue | 0 | 0.00 | 2 | 2.78 | 2 | 1.71 |
| Risk not reported or identified | 0 | 0.00 | 3 | 4.17 | 3 | 2.56 |
| Total | 45 | 100 | 72 | 100 | 117 | 100 |

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (not AIDS) Cases

Adult/Adolescent HIV (not AIDS) cases by exposure category and race/ethnicity according to sex

| ADULT MALE | | | | | | | | | | | | | | | | | |
|--------------------------------------|--------------|------------|------------|------------|------------|------------|----------|------------|--------------|------------|------------|------------|--------------|------------|--------------|------------|--|
| Exposure Category/ Race/Ethnicity | MSM | | IDU | | MSM & IDU | | HEMOPH | | HETROSEX | | TRAN/OTHER | | NIR | | TOTAL | | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | |
| Hispanic (All Races) | 1,618 | 52.3 | 108 | 32.6 | 50 | 34.0 | 2 | 50.0 | 212 | 21.1 | 1 | 100.0 | 660 | 30.2 | 2,651 | 39.1 | |
| Am.Indian Alaska Native | 2 | 0.1 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | |
| Asian | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 2 | 0.0 | |
| Black or Afr.American | 576 | 18.6 | 185 | 55.9 | 51 | 34.7 | 2 | 50.0 | 754 | 74.9 | 0 | 0.0 | 1,286 | 58.7 | 2,854 | 42.1 | |
| Native Hawaii/Pacific Is. | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| White | 882 | 28.5 | 37 | 11.2 | 42 | 28.6 | 0 | 0.0 | 37 | 3.7 | 0 | 0.0 | 235 | 10.7 | 1,233 | 18.2 | |
| Legacy Asian | 6 | 0.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 2 | 0.1 | 9 | 0.1 | |
| Multi-Race | 8 | 0.3 | 1 | 0.3 | 3 | 2.0 | 0 | 0.0 | 3 | 0.3 | 0 | 0.0 | 5 | 0.2 | 20 | 0.3 | |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | |
| Male Subtotal | 3,093 | 100 | 331 | 100 | 147 | 100 | 4 | 100 | 1,007 | 100 | 1 | 100 | 2,189 | 100 | 6,772 | 100 | |

| ADULT FEMALE | | | | | | | | | | | | | | | | | |
|--------------------------------------|----------|----------|------------|------------|-----------|----------|------------|------------|--------------|------------|------------|----------|--------------|------------|--------------|------------|--|
| Exposure Category/ Race/Ethnicity | MSM | | IDU | | MSM & IDU | | HEMOPHILIA | | HETROSEX | | TRAN/OTHER | | NIR | | TOTAL | | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | |
| Hispanic (All Races) | 0 | 0 | 44 | 19.6 | 0 | 0 | 0 | 0.0 | 334 | 20.0 | 0 | 0 | 230 | 18.9 | 608 | 19.5 | |
| Am.Indian Alaska Native | 0 | 0 | 1 | 0.4 | 0 | 0 | 0 | 0.0 | 2 | 0.1 | 0 | 0 | 0 | 0.0 | 3 | 0.1 | |
| Asian | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| Black or Afr.American | 0 | 0 | 144 | 64.0 | 0 | 0 | 2 | 100.0 | 1,237 | 74.2 | 0 | 0 | 906 | 74.4 | 2,289 | 73.6 | |
| Native Hawaii/Pacific Is. | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| White | 0 | 0 | 33 | 14.7 | 0 | 0 | 0 | 0.0 | 83 | 5.0 | 0 | 0 | 77 | 6.3 | 193 | 6.2 | |
| Legacy Asian | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 2 | 0.1 | 0 | 0 | 1 | 0.1 | 3 | 0.1 | |
| Multi-Race | 0 | 0 | 3 | 1.3 | 0 | 0 | 0 | 0.0 | 9 | 0.5 | 0 | 0 | 4 | 0.3 | 16 | 0.5 | |
| Unknown | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| Female Subtotal | 0 | 0 | 225 | 100 | 0 | 0 | 2 | 100 | 1,667 | 100 | 0 | 0 | 1,218 | 100 | 3,112 | 100 | |

| ADULT TOTAL | | 3,093 | 556 | 147 | 6 | 2,674 | 1 | 3,407 | 9,884 |
|--------------------|--|--------------|------------|------------|----------|--------------|----------|--------------|--------------|
|--------------------|--|--------------|------------|------------|----------|--------------|----------|--------------|--------------|

(Continue next Page)

Miami-Dade County Health Department
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category and race/ethnicity

| PEDIATRIC | | | | | | | | | | |
|--------------------------------------|------------|----------|--------------|------------|---------------|------------|----------|------------|------------|------------|
| Exposure Category/ Race/Ethnicity | HEMOPHILIA | | Mother w/HIV | | RECEIPT BLOOD | | PED. NIR | | TOTAL | |
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent |
| Hispanic (All Races) | 0 | 0.0 | 13 | 11.6 | 2 | 100.0 | 1 | 33.3 | 16 | 13.7 |
| Am.Indian Alaska Native | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Asian | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Black or Afr.American | 0 | 0.0 | 96 | 85.7 | 0 | 0.0 | 2 | 66.7 | 98 | 83.8 |
| Native Hawaii/Pacific Is. | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| White | 0 | 0.0 | 2 | 1.8 | 0 | 0.0 | 0 | 0.0 | 2 | 1.7 |
| Legacy Asian | 0 | 0.0 | 1 | 0.9 | 0 | 0.0 | 0 | 0.0 | 1 | 0.9 |
| Multi-Race | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Total Pediatrics | 0 | 0 | 112 | 100 | 2 | 100 | 3 | 100 | 117 | 100 |

NOTE:

All data at the local level is considered provisional and subject to edit checks by state and federal agencies.
Adjustment are performed on a monthly basis to compensate for duplicate reports state wide and case validation projects.

MIAMI-DADE COUNTY HIV (not AIDS) CASES UP TO DATE

